


Insert 6 rows into a table called SpotifyUser with columns: user_id, username, email, and subscription_type. Ensure that username is UNIQUE and email is NOT NULL.

Hint: Use the UNIQUE and NOT NULL constraints when creating the table.



The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with a list of tables including 'spotifyuser'. The main editor window contains a SQL query that inserts six rows into the 'spotifyuser' table. The query is as follows:

```
INSERT INTO SpotifyUser (user_id, username, email, subscription_type)
VALUES
(1, 'alex_m', 'alex.m@example.com', 'Premium Individual'),
(2, 'beatlover99', 'sarah.t@example.com', 'Free'),
(3, 'charlie_z', 'charlie.z@example.com', 'Premium Student'),
(4, 'dj_dan', 'dan.k@example.com', 'Premium Duo'),
(5, 'emma_w', 'emma.watson@example.com', 'Premium Family'),
(6, 'frankie_grooves', 'frankie.g@example.com', 'Free');

select * from SpotifyUser;
```

Below the query editor, the 'Result Grid' displays the data inserted into the 'spotifyuser' table:

user_id	username	email	subscription_type
1	alex_m	alex.m@example.com	Premium Individual
2	beatlover99	sarah.t@example.com	Free
3	charlie_z	charlie.z@example.com	Premium Student
4	dj_dan	dan.k@example.com	Premium Duo
5	emma_w	emma.watson@example.com	Premium Family
6	frankie_grooves	frankie.g@example.com	Free