

Software Engineering Project

Thomas Luvö tom@samohd.se @tomluvoe

Thomas Luvö

- VP at Synective Labs AB
- 10 years experience from the telecommunication industry and software development
- 2 years of large scale (350 people) agile transformation in practice

Today


- Scrum
 - In theory
 - In practice, getting started with Scrum

Traditional Project Planning

- Product requirements can be specified up front
- The product requirements do not change over time
- The customers know what product they want before they see it

Reality

- Product requirements will change between specification of a product and delivery
- Humphrey's Requirements Uncertainty Principle: A system can not fully be understood before it has been used
- Ziv's Uncertainty Principle for Software Development: That uncertainty and unpredictability is always part of software development
- Wegner's Lemma: It is not possible to fully specify an interactive system




Agile and Scrum




Product owner

Product backlog



90%

75%



Customer



Systemization
Software design
Verification



Project
Manager

Scrum

- Lightweight project planning techniques
- Deliver as much quality software as possible within a series of Sprints
- Short daily meetings with every person on the software team and stakeholders

Three pillars of Scrum

1. Transparency

- Visibility for those responsible for the outcome and common view of definition of “Done”

2. Inspection


- Frequent inspection of progress toward the Sprint Goal


3. Adaptation

- If anything deviates from expected outcome and will result in an unacceptable product, it must be adjusted. The Scrum process describes four formal points for inspect and adapt.

Customer,
Stakeholders

SCRUM





A n days Sprint

Day 1

Sprint Planning
8h / 4w

Day 2

Daily Scrum
15 min

Day 3

Daily Scrum
15 min


...

Day n

Sprint Review
4h / 4w

Sprint
Retrospective
3h / 4w


Getting started with Scrum



Scrum Team

The Scrum team is self-organizing and cross-functional.


- Self-organizing teams choose how to best complete their work rather than being directed from the outside.
- Cross-functional teams have all competences needed to complete their work without having to depend on others not part of the team.



Scrum Team

- The Product Owner
 - Responsible for maximizing the value of what the team produces. In practice that means prioritizing the Product Backlog and is the only person that can change the priority.
- The Development Team
 - Self-organizing and cross-functional team of 6+-3 Developers.
- The Scrum Master
 - Supports the Development Team in the Scrum process, supports the Product Owner with the Product Backlog and facilitates Scrum Events. Removes impediments for the team.

Custo



Scrum Artifacts

- Product Backlog
 - The product's (and project's) todo list. Includes features, improvements, wishes etc.
- Sprint Backlog
 - The Development Team's backlog for a single Sprint. During the Sprint Planning meeting the team estimates how many items from the Product Backlog that the team will complete, and adds those items to the Sprint Backlog.
- Increment
 - The finished items at the end of a Sprint are all included in the Increment (i.e. delivery). The Increment must be of good quality and may be sent to customers.




- A Product Backlog is prioritized in "Customer value" order, with the most prioritized/highest value item on the top
- Well defined items on the Backlog are called User Stories and are formulated on the format "As ... I need ... in order to ...". They are estimated in Story Points
- A User Story should not be larger than that a Development Team can complete 2-4 per Sprint
- Further down in the Backlog items may be large and/or fuzzy. Large items are called Epics

Set up your Backlog


Set up a backlog with enough User Stories (well defined with definition of Done) to kick-off the first sprint, plus User Stories and Epics to cover the whole project scope

1. Brainstorm the complete product and create all Epics
2. Break down the most valuable/important Epics to User Stories, hopefully you will have User Stories that cover a few Sprints
3. Estimate the User Stories you have defined and assign "Story Points"


Estimate User Stories



Burndown Chart



Custo




Sprint Planning

Plan for a 2 hour Sprint Planning meeting for a 1 week Sprint.
Product Owner brings the top prioritized User Stories.


- Part 1: What can be done during the Sprint?
 - Take User Stories from the Product Backlog and add to the Sprint Backlog. Definition of Done important. Decide on a Sprint Goal.
- Part 2: How will the work be done?
 - Break down all User Stories in the Sprint Backlog to Tasks

Keep User Stories and Tasks on Sticky notes

Sprint Planning



Custo





Sprint Backlog

- A Sprint Backlog is a prioritized backlog used by the team for the duration of a single Sprint
- It typically holds a few User Stories that are broken down into Tasks
- Tasks are estimated in "work hours", usually in the range of 1-16 hours per task
- The Sprint's progress is followed up by counting how many hours are left of the total in a "Burndown Chart"




- Add the Sprint Backlog and Tasks to your "Scrum Board"
- The Scrum Master plans for and invites to to Daily Scrum, Sprint Review and Sprint Retrospective meetings
- Daily Scrum meeting updates the Scrum Board






Daily Scrum

- Stand up meeting, maximum 15 minutes
- Three questions
 - What did I do yesterday that helped the Development Team reach the Sprint Goal?
 - What will I do today to help the Development Team reach the Sprint Goal?
 - Do I see any impediments that prevents me or the Development Team to reach the Sprint Goal?



Sprint Review


- Product owner explains what has been Done and not done
- The Development Team demonstrates the work that is Done and answers questions about the Increment
- Product Owner describes the Product Backlog as it stands and shows current estimates for completion dates
- Discussion about what should be done in the coming Sprints (to provide input to the next Planning meeting)




Retrospective

- Inspect the Sprint and create plans for improvements
- Method
 1. Set the stage
 2. Gather data
 3. Generate insight
 4. Decide what to do
 5. Close

Retrospective



Retrospective



Velocity

- How many Story Points did the Development Complete during last sprint?
- $\text{Velocity} = \text{SP} / \text{Sprint}$
- Input to the Sprint planning meeting part 1
 - “How many User Stories will we complete during the coming Sprint?”

The Scrum Guide

- <http://www.scrum.org>