INTEROFFICE MEMORANDUM

To: IT Director

From: Team 02

Date: October 24, 2026

Subject: Firewall & Rule Base

Summary:

Each server's firewall has been configured to only accept inbound and outbound expected packets as requested.

Inbound Firewall Rules

Service	Firewall Rule
Ecom Rocky Linux	Inbound: Allows TCP, HTTPS, HTTP, SSH, UDP ICMP Outbound: Allows ICMP, Splunk, DNS, HTTP, HTTPS, MSSQL,
Email Ubuntu Server	Allow Inbound 22, 25, 587, 143, 993, 995, 80, 443 Outbound: Allows ICMP, Splunk, DNS, HTTP, HTTPS, MSSQL,
Splunk Debian Server	Allow Inbound 22, 80, 9997, 8089, 8000 Outbound: Allows ICMP, Splunk, DNS, HTTP, HTTPS, MSSQL,
AD Windows Server	Allow Inbound: 53, 135, 445, 389, 88, 5985, 5986 Outbound: RPC, Kerberos, DNS, WinRM, LDAP
MSSQL Windows Server	Domain-Applied Firewall: Inbound: SQL, RDP, SMB, Ping Outbound: 53, 135, 445, 389, 88, 5985, 5986
Ubuntu Workstation	Denies all inbound traffic Only allows outbound HTTP, HTTPS, and DNS
Windows Workstation	Denies all inbound traffic Only allows outbound HTTP, HTTPS, and DNS

Figure 1: ***Ubuntu Server Firewall***





Figure 2: *AD Server Firewall*




```
[root@Ecomm linux]# iptables -L
Chain INPUT (policy DROP)
target     prot opt source               destination
ACCEPT     tcp  --  anywhere             anywhere             tcp dpt:https
ACCEPT     tcp  --  anywhere             anywhere             tcp dpt:http
ACCEPT     all  --  anywhere             anywhere             ctstate RELATED,ESTABLISHED /* related/established */
ACCEPT     all  --  anywhere             anywhere             /* loopback */
ACCEPT     icmp --  anywhere             anywhere             icmp echo-request /* ping */
ACCEPT     tcp  --  anywhere             anywhere             tcp dpt:ssh

Chain FORWARD (policy DROP)
target     prot opt source               destination

Chain OUTPUT (policy ACCEPT)
target     prot opt source               destination
ACCEPT     all  --  anywhere             anywhere             ctstate RELATED,ESTABLISHED /* related/established */
ACCEPT     all  --  anywhere             anywhere             /* loopback */
ACCEPT     icmp --  anywhere             anywhere             icmp echo-reply /* ping */
ACCEPT     tcp  --  anywhere             172.20.240.20        tcp dpt:palace-6 /* Splunk */
ACCEPT     udp  --  anywhere             172.20.240.100       udp dpt:domain /* DNS */
ACCEPT     tcp  --  anywhere             anywhere             multiport dports http,https /* HTTP/S */
ACCEPT     tcp  --  anywhere             anywhere             tcp dpt:ms-sql-s
ACCEPT     udp  --  anywhere             anywhere             udp dpt:domain
[root@Ecomm linux]# x
```

If there are any concerns, questions, or clarifications, please do not hesitate to reach out.

With Regards,
Team 02