

Sample Report



Sample Metadata

Sample Name	Scan 04207
Hazard Level	Alarm
Sample Type	Illicit Drug
Last Modified	2024-03-07 11:35:25-05:00
Created	2024-03-07 11:35:25-05:00


Instrument

Serial Number	192600200502138
Firmware Package	8.1.3.55
Last Calibration	2024-03-07 09:58:26-05:00
Last System Suitability Test	Fail, 2024-03-07 09:58:38-05:00


Acquisition Parameters

Operating Procedure Name	Default Procedure
Operating Procedure Version	1
Integration Time	5.73 s
Auto Integration	On
Averages	3
Laser Power	5
Smart Tip Type	Intelligent UA, Surface (Position 1)
Smart Tip Serial Number	6075060600401227

Spectral Data



Mixture Identification Results



■ Scan 04207 ■ Camazepam ■ Triphenyl Phosphine ■ Fentanyl-Alfentanil SERS				
Hazard Level	Match	Sample Type	Source Library	Spectral Weight %
Warning	Camazepam	USP/Pharmaceutical	Illicit v41, Version: 41	33%
Clear	Triphenyl Phosphine	Chemical	Illicit v41, Version: 41	29%
Alarm	Fentanyl-Alfentanil SERS	Illicit Drug	DEVCOM CBC SERS, Version: 6	15%