
SYNTHETIC SI ? NOT A LAB PROTOCOL


A two-center starting material



Synthetic compound A: formula C4H9NO3; specified centers 2; specified double bonds 0; components 1.

SYNTHETIC SI ? NOT A LAB PROTOCOL


B shared crude intermediate



Synthetic compound B: formula C5H11NO3; specified centers 2; specified double bonds 0; components 1.

SYNTHETIC SI ? NOT A LAB PROTOCOL


P0 target



Synthetic compound P0: formula C9H15NO5; specified centers 2; specified double bonds 0; components 1.

SYNTHETIC SI ? NOT A LAB PROTOCOL


P1 epimer target



Synthetic compound P1: formula C9H15NO5; specified centers 2; specified double bonds 0; components 1. P1 is an epimer of P0; exactly one of two centers is inverted.


SYNTHETIC SI ? NOT A LAB PROTOCOL

E1




Synthetic experiment E1: A to B; handling crude-transfer; 1 simulated stage(s). Reference basis 1.00 mmol is synthetic. No experimental conditions or measured yields are supplied.

SYNTHETIC SI ? NOT A LAB PROTOCOL
E2



Synthetic experiment E2: B to P0; handling one-pot; 2 simulated stage(s). Reference basis 1.00 mmol is synthetic. No experimental conditions or measured yields are supplied.

SYNTHETIC SI ? NOT A LAB PROTOCOL
E3



Synthetic experiment E3: B to P1; handling isolated; 1 simulated stage(s). Reference basis 1.00 mmol is synthetic. No experimental conditions or measured yields are supplied.