



Cyberscope

Audit Report

Wookiees

June 2023

SHA256 a3c706c76579259836c20b9430c9197c941ea739ad127b8ac3fd257de8aaa1dd

Audited by © cyberscope

Analysis

● Critical ● Medium ● Minor / Informative ● Pass

| Severity | Code | Description | Status |
|----------|------|-------------------------|--------|
| ● | ST | Stops Transactions | Passed |
| ● | OTUT | Transfers User's Tokens | Passed |
| ● | ELFM | Exceeds Fees Limit | Passed |
| ● | MT | Mints Tokens | Passed |
| ● | BT | Burns Tokens | Passed |
| ● | BC | Blacklists Addresses | Passed |

Diagnostics

● Critical ● Medium ● Minor / Informative

| Severity | Code | Description | Status |
|----------|------|--|------------|
| ● | L04 | Conformance to Solidity Naming Conventions | Unresolved |
| ● | L09 | Dead Code Elimination | Unresolved |

Table of Contents

| | |
|--|-----------|
| Analysis | 1 |
| Diagnostics | 2 |
| Table of Contents | 3 |
| Review | 4 |
| Audit Updates | 4 |
| Source Files | 4 |
| Findings Breakdown | 5 |
| L04 - Conformance to Solidity Naming Conventions | 6 |
| Description | 6 |
| Recommendation | 6 |
| L09 - Dead Code Elimination | 8 |
| Description | 8 |
| Recommendation | 9 |
| Functions Analysis | 10 |
| Inheritance Graph | 12 |
| Flow Graph | 13 |
| Summary | 14 |
| Disclaimer | 15 |
| About Cyberscope | 16 |

Review

| | |
|----------------|---|
| Contract Name | wookiees |
| Testing Deploy | https://testnet.bscscan.com/address/0x6898b34e8969ec2f9f9493e5a9515de5cd793270 |
| Symbol | wookiee |
| Decimals | 9 |
| Total Supply | 420,000,000,000 |

Audit Updates

| | |
|---------------|-------------|
| Initial Audit | 23 Jun 2023 |
|---------------|-------------|

Source Files

| | |
|------------------------|--|
| Filename | SHA256 |
| contracts/wookiees.sol | a3c706c76579259836c20b9430c9197c941ea739ad127b8ac3fd257de8aaa1dd |

Findings Breakdown



| | |
|-----------------------|---|
| ● Critical | 0 |
| ● Medium | 0 |
| ● Minor / Informative | 2 |

| Severity | Unresolved | Acknowledged | Resolved | Other |
|-----------------------|------------|--------------|----------|-------|
| ● Critical | 0 | 0 | 0 | 0 |
| ● Medium | 0 | 0 | 0 | 0 |
| ● Minor / Informative | 2 | 0 | 0 | 0 |

L04 - Conformance to Solidity Naming Conventions

| | |
|--------------------|-----------------------------|
| Criticality | Minor / Informative |
| Location | contracts/wookiees.sol#L207 |
| Status | Unresolved |

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

```
contract wookiees is ERC20 {  
    constructor () ERC20("wookiees", "wookiee") {  
        _mint(msg.sender, 420_000_000_000 * (10 ** 9));  
    }  
}
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation

<https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention>.

L09 - Dead Code Elimination

| | |
|-------------|-----------------------------|
| Criticality | Minor / Informative |
| Location | contracts/wookiees.sol#L165 |
| Status | Unresolved |

Description

In Solidity, dead code is code that is written in the contract, but is never executed or reached during normal contract execution. Dead code can occur for a variety of reasons, such as:

- Conditional statements that are always false.
- Functions that are never called.
- Unreachable code (e.g., code that follows a return statement).

Dead code can make a contract more difficult to understand and maintain, and can also increase the size of the contract and the cost of deploying and interacting with it.

```
function _burn(address account, uint256 amount) internal virtual {
    require(account != address(0), "ERC20: burn from the zero address");

    _beforeTokenTransfer(account, address(0), amount);

    uint256 accountBalance = _balances[account];
    ...
}
_totalSupply -= amount;

emit Transfer(account, address(0), amount);

_afterTokenTransfer(account, address(0), amount);
}
```

Recommendation


To avoid creating dead code, it's important to carefully consider the logic and flow of the contract and to remove any code that is not needed or that is never executed. This can help improve the clarity and efficiency of the contract.

Functions Analysis


| Contract | Type | Bases | | |
|-----------------------|----------------|------------|------------|-----------|
| | Function Name | Visibility | Mutability | Modifiers |
| | | | | |
| IERC20 | Interface | | | |
| | totalSupply | External | | - |
| | balanceOf | External | | - |
| | transfer | External | ✓ | - |
| | allowance | External | | - |
| | approve | External | ✓ | - |
| | transferFrom | External | ✓ | - |
| | | | | |
| IERC20Metadata | Interface | IERC20 | | |
| | name | External | | - |
| | symbol | External | | - |
| | decimals | External | | - |
| | | | | |
| Context | Implementation | | | |
| | _msgSender | Internal | | |
| | _msgData | Internal | | |
| | | | | |

| ERC20 | Implementation | Context, IERC20, IERC20Meta data | | |
|-----------------|----------------------|---|---|-------|
| | | Public | ✓ | - |
| | name | Public | | - |
| | symbol | Public | | - |
| | decimals | Public | | - |
| | totalSupply | Public | | - |
| | balanceOf | Public | | - |
| | transfer | Public | ✓ | - |
| | allowance | Public | | - |
| | approve | Public | ✓ | - |
| | transferFrom | Public | ✓ | - |
| | increaseAllowance | Public | ✓ | - |
| | decreaseAllowance | Public | ✓ | - |
| | _transfer | Internal | ✓ | |
| | _mint | Internal | ✓ | |
| | _burn | Internal | ✓ | |
| | _approve | Internal | ✓ | |
| | _beforeTokenTransfer | Internal | ✓ | |
| | _afterTokenTransfer | Internal | ✓ | |
| | | | | |
| wookiees | Implementation | ERC20 | | |
| | | Public | ✓ | ERC20 |

Inheritance Graph



Flow Graph



Summary

Wookiees is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can not access functions that can be used in a malicious way to disturb the users' transactions.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

<https://www.cyberscope.io>