

Audit Report Bitrace ScoreHealth

January 2023

SHA256

9ecee13788391523e6752fd38c131136ad107aee5fa2442330bcb0cedb4c8a51

Audited by © cyberscope



Table of Contents

Table of Contents	'
Review	3
Audit Updates	3
Source Files	3
Analysis	4
Diagnostics	5
L04 - Conformance to Solidity Naming Conventions	6
Description	6
Recommendation	7
L05 - Unused State Variable	8
Description	8
Recommendation	8
L07 - Missing Events Arithmetic	9
Description	9
Recommendation	9
L12 - Using Variables before Declaration	10
Description	10
Recommendation	10
L14 - Uninitialized Variables in Local Scope	11
Description	11
Recommendation	11
L16 - Validate Variable Setters	12
Description	12
Recommendation	12
L20 - Succeeded Transfer Check	13
Description	13
Recommendation	13
Functions Analysis	14
Inheritance Graph	18
Flow Graph	19
Summary	20



Review

Contract Name	ScoreHealth
Testing Deploy	https://testnet.bscscan.com/address/0x1e78928fe91571314b24d80297 a52b1c58e0808c
Symbol	\$BSH
Decimals	18
Total Supply	120,000,000

Audit Updates

Initial Audit	03 Feb 2023
---------------	-------------

Source Files

Filename	SHA256
contracts/ScoreHealth_contract.sol	9ecee13788391523e6752fd38c131136ad107aee5fa244 2330bcb0cedb4c8a51



Analysis

CriticalMediumMinor / InformativePass

Severity	Code	Description	Status
•	ST	Stops Transactions	Passed
•	OCTD	Transfers Contract's Tokens	Passed
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
•	ULTW	Transfers Liquidity to Team Wallet	Passed
•	MT	Mints Tokens	Passed
•	BT	Burns Tokens	Passed
•	ВС	Blacklists Addresses	Passed



Diagnostics

CriticalMediumMinor / Informative

Severity	Code	Description	Status
•	L04	Conformance to Solidity Naming Conventions	Unresolved
•	L05	Unused State Variable	Unresolved
•	L07	Missing Events Arithmetic	Unresolved
•	L12	Using Variables before Declaration	Unresolved
•	L14	Uninitialized Variables in Local Scope	Unresolved
•	L16	Validate Variable Setters	Unresolved
•	L20	Succeeded Transfer Check	Unresolved



L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L33,116,117,118,119,120,128,135,136,137,138,139,155,394
Status	Unresolved

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

- 1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
- 2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
- 3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
- 4. Use indentation to improve readability and structure.
- 5. Use spaces between operators and after commas.
- 6. Use comments to explain the purpose and behavior of the code.
- 7. Keep lines short (around 120 characters) to improve readability.



```
function WETH() external pure returns (address);
uint256 constant private startingSupply = 120_000_000
string constant private _name = "ScoreHealth"
string constant private _symbol = "$BSH"
uint8 constant private _decimals = 18
uint256 constant private _tTotal = startingSupply * 10**_decimals

Fees public _taxRates = Fees({
            buyFee: 100,
            sellFee: 100,
            transferFee: 0
        })
uint256 constant public maxBuyTaxes = 2000
uint256 constant public maxSellTaxes = 2000
uint256 constant public maxTransferTaxes = 2000
...
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention.



L05 - Unused State Variable

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L112
Status	Unresolved

Description

An unused state variable is a state variable that is declared in the contract, but is never used in any of the contract's functions. This can happen if the state variable was originally intended to be used, but was later removed or never used.

Unused state variables can create clutter in the contract and make it more difficult to understand and maintain. They can also increase the size of the contract and the cost of deploying and interacting with it.

```
mapping (address => bool) private _isExcludedFromLimits
```

Recommendation

To avoid creating unused state variables, it's important to carefully consider the state variables that are needed for the contract's functionality, and to remove any that are no longer needed. This can help improve the clarity and efficiency of the contract.



L07 - Missing Events Arithmetic

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L425,435
Status	Unresolved

Description

Events are a way to record and log information about changes or actions that occur within a contract. They are often used to notify external parties or clients about events that have occurred within the contract, such as the transfer of tokens or the completion of a task.

It's important to carefully design and implement the events in a contract, and to ensure that all required events are included. It's also a good idea to test the contract to ensure that all events are being properly triggered and logged.

```
swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor
piSwapPercent = priceImpactSwapPercent
```

Recommendation

By including all required events in the contract and thoroughly testing the contract's functionality, the contract ensures that it performs as intended and does not have any missing events that could cause issues with its arithmetic.



L12 - Using Variables before Declaration

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L592
Status	Unresolved

Description

The contract is using a variable before the declaration. This is usually happening either if it has not been declared yet or if the variable has been declared in a different scope. It is not a good practice to use a local variable before it has been declared.

bool check

Recommendation

By declaring local variables before using them, contract ensures that it operates correctly. It's important to be aware of this rule when working with local variables, as using a variable before it has been declared can lead to unexpected behavior and can be difficult to debug.



L14 - Uninitialized Variables in Local Scope

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L591,592
Status	Unresolved

Description

Using an uninitialized local variable can lead to unpredictable behavior and potentially cause errors in the contract. It's important to always initialize local variables with appropriate values before using them.

bool checked
bool check

Recommendation

By initializing local variables before using them, the contract ensures that the functions behave as expected and avoid potential issues.



L16 - Validate Variable Setters

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L252
Status	Unresolved

Description

The contract performs operations on variables that have been configured on user-supplied input. These variables are missing of proper check for the case where a value is zero. This can lead to problems when the contract is executed, as certain actions may not be properly handled when the value is zero.

operator = newOperator

Recommendation

By adding the proper check, the contract will not allow the variables to be configured with zero value. This will ensure that the contract can handle all possible input values and avoid unexpected behavior or errors. Hence, it can help to prevent the contract from being exploited or operating unexpectedly.



L20 - Succeeded Transfer Check

Criticality	Minor / Informative
Location	contracts/ScoreHealth_contract.sol#L579
Status	Unresolved

Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
TOKEN.transfer(_owner, TOKEN.balanceOf(address(this)))
```

Recommendation

The contract should check if the result of the transfer methods is successful. The team is advised to check the SafeERC20 library from the Openzeppelin library.



Functions Analysis

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	decimals	External		-
	symbol	External		-
	name	External		-
	getOwner	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	1	-
	transferFrom	External	✓	-
IFactoryV2	Interface			
	getPair	External		-
	createPair	External	✓	-
IV2Pair	Interface			
	factory	External		-
	getReserves	External		-
	sync	External	✓	-
IRouter01	Interface			
	factory	External		-
	WETH	External		-



	addLiquidityETH	External	Payable	-
	addLiquidity	External	✓	-
	swapExactETHForTokens	External	Payable	-
	getAmountsOut	External		-
	getAmountsIn	External		-
IRouter02	Interface	IRouter01		
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokens	External	✓	-
Protections	Interface			
	checkUser	External	✓	-
	setLaunch	External	✓	-
	setLpPair	External	1	-
	setProtections	External	✓	-
	removeSniper	External	1	-
	removeBlacklisted	External	✓	-
	isBlacklisted	External		-
	setBlacklistEnabled	External	1	-
	setBlacklistEnabledMultiple	External	1	-
	transfer	External	1	-
ScoreHealth	Implementation	IERC20		
		Public	Payable	-
	transferOwner	External	1	onlyOwner
	renounceOwnership	External	✓	onlyOwner




setOperator	Public	✓	-
renounceOriginalDeployer	External	✓	-
	External	Payable	-
totalSupply	External		-
decimals	External		-
symbol	External		-
name	External		-
getOwner	External		-
allowance	External		-
balanceOf	Public		-
transfer	Public	✓	-
approve	External	✓	-
_approve	Internal	✓	
approveContractContingency	External	✓	onlyOwner
transferFrom	External	1	-
setNewRouter	External	✓	onlyOwner
setLpPair	External	✓	onlyOwner
setInitializer	External	✓	onlyOwner
isExcludedFromFees	External		-
setExcludedFromFees	Public	✓	onlyOwner
isExcludedFromProtection	External		-
setExcludedFromProtection	External	1	onlyOwner
getCirculatingSupply	Public		-
setBlacklistEnabled	External	1	-
setBlacklistEnabledMultiple	External	1	-
isBlacklisted	External		-
removeBlacklisted	External	1	onlyOwner
removeSniper	External	1	onlyOwner
setProtectionSettings	External	✓	onlyOwner



lockTaxes	External	1	onlyOwner
setTaxes	External	√	onlyOwner
setWallets	External	/	onlyOwner
getTokenAmountAtPriceImpact	External		-
setSwapSettings	External	/	
setswapsettings	External	V	onlyOwner
setPriceImpactSwapAmount	External	✓	onlyOwner
setContractSwapEnabled	External	✓	onlyOwner
excludePresaleAddresses	External	✓	onlyOwner
_hasLimits	Internal		
_transfer	Internal	✓	
contractSwap	Internal	✓	inSwapFlag
_checkLiquidityAdd	Internal	✓	
enableTrading	Public	1	onlyOwner
sweepContingency	External	✓	onlyOwner
sweepExternalTokens	External	1	onlyOwner
multiSendTokens	External	1	onlyOwner
finalizeTransfer	Internal	1	
takeTaxes	Internal	1	




Inheritance Graph





Flow Graph





Summary

Bitrace ScoreHealth is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 20% fees.



Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.



About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io