

Audit Report Myntflo Marketplace

January 2023

Github https://github.com/oxalexa/myntflo-contracts

Commit 3abe6b1e5bc1534f1aa7c181d8adb574477e3fa2

Audited by © cyberscope



Table of Contents

| Table of Contents | 1 |
|--|----|
| Review | 2 |
| Audit Updates | 2 |
| Source Files | 3 |
| Introduction | 5 |
| Roles | 5 |
| Diagnostics | 6 |
| PTC - Potential TokenId Conflict | 7 |
| Description | 7 |
| Recommendation | 7 |
| L04 - Conformance to Solidity Naming Conventions | 8 |
| Description | 8 |
| Recommendation | 8 |
| L19 - Stable Compiler Version | 9 |
| Description | 9 |
| Recommendation | 9 |
| Functions Analysis | 10 |
| Inheritance Graph | 15 |
| Flow Graph | 16 |
| Summary | 17 |
| Disclaimer | 18 |
| About Cyberscone | 19 |



Review

| Contract Name | MyntfloMarketplace |
|---------------|--|
| Repository | https://github.com/oxalexa/myntflo-contracts |
| Commit | 3abe6b1e5bc1534f1aa7c181d8adb574477e3fa2 |

Audit Updates

| Initial Audit | 12 Jan 2023 |
|---------------|-------------|
|---------------|-------------|



Source Files

| Filename | SHA256 |
|---|--|
| @openzeppelin/contracts/metatx/ERC2771Context .sol | 350e132f5ebc838e000770ceee044e454 1a598b05bf998e96285c859eea5d8ef |
| @openzeppelin/contracts/metatx/MinimalForward er.sol | 95a2f6b10918f410d143f27581a0a1c760 3c9dd774c31899bb4cc20cc1619515 |
| @openzeppelin/contracts/token/ERC1155/IERC11 55.sol | fd6a1801f1f2f8af0a3ece0b254da06ec24 568aec02cfe94827061379aebc6f3 |
| @openzeppelin/contracts/token/ERC1155/IERC11 55Receiver.sol | 578834a1bcdac6a22de5e07ae63bbbd4 d41615f35950afc6e6c068d92619b334 |
| @openzeppelin/contracts/token/ERC1155/utils/ERC1155Holder.sol | a7ad38fa0a06fe6e24f81fee4f1fc3870767 db96d1ba37df7be1199f7a3ace7f |
| @openzeppelin/contracts/token/ERC1155/utils/ERC1155Receiver.sol | cf407886a0ce7e2af7efe7867e2d286490 3426f63eeaa68eecf33d57f7d910c2 |
| @openzeppelin/contracts/token/ERC20/IERC20.so | 94f23e4af51a18c2269b355b8c7cf4db80 03d075c9c541019eb8dcf4122864d5 |
| @openzeppelin/contracts/token/ERC721/IERC721. sol | fde830ac73ef320f7e3ce977b8cf567173f 1e479ba86d584498f8362a67a5dc0 |
| @openzeppelin/contracts/token/ERC721/IERC721 Receiver.sol | 77f0f7340c2da6bb9edbc90ab6e7d3eb8 e2ae18194791b827a3e8c0b11a09b43 |
| @openzeppelin/contracts/token/ERC721/utils/ERC721Holder.sol | 2cfe4ed66b63283ca12b0360b1c8c1a3c 298a510e2e29c60d9ccedb634b738a6 |
| @openzeppelin/contracts/utils/Context.sol | 1458c260d010a08e4c20a4a517882259a 23a4baa0b5bd9add9fb6d6a1549814a |
| @openzeppelin/contracts/utils/cryptography/draft- EIP712.sol | fc0e6c5d7184bd03b8deae6ca9a48a1ea aecf9f5e4703611aabfb63401e6d43f |



| @openzeppelin/contracts/utils/cryptography/ECD SA.sol | 4e45d53327d561848fbcf381262ec5c0ac 91b2f1f06432210bf76db55279d945 |
|--|--|
| @openzeppelin/contracts/utils/introspection/ERC1 65.sol | 8806a632d7b656cadb8133ff8f2acae440 5b3a64d8709d93b0fa6a216a8a6154 |
| @openzeppelin/contracts/utils/introspection/IERC 165.sol | 701e025d13ec6be09ae892eb029cd83b3 064325801d73654847a5fb11c58b1e5 |
| @openzeppelin/contracts/utils/math/SafeMath.sol | 0dc33698a1661b22981abad8e5c6f5ebc a0dfe5ec14916369a2935d888ff257a |
| @openzeppelin/contracts/utils/Strings.sol | 34127ad0054df5963b0fd694c1b313d17 e9114a2f426b85526d6d976210298ab |
| contracts/testingDeploy/MyntfloMarketplace.sol | 47b32ed062bfa99280830de0c88d360ee 7fa0bcf3146e96b4d1b7dbe2918caa1 |



Introduction

MyntfloMarketplace implements marketplace/exchange mechanism. The contract owner deposits ERC1155 and ERC721 tokens to the contract and sets a specific price per token. Then the users have the ability to buy each of those tokens by providing the "paymentToken" as currency. The "paymentToken" can be configured by the contract owner.

Roles

Owner

- setPaymentToken()
- addERC1155()
- removeERC1155()
- addERC721()
- removeERC721()

Users

buyToken()



Diagnostics

CriticalMediumMinor / Informative

| Severity | Code | Description | Status |
|----------|------|--|------------|
| • | PTC | Potential TokenId Conflict | Unresolved |
| • | L04 | Conformance to Solidity Naming Conventions | Unresolved |
| • | L19 | Stable Compiler Version | Unresolved |



PTC - Potential TokenId Conflict

| Criticality | Minor / Informative |
|-------------|---------------------|
| Status | Unresolved |

Description

The contract combines two different token protocols in one collection. The protocols are ERC721 and ERC1155. Both protocols are indexing the corresponding tokens with a tokenId. Since these two protocols consist of different instances, then the same tokenId value could index a token from both collections. The contract does not deterministically guarantee the uniqueness of the tokenId. The token relies on the fact that the contract owner will provide the proper contractAddress that will distinguish the potential conflict.

```
function findListingByTokenId(uint256 tokenId, address contractAddress) public
view returns (bool, uint256) {
    for (uint256 i = 0; i < listings.length; i++) {
        if (listings[i].tokenId == tokenId && listings[i].contractAddress ==
    contractAddress) {
        return (true, i);
        }
    }
    return (false, 0);
}</pre>
```

Recommendation

The team is advised to add an additional boolean indicator (isERC1155) in the findListingByTokenId() method. That way the contract will guarantee that even if the owner misuses the method parameters, there will not be a conflict between the two protocols.



L04 - Conformance to Solidity Naming Conventions

| Criticality | Minor / Informative |
|-------------|--|
| Location | contracts/testingDeploy/MyntfloMarketplace.sol#L68 |
| Status | Unresolved |

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

- 1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
- 2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
- 3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
- 4. Use indentation to improve readability and structure.
- 5. Use spaces between operators and after commas.
- 6. Use comments to explain the purpose and behavior of the code.
- 7. Keep lines short (around 120 characters) to improve readability.

IERC20 _paymentToken

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention.



L19 - Stable Compiler Version

| Criticality | Minor / Informative |
|-------------|---|
| Location | contracts/testingDeploy/MyntfloMarketplace.sol#L2 |
| Status | Unresolved |

Description

The ^ symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
pragma solidity ^0.8.13;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.



Functions Analysis

| Contract | Туре | Bases | | |
|----------------------|------------------------|------------|------------|-----------|
| | Function Name | Visibility | Mutability | Modifiers |
| | | | | |
| ERC2771Conte xt | Implementation | Context | | |
| | | Public | ✓ | - |
| | isTrustedForwarder | Public | | - |
| | _msgSender | Internal | | |
| | _msgData | Internal | | |
| | | | | |
| MinimalForwar der | Implementation | EIP712 | | |
| | | Public | ✓ | EIP712 |
| | getNonce | Public | | - |
| | verify | Public | | - |
| | execute | Public | Payable | - |
| | | | | |
| IERC1155 | Interface | IERC165 | | |
| | balanceOf | External | | - |
| | balanceOfBatch | External | | - |
| | setApprovalForAll | External | ✓ | - |
| | isApprovedForAll | External | | - |
| | safeTransferFrom | External | ✓ | - |
| | safeBatchTransferFrom | External | ✓ | - |
| | | | | |
| IERC1155Rece iver | Interface | IERC165 | | |
| | onERC1155Received | External | ✓ | - |
| | onERC1155BatchReceived | External | ✓ | - |



| ERC1155Holde | Implementation | ERC1155Re ceiver | | |
|---------------------|------------------------|---------------------------------|---|---|
| | onERC1155Received | Public | ✓ | - |
| | onERC1155BatchReceived | Public | ✓ | - |
| | | | | |
| ERC1155Recei ver | Implementation | ERC165, IERC1155R eceiver | | |
| | supportsInterface | Public | | - |
| | | | | |
| IERC20 | Interface | | | |
| | totalSupply | External | | - |
| | balanceOf | External | | - |
| | transfer | External | ✓ | - |
| | allowance | External | | - |
| | approve | External | ✓ | - |
| | transferFrom | External | ✓ | - |
| | | | | |
| IERC721 | Interface | IERC165 | | |
| | balanceOf | External | | - |
| | ownerOf | External | | - |
| | safeTransferFrom | External | ✓ | - |
| | safeTransferFrom | External | ✓ | - |
| | transferFrom | External | ✓ | - |
| | approve | External | ✓ | - |
| | setApprovalForAll | External | ✓ | - |
| | getApproved | External | | - |
| | isApprovedForAll | External | | - |
| | | | | |
| IERC721Recei ver | Interface | | | |



| | onERC721Received | External | 1 | - |
|--------------|------------------------|------------------|---|---|
| | | | | |
| ERC721Holder | Implementation | IERC721Re ceiver | | |
| | onERC721Received | Public | ✓ | - |
| | | | | |
| Context | Implementation | | | |
| | _msgSender | Internal | | |
| | _msgData | Internal | | |
| | | | | |
| EIP712 | Implementation | | | |
| | | Public | 1 | - |
| | _domainSeparatorV4 | Internal | | |
| | _buildDomainSeparator | Private | | |
| | _hashTypedDataV4 | Internal | | |
| | | | | |
| ECDSA | Library | | | |
| | _throwError | Private | | |
| | tryRecover | Internal | | |
| | recover | Internal | | |
| | tryRecover | Internal | | |
| | recover | Internal | | |
| | tryRecover | Internal | | |
| | recover | Internal | | |
| | toEthSignedMessageHash | Internal | | |
| | toEthSignedMessageHash | Internal | | |
| | toTypedDataHash | Internal | | |
| | | | | |
| ERC165 | Implementation | IERC165 | | |
| | supportsInterface | Public | | - |




| IERC165 | Interface | | | |
|---------------------|-------------------|---|---|-----------------|
| | supportsInterface | External | | - |
| | | | | |
| SafeMath | Library | | | |
| | tryAdd | Internal | | |
| | trySub | Internal | | |
| | tryMul | Internal | | |
| | tryDiv | Internal | | |
| | tryMod | Internal | | |
| | add | Internal | | |
| | sub | Internal | | |
| | mul | Internal | | |
| | div | Internal | | |
| | mod | Internal | | |
| | sub | Internal | | |
| | div | Internal | | |
| | mod | Internal | | |
| | | | | |
| Strings | Library | | | |
| | toString | Internal | | |
| | toHexString | Internal | | |
| | toHexString | Internal | | |
| | toHexString | Internal | | |
| MyntfloMarket place | Implementation | ERC2771Co ntext, ERC1155Ho Ider, ERC721Hol der | | |
| | | Public | ✓ | ERC2771Cont ext |



| setPaymentToken | Public | ✓ | onlyOwner |
|----------------------|--------|---|-----------|
| getListings | Public | | - |
| findListingByTokenId | Public | | - |
| addERC1155 | Public | ✓ | onlyOwner |
| removeERC1155 | Public | ✓ | onlyOwner |
| addERC721 | Public | ✓ | onlyOwner |
| removeERC721 | Public | ✓ | onlyOwner |
| buyToken | Public | ✓ | - |



Inheritance Graph





Flow Graph





Summary

MyntfloMarketplace contract implements a marketplace mechanism. This audit investigates security issues, business logic concerns, and potential improvements.



Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.



About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io