



Cyberscope

# Audit Report

## **Hustle2.0**

July 2022

Network    BSC

Address    0x4c3519C4cF6fAA7B05F540895B63e3179840843B

Audited by    © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>ST - Stop Transactions</b>	<b>5</b>
Description	5
Recommendation	5
<b>ULTW - Unlimited Liquidity to Team Wallet</b>	<b>6</b>
Description	6
Recommendation	6
<b>Contract Diagnostics</b>	<b>7</b>
<b>L01 - Public Function could be Declared External</b>	<b>8</b>
Description	8
Recommendation	8
<b>L02 - State Variables could be Declared Constant</b>	<b>9</b>
Description	9
Recommendation	9
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>10</b>
Description	10
Recommendation	10
<b>L07 - Missing Events Arithmetic</b>	<b>11</b>
Description	11
Recommendation	11
<b>L13 - Divide before Multiply Operation</b>	<b>12</b>
Description	12

<b>Recommendation</b>	<b>12</b>
<b>Contract Functions</b>	<b>13</b>
<b>Contract Flow</b>	<b>16</b>
<b>Domain Info</b>	<b>17</b>
<b>Summary</b>	<b>18</b>
<b>Disclaimer</b>	<b>19</b>
<b>About Cyberscope</b>	<b>20</b>

## Contract Review

<b>Contract Name</b>	HUSTLE2
<b>Compiler Version</b>	v0.8.7+commit.e28d00a7
<b>Optimization</b>	200 runs
<b>Licence</b>	Unlicense
<b>Explorer</b>	<a href="https://bscscan.com/token/0x4c3519C4cF6fAA7B05F540895B63e3179840843B">https://bscscan.com/token/0x4c3519C4cF6fAA7B05F540895B63e3179840843B</a>
<b>Symbol</b>	HST
<b>Decimals</b>	9
<b>Total Supply</b>	500,000,000
<b>Domain</b>	<a href="http://www.hustle2otoken.com">http://www.hustle2otoken.com</a>

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	6c5bd5e5d9f29c6c8524d3bf87cbbf934f87db8d086ff83f5f00753c8d63b7d0

## Audit Updates

<b>Initial Audit</b>	15th August 2022
<b>Corrected</b>	25th July 2022

# Contract Analysis

● Critical   ● Medium   ● Minor   ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## ST - Stop Transactions

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L565

### Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner can use this functionality only before the trade opens.

```
if (!_isExcludedFromFee[from] && !_isExcludedFromFee[to]) {  
    require(tradingEnabled, "Trading not active");  
}
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

## ULTW - Unlimited Liquidity to Team Wallet

**Criticality**

minor

**Location**

contract.sol#L767

### Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the `rescueBNB` method.

```
function rescueBNB(uint256 weiAmount) external onlyOwner {  
    require(address(this).balance >= weiAmount, "insufficient BNB balance");  
    payable(msg.sender).transfer(weiAmount);  
}
```

### Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L07	Missing Events Arithmetic
●	L13	Divide before Multiply Operation



## L01 - Public Function could be Declared External

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L55,59,230,234,243,252,256,261,275,280,291,296,300,357,361,365,369,381,808

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
rescueAnyBEP20Tokens  
setSellTaxes  
setTaxes  
isExcludedFromFee  
includeInFee  
excludeFromFee  
reflectionFromToken  
isExcludedFromReward  
transfer  
...
```

### Recommendation

Use the external attribute for functions never called from the contract.

## L02 - State Variables could be Declared Constant

**Criticality**

minor

**Location**

contract.sol#L140,151

### Description

Constant state variables should be declared constant to save gas.

```
deadWallet  
_tTotal
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L78,181,315,322,370,371,372,373,374,382,383,384,385,386,783,808,137,148,156,157

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow `_` at the beginning of the `mixed_case` match for private variables and unused parameters.

```
_symbol  
_name  
genesis_block  
_decimals  
_amount  
_to  
_tokenAddr  
_enabled  
_ops  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

## L07 - Missing Events Arithmetic

**Criticality**

minor

**Location**

contract.sol#L322,772,778,787

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
maxBuyLimit = maxBuy * 10 ** decimals()  
swapTokensAtAmount = amount * 10 ** _decimals  
coolDownTime = time * 1  
deadline = _deadline
```

### Recommendation

Emit an event for critical parameter changes.

## L13 - Divide before Multiply Operation

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L676

### Description

Performing divisions before multiplications may cause lose of prediction.

```
unitBalance = deltaBalance / (denominator - temp.liquidity)
```

### Recommendation

The multiplications should be prior to the divisions.

# Contract Functions


Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IBEP20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>Ownable</b>	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_setOwner	Private	✓	
<b>IFactory</b>	Interface			
	createPair	External	✓	-
<b>IRouter</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidityETH	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-

Address	Library			
	sendValue	Internal	✓	
<b>HUSTLE2</b>	Implementation	Context, IBEP20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	transfer	Public	✓	-
	isExcludedFromReward	Public		-
	reflectionFromToken	Public		-
	EnableTrading	External	✓	onlyOwner
	updatedecline	External	✓	onlyOwner
	tokenFromReflection	Public		-
	excludeFromReward	Public	✓	onlyOwner
	includeInReward	External	✓	onlyOwner
	excludeFromFee	Public	✓	onlyOwner
	includeInFee	Public	✓	onlyOwner
	isExcludedFromFee	Public		-
	setTaxes	Public	✓	onlyOwner
	setSellTaxes	Public	✓	onlyOwner
	_reflectRfi	Private	✓	
	_takeLiquidity	Private	✓	
	_takeMarketing	Private	✓	
	_takeDev	Private	✓	
	_takeOps	Private	✓	
	_getValues	Private		

	_getTValues	Private		
	_getRValues1	Private		
	_getRValues2	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	_approve	Private	✓	
	_transfer	Private	✓	
	_tokenTransfer	Private	✓	
	swapAndLiquify	Private	✓	lockTheSwap
	addLiquidity	Private	✓	
	swapTokensForBNB	Private	✓	
	bulkExcludeFee	External	✓	onlyOwner
	updateMarketingWallet	External	✓	onlyOwner
	updateDevWallet	External	✓	onlyOwner
	updateOpsWallet	External	✓	onlyOwner
	updateCooldown	External	✓	onlyOwner
	updateSwapTokensAtAmount	External	✓	onlyOwner
	updateSwapEnabled	External	✓	onlyOwner
	updateMaxTxLimit	External	✓	onlyOwner
	updateRouterAndPair	External	✓	onlyOwner
	rescueBNB	External	✓	onlyOwner
	rescueAnyBEP20Tokens	Public	✓	onlyOwner
	<Receive Ether>	External	Payable	-



# Contract Flow



## Domain Info

<b>Domain Name</b>	hustle2otoken.com
<b>Registry Domain ID</b>	2709045831_DOMAIN_COM-VRSN
<b>Creation Date</b>	2022-07-06T11:10:25.00Z
<b>Updated Date</b>	0001-01-01T00:00:00.00Z
<b>Registry Expiry Date</b>	2023-07-06T11:10:25.00Z
<b>Registrar WHOIS Server</b>	whois.namecheap.com
<b>Registrar URL</b>	<a href="http://www.namecheap.com">http://www.namecheap.com</a>
<b>Registrar</b>	NAMECHEAP INC
<b>Registrar IANA ID</b>	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

The Smart Contract analysis reported two minor severity issues. The contract owner has the authority to stop transactions and transfer funds to the team's wallet.

The contract owner has the ability to tax the trades with 99% in the first five blocks after the trade opening.

The contract owner can limit the sales up to once every minute.

A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. There is also a limit of max 20% fees

## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>