



# Cyberscope

## Audit Report

# World Bet Token

August 2022

Type      BEP20

Network    BSC

Address    0x2F034420ef90c4A6e9C49f8ac7Cb0B764FC63F81

Audited by   © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>Contract Diagnostics</b>	<b>5</b>
<b>STC - Succeeded Transfer Check</b>	<b>6</b>
Description	6
Recommendation	6
<b>L01 - Public Function could be Declared External</b>	<b>7</b>
Description	7
Recommendation	7
<b>L02 - State Variables could be Declared Constant</b>	<b>8</b>
Description	8
Recommendation	8
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>9</b>
Description	9
Recommendation	9
<b>L05 - Unused State Variable</b>	<b>10</b>
Description	10
Recommendation	10
<b>L09 - Dead Code Elimination</b>	<b>11</b>
Description	11
Recommendation	11
<b>L13 - Divide before Multiply Operation</b>	<b>12</b>
Description	12

<b>Recommendation</b>	<b>12</b>
<b>Contract Functions</b>	<b>13</b>
<b>Contract Flow</b>	<b>18</b>
<b>Domain Info</b>	<b>19</b>
<b>Summary</b>	<b>20</b>
<b>Disclaimer</b>	<b>21</b>
<b>About Cyberscope</b>	<b>22</b>

## Contract Review

<b>Contract Name</b>	WorldBetToken
<b>Compiler Version</b>	v0.7.6+commit.7338295f
<b>Optimization</b>	200 runs
<b>Licence</b>	Unlicense
<b>Explorer</b>	<a href="https://bscscan.com/token/0x2F034420ef90c4A6e9C49f8ac7Cb0B764FC63F81">https://bscscan.com/token/0x2F034420ef90c4A6e9C49f8ac7Cb0B764FC63F81</a>
<b>Symbol</b>	WBT
<b>Decimals</b>	18
<b>Total Supply</b>	100,000,000
<b>Domain</b>	worldbet.club

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	d4c67dd736b3877442043fcbbcdbc74fe8580590a620c3904624ffc5a01734e7

## Audit Updates

<b>Initial Audit</b>	3rd August 2022
<b>Corrected phase 1</b>	5th August 2022
<b>Corrected phase 2</b>	8th August 2022

# Contract Analysis

● Critical    ● Medium    ● Minor    ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	STC	Succeeded Transfer Check
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L05	Unused State Variable
●	L09	Dead Code Elimination
●	L13	Divide before Multiply Operation

## STC - Succeeded Transfer Check

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L760

### Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
(bool success, ) = payable(treasuryReceiver).call{  
    value: amountETHToTreasuryAndReward.mul(treasuryFee).div(_currentFee),  
    gas: 30000  
}("");
```

### Recommendation

The contract should check if the result of the transfer methods is successful.

## L01 - Public Function could be Declared External

**Criticality**

minor

**Location**

contract.sol#L482,486,490,509,522,527

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
transferOwnership  
renounceOwnership  
owner  
decimals  
symbol  
name
```

### Recommendation

Use the external attribute for functions never called from the contract.



## L02 - State Variables could be Declared Constant

**Criticality**

minor

**Location**

contract.sol#L574,569

### Description

Constant state variables should be declared constant to save gas.

```
totalFee  
antiTime
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L37,271,273,304,915,935,936,948,967,971,975,542,543,544,547,563,564,565,566,567,571,597,598,599

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_totalSupply  
_lastAddLiquidityTime  
_autoAddLiquidity  
feeDenominator  
sellFee  
liquidityFee  
burnFee  
rewardFee  
treasuryFee  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

## L05 - Unused State Variable

**Criticality**

minor

**Location**

contract.sol#L349

### Description

There are segments that contain unused state variables.

```
MAX_INT256
```

### Recommendation

Remove unused state variables.

## L09 - Dead Code Elimination

**Criticality**

minor

**Location**

contract.sol#L377

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
abs
```

### Recommendation

Remove unused functions.

## L13 - Divide before Multiply Operation

**Criticality**

minor

**Location**

contract.sol#L957

### Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
```

### Recommendation

The multiplications should be prior to the divisions.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IPancakeSwap Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
<b>IPancakeSwap Router</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-

	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>IPancakeSwapPair</b>	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-


	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
<b>SafeMathInt</b>	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
<b>SafeMath</b>	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>ERC20Detailed</b>	Implementation	IERC20		
	<Constructor>	Public	✓	-
	name	Public		-



	symbol	Public		-
	decimals	Public		-
<b>Ownable</b>	Implementation			
	<Constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
<b>WorldBetToken</b>	Implementation	ERC20Detailed, Ownable		
	<Constructor>	Public	✓	ERC20Detailed Ownable
	transfer	External	✓	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	swapBack	Internal	✓	swapping
	addLiquidity	Internal	✓	swapping
	withdrawAllToTreasury	External	✓	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldSwapBack	Internal		
	shouldAddLiquidity	Internal		
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	✓	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-
	isNotInSwap	External		-
	manualSync	External	✓	-

	setFeeReceivers	External	✓	onlyOwner
	setEnableAntiBot	External	✓	onlyOwner
	setAutoAddLiquidity	External	✓	onlyOwner
	getLiquidityBacking	External		-
	setWhitelist	External	✓	onlyOwner
	setPairAddress	External	✓	onlyOwner
	setLP	External	✓	onlyOwner
	totalSupply	External		-
	balanceOf	External		-
	<Receive Ether>	External	Payable	-

# Contract Flow



## Domain Info

<b>Domain Name</b>	worldbet.club
<b>Registry Domain ID</b>	DFC42EC8E80884B30898C5E6B85B46FAF-GDREG
<b>Creation Date</b>	2022-07-29T03:57:21Z
<b>Updated Date</b>	2022-08-03T03:57:21Z
<b>Registry Expiry Date</b>	2023-07-29T03:57:21Z
<b>Registrar WHOIS Server</b>	whois.namecheap.com
<b>Registrar URL</b>	<a href="http://www.namecheap.com">http://www.namecheap.com</a>
<b>Registrar</b>	NameCheap, Inc.
<b>Registrar IANA ID</b>	1068

The domain has been created in 12 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

World Bet Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.

## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>