



Cyberscope

## Audit Report

# Nfiti Galeria Meta Token

September 2022

Type           BEP20

Network       BSC

Address       0xCC75Ad62E138914970Fb1B6A82b20eec531d8227

Audited by   © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>Contract Diagnostics</b>	<b>5</b>
<b>STC - Succeeded Transfer Check</b>	<b>6</b>
Description	6
Recommendation	6
<b>CO - Code Optimization</b>	<b>7</b>
Description	7
Recommendation	7
<b>L01 - Public Function could be Declared External</b>	<b>8</b>
Description	8
Recommendation	8
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>9</b>
Description	9
Recommendation	9
<b>L07 - Missing Events Arithmetic</b>	<b>10</b>
Description	10
Recommendation	10
<b>L12 - Using Variables before Declaration</b>	<b>11</b>
Description	11
Recommendation	11
<b>L14 - Uninitialized Variables in Local Scope</b>	<b>12</b>
Description	12

<b>Recommendation</b>	<b>12</b>
<b>Contract Functions</b>	<b>13</b>
<b>Contract Flow</b>	<b>16</b>
<b>Domain Info</b>	<b>17</b>
<b>Summary</b>	<b>18</b>
<b>Disclaimer</b>	<b>19</b>
<b>About Cyberscope</b>	<b>20</b>

## Contract Review

<b>Contract Name</b>	NftiGaleriaMetaToken
<b>Compiler Version</b>	v0.8.17+commit.8df45f5f
<b>Optimization</b>	5000 runs
<b>Licence</b>	MIT
<b>Explorer</b>	<a href="https://bscscan.com/token/0xCC75Ad62E138914970Fb1B6A82b20eec531d8227">https://bscscan.com/token/0xCC75Ad62E138914970Fb1B6A82b20eec531d8227</a>
<b>Symbol</b>	NGTM
<b>Decimals</b>	18
<b>Total Supply</b>	90,000,000
<b>Domain</b>	nfitigaleria.com

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	19ec5fc4a2655c247b9128f4178067476c13f021747b453f016a7b879f4de452

## Audit Updates

<b>Initial Audit</b>	14th September 2022 <a href="https://github.com/cyberscope-io/audits/blob/main/ngmt/audit.pdf">https://github.com/cyberscope-io/audits/blob/main/ngmt/audit.pdf</a>
<b>Corrected</b>	15th September 2022

# Contract Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OCTD	Transfers Contract's Tokens	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	ULTW	Transfers Liquidity to Team Wallet	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

# Contract Diagnostics

● Critical   ● Medium   ● Minor / Informative

Severity	Code	Description	Status
●	STC	Succeeded Transfer Check	Unresolved
●	CO	Code Optimization	Unresolved
●	L01	Public Function could be Declared External	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved
●	L07	Missing Events Arithmetic	Unresolved
●	L12	Using Variables before Declaration	Unresolved
●	L14	Uninitialized Variables in Local Scope	Unresolved

## STC - Succeeded Transfer Check

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L492
<b>Status</b>	Unresolved

### Description

According to the ERC20 specification, the transfer methods should be checked if the result is successful. Otherwise, the contract may wrongly assume that the transfer has been established.

```
bool success;  
(success,) = marketingWallet.call{value: address(this).balance, gas: 35000}("");
```

### Recommendation

The contract should check if the result of the transfer methods is successful.

## CO - Code Optimization

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L117
<b>Status</b>	Unresolved

### Description

There are code segments that could be optimized. A segment may be optimized so that it becomes a smaller size, consumes less memory, executes more rapidly, or performs fewer operations.

Since buy fees are fixes they can be removed from the structure.

```
struct Fees {  
    uint16 buyFee;  
    uint16 sellFee;  
    uint16 transferFee;  
}  
  
Fees public _taxRates = Fees({  
    buyFee: 0,  
    sellFee: 200,  
    transferFee: 200  
});
```

### Recommendation

Rewrite some code segments so the runtime will be more performant.



## L01 - Public Function could be Declared External

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L266,347,509
<b>Status</b>	Unresolved

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
transfer  
getCirculatingSupply  
enableTrading
```

### Recommendation

Use the external attribute for functions never called from the contract.

## L04 - Conformance to Solidity Naming Conventions

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L33,355,111,112,113,114,115,123,129,130,131,147
<b>Status</b>	Unresolved

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow `_` at the beginning of the `mixed_case` match for private variables and unused parameters.

```
WETH
_antiSnipe
_antiBlock
startingSupply
_name
_symbol
_decimals
_tTotal
_taxRates
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>.

## L07 - Missing Events Arithmetic

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L381,390
<b>Status</b>	Unresolved

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor  
piSwapPercent = priceImpactSwapPercent
```

### Recommendation

Emit an event for critical parameter changes.

## L12 - Using Variables before Declaration

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L538
<b>Status</b>	Unresolved

### Description

The contract is using a variable before the declaration. This is usually happening either if it has not been declared yet or the variable has been declared in a different scope.

check

### Recommendation

The variables should be declared before any usage of them.

## L14 - Uninitialized Variables in Local Scope

<b>Criticality</b>	minor / informative
<b>Location</b>	contract.sol#L537,538
<b>Status</b>	Unresolved

### Description

There are variables that are defined in the local scope and are not initialized.

checked  
check

### Recommendation

All the local scoped variables should be initialized.

# Contract Functions


Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IERC20</b>	Interface			
	totalSupply	External		-
	decimals	External		-
	symbol	External		-
	name	External		-
	getOwner	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>IFactoryV2</b>	Interface			
	getPair	External		-
	createPair	External	✓	-
<b>IV2Pair</b>	Interface			
	factory	External		-
	getReserves	External		-
	sync	External	✓	-
<b>IRouter01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidityETH	External	Payable	-
	addLiquidity	External	✓	-
	swapExactETHForTokens	External	Payable	-
	getAmountsOut	External		-
	getAmountsIn	External		-

<b>IRouter02</b>	Interface	IRouter01		
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokens	External	✓	-
<b>Protections</b>	Interface			
	checkUser	External	✓	-
	setLaunch	External	✓	-
	setLpPair	External	✓	-
	setProtections	External	✓	-
	removeSniper	External	✓	-
<b>NftiGaleriaMetaToken</b>	Implementation	IERC20		
	<Constructor>	Public	Payable	-
	<Receive Ether>	External	Payable	-
	transferOwner	External	✓	onlyOwner
	renounceOwnership	External	✓	onlyOwner
	setOperator	External	✓	-
	renounceOriginalDeployer	External	✓	-
	totalSupply	External		-
	decimals	External		-
	symbol	External		-
	name	External		-
	getOwner	External		-
	allowance	External		-
	balanceOf	Public		-
	transfer	Public	✓	-
	approve	External	✓	-
	_approve	Internal	✓	
	approveContractContingency	External	✓	onlyOwner
	transferFrom	External	✓	-

	setNewRouter	External	✓	onlyOwner
	setLpPair	External	✓	onlyOwner
	setInitializer	External	✓	onlyOwner
	isExcludedFromFees	External		-
	isExcludedFromProtection	External		-
	setExcludedFromFees	Public	✓	onlyOwner
	setExcludedFromProtection	External	✓	onlyOwner
	getCirculatingSupply	Public		-
	removeSniper	External	✓	onlyOwner
	setProtectionSettings	External	✓	onlyOwner
	lockTaxes	External	✓	onlyOwner
	setTaxes	External	✓	onlyOwner
	setWallets	External	✓	onlyOwner
	getTokenAmountAtPriceImpact	External		-
	setSwapSettings	External	✓	onlyOwner
	setPriceImpactSwapAmount	External	✓	onlyOwner
	setContractSwapEnabled	External	✓	onlyOwner
	excludePresaleAddresses	External	✓	onlyOwner
	_hasLimits	Internal		
	_transfer	Internal	✓	
	contractSwap	Internal	✓	inSwapFlag
	_checkLiquidityAdd	Internal	✓	
	enableTrading	Public	✓	onlyOwner
	sweepContingency	External	✓	onlyOwner
	multiSendTokens	External	✓	onlyOwner
	finalizeTransfer	Internal	✓	
	takeTaxes	Internal	✓	



# Contract Flow



## Domain Info

<b>Domain Name</b>	nfitigaleria.com
<b>Registry Domain ID</b>	2723466972_DOMAIN_COM-VRSN
<b>Creation Date</b>	2022-09-06T07:02:59Z
<b>Updated Date</b>	2022-09-06T07:02:59Z
<b>Registry Expiry Date</b>	2023-09-06T07:02:59Z
<b>Registrar WHOIS Server</b>	whois.nicproxy.com
<b>Registrar URL</b>	http://https://nicproxy.com
<b>Registrar</b>	Nics Telekomunikasyon A.S.
<b>Registrar IANA ID</b>	1454

The domain was created 8 days before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

Nfiti Galeria Meta Token is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 8% fees on sell transactions and there is no fee on buy transactions.

# Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provide all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>