



Cyberscope

# Audit Report

## **Kakashi Inu**

May 2022

Type        BEP20

Network    BSC

Address    0xd304358ebbad04b998f9b29c075c8df032fa381f

Audited by © cyberscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Source Files</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>ST - Stop Transactions</b>	<b>5</b>
Description	5
Recommendation	6
<b>ELFM - Exceed Limit Fees Manipulation</b>	<b>7</b>
Description	7
Recommendation	7
<b>BC - Blacklisted Contracts</b>	<b>8</b>
Description	8
Recommendation	8
<b>Contract Diagnostics</b>	<b>9</b>
<b>FSA - Fixed Swap Address</b>	<b>10</b>
Description	10
Recommendation	10
<b>MC - Missing Check</b>	<b>11</b>
Description	11
Recommendation	11
<b>L01 - Public Function could be Declared External</b>	<b>12</b>
Description	12
Recommendation	12
<b>L02 - State Variables could be Declared Constant</b>	<b>13</b>
Description	13

<b>Recommendation</b>	<b>13</b>
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>14</b>
<b>Description</b>	<b>14</b>
<b>Recommendation</b>	<b>14</b>
<b>L07 - Missing Events Arithmetic</b>	<b>15</b>
<b>Description</b>	<b>15</b>
<b>Recommendation</b>	<b>15</b>
<b>L09 - Dead Code Elimination</b>	<b>16</b>
<b>Description</b>	<b>16</b>
<b>Recommendation</b>	<b>16</b>
<b>Contract Functions</b>	<b>17</b>
<b>Contract Flow</b>	<b>22</b>
<b>Domain Info</b>	<b>23</b>
<b>Summary</b>	<b>24</b>
<b>Disclaimer</b>	<b>25</b>
<b>About Cyberscope</b>	<b>26</b>

## Contract Review

<b>Contract Name</b>	Kakashi
<b>Compiler Version</b>	v0.6.12+commit.27d51765
<b>Optimization</b>	200 runs
<b>Licence</b>	None
<b>Explorer</b>	<a href="https://bscscan.com/token/0xD304358EbbaD04b998F9b29C075c8DF032Fa381F">https://bscscan.com/token/0xD304358EbbaD04b998F9b29C075c8DF032Fa381F</a>
<b>Symbol</b>	Kakashi
<b>Decimals</b>	9
<b>Total Supply</b>	100,000,000
<b>Domain</b>	kakashiinu.xyz

## Source Files

<b>Filename</b>	<b>SHA256</b>
<b>contract.sol</b>	3073d806d88464dbba607a386a53e53a188a72bed3a5a9fe019992672280fc2f

## Audit Updates

<b>Initial Audit</b>	17th May 2022
<b>Corrected</b>	

# Contract Analysis

● Critical   ● Medium   ● Minor   ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## ST - Stop Transactions

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L903, 943, 949

### Description

The contract owner has the authority to stop transactions for all users. The owner may take advantage of it by setting `_taxFee`, `_liquidityFee` or `_fundFeeAmount` to a higher value than 100.

```
function _getTValues(uint256 tAmount) private view returns (uint256, uint256, uint256) {
    uint256 tFee = calculateTaxFee(tAmount);
    uint256 tLiquidity = calculateLiquidityFee(tAmount);
    uint256 tTransferAmount = tAmount.sub(tFee).sub(tLiquidity);
}
```

```
function calculateTaxFee(uint256 _amount) private view returns (uint256) {
    return _amount.mul(_taxFee).div(
        10**2
    );
}
```

```
function calculateLiquidityFee(uint256 _amount) private view returns (uint256) {
    return _amount.mul(_liquidityFee + _fundFee).div(
        10**2
    );
}
```

## Recommendation

The contract could embody a check for not allowing setting the `_taxFee`, `_liquidityFee` and `_fundFeeAmount` more than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

## ELFM - Exceed Limit Fees Manipulation

<b>Criticality</b>	critical
<b>Location</b>	contract.sol#L989, 993, 997

### Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTaxFeePercent`, `setLiquidityFeePercent` and `setFundFeePercent` functions with a high percentage value.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {  
    _taxFee = taxFee;  
}
```

```
function setLiquidityFeePercent(uint256 liquidityFee) external onlyOwner() {  
    _liquidityFee = liquidityFee;  
}
```

```
function setFundFeePercent(uint256 fundFee) external onlyOwner() {  
    _fundFee = fundFee;  
}
```

### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



## BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1017

### Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `blacklistAddress` function.

```
require(!_isBlacklisted[from] && !_isBlacklisted[to], 'Blacklisted address');
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	FSA	Fixed Swap Address
●	MC	Missing Check
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L07	Missing Events Arithmetic
●	L09	Dead Code Elimination

## FSA - Fixed Swap Address

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L742

### Description

The swap address is assigned once in the constructor and it can not be changed. The decentralized swaps sometimes create a new swap version or abandon the current. A contract that cannot change the swap address may not be able to catch-up the upgrade.

```
IUniswapV2Router02 _uniswapV2Router =  
IUniswapV2Router02(0x10ED43C718714eb63d5aA57B78B54704E256024E);  
    // Create a uniswap pair for this new token  
    uniswapV2Pair = IUniswapV2Factory(_uniswapV2Router.factory())  
        .createPair(address(this), _uniswapV2Router.WETH());
```

### Recommendation

It could be better to allow the swap address mutation in case of future swap updates.

## MC - Missing Check

<b>Criticality</b>	medium
<b>Location</b>	contract.sol#L1027, 1050

### Description

The contract is processing variables that have not properly sanitized and checked that they form the proper shape. These variables may produce vulnerability issues. The contract owner has the authority to set the `_liquidityFee` and `_fundFee` to zero. Hence, the `swapAndLiquify` will always be reverted.

```
function swapAndLiquify(uint256 contractTokenBalance) private lockTheSwap {  
    uint256 feeTotal = _liquidityFee + _fundFee;  
    uint256 fundBalance =  
contractTokenBalance.mul(_fundFee).div(feeTotal);  
    uint256 liquidityBalance = contractTokenBalance - fundBalance;
```

### Recommendation

The contract should properly check the variables according to the required specifications.

## L01 - Public Function could be Declared External

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L431,440,446,451,459,758,762,766,770,779,784,788,793,799,804,809,813,817,826,843,876,880,884,973,1001

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
sendMarketToken  
isExcludedFromFee  
setSwapAndLiquifyEnabled  
includeInFee  
excludeFromFee  
excludeFromReward  
reflectionFromToken  
deliver  
totalFees  
...
```

### Recommendation

Use the external attribute for functions never called from the contract.

## L02 - State Variables could be Declared Constant

**Criticality**

minor

**Location**

contract.sol#L701,720,699,700,695,718

### Description

Constant state variables should be declared constant to save gas.

```
numTokensSellToAddToLiquidity
_tTotal
_symbol
_name
_lpWallet
_decimals
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L503,504,521,543,884,943,949,703,706,709,710,720,721,723

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_isBlacklisted  
_fundWallet  
_lpWallet  
_previousFundFee  
_fundFee  
_liquidityFee  
_taxFee  
_amount  
_enabled  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

## L07 - Missing Events Arithmetic

**Criticality**

minor

**Location**

contract.sol#L989,993,997

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_fundFee = fundFee  
_liquidityFee = liquidityFee  
_taxFee = taxFee
```

### Recommendation

Emit an event for critical parameter changes.



## L09 - Dead Code Elimination

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L357,317,327,342,352,264,291

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
sendValue  
isContract  
functionCallWithValue  
functionCall  
_functionCallWithValue
```

### Recommendation

Remove unused functions.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>SafeMath</b>	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>Address</b>	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	


	functionCallWithValue	Internal	✓	
	_functionCallWithValue	Private	✓	
<b>Ownable</b>	Implementation	Context		
	<Constructor>	Internal	✓	
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	geUnlockTime	Public		-
	lock	Public	✓	onlyOwner
	unlock	Public	✓	-
<b>IUniswapV2Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
<b>IUniswapV2Pair</b>	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-

	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
<b>IUniswapV2Router01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-

	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
<b>IUniswapV2Router02</b>	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>Kakashi</b>	Implementation	Context, IERC20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	deliver	Public	✓	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-

	excludeFromReward	Public	✓	onlyOwner
	includeInReward	External	✓	onlyOwner
	_transferBothExcluded	Private	✓	
	excludeFromFee	Public	✓	onlyOwner
	includeInFee	Public	✓	onlyOwner
	setSwapAndLiquifyEnabled	Public	✓	onlyOwner
	<Receive Ether>	External	Payable	-
	_reflectFee	Private	✓	
	_getValues	Private		
	_getTValues	Private		
	_getRValues	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	_takeLiquidity	Private	✓	
	calculateTaxFee	Private		
	calculateLiquidityFee	Private		
	removeAllFee	Private	✓	
	restoreAllFee	Private	✓	
	isExcludedFromFee	Public		-
	_approve	Private	✓	
	setFundWallet	External	✓	onlyOwner
	setTaxFeePercent	External	✓	onlyOwner
	setLiquidityFeePercent	External	✓	onlyOwner
	setFundFeePercent	External	✓	onlyOwner
	sendMarketToken	Public	✓	onlyOwner
	blacklistAddress	External	✓	onlyOwner
	_transfer	Private	✓	
	swapAndLiquify	Private	✓	lockTheSwap
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	
	_tokenTransfer	Private	✓	
	_transferStandard	Private	✓	
	_transferToExcluded	Private	✓	
	_transferFromExcluded	Private	✓	

# Contract Flow



## Domain Info

<b>Domain Name</b>	kakashiinu.xyz
<b>Registry Domain ID</b>	D293114309-CNIC
<b>Creation Date</b>	2022-04-23T09:51:39.0Z
<b>Updated Date</b>	2022-04-28T09:53:58.0Z
<b>Registry Expiry Date</b>	2023-04-23T23:59:59.0Z
<b>Registrar WHOIS Server</b>	whois.gname.com
<b>Registrar URL</b>	<a href="https://www.gname.com/">https://www.gname.com/</a>
<b>Registrar</b>	Gname.com Pte. Ltd.
<b>Registrar IANA ID</b>	1923

The domain has been created 24 days before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.



## Summary

There are some functions that can be abused by the owner like stopping transactions, manipulating fees and blacklisting addresses. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

# Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Cyberscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

<https://www.cyberscope.io>