

Audit Report Digits DAO

January 2022

SHA256 fdfccf30288fdf5527f32938f29e169ed19b2d0e66a55a8dff94028f777b915a

9230c91afa6cf6f758ea9bf11dfb8c501051ecf4c7dfe19cafe9c9d96cffba4e

aa94928f4e13a74889384b358c501a94220e8269ecbed8933d0d06619ee75742

Audited by © cyberscope



Table of Contents

Table of Contents	'
Contract Review	3
Audit Updates	3
Source Files	4
Introduction	5
Roles	6
Digits	6
DividendTracker	6
TokenStorage	6
Contract Diagnostics	7
OCTD - Transfers Contract's Tokens	8
Description	8
Recommendation	8
Team Update	8
PVC - Price Volatility Concern	9
Description	9
Recommendation	9
Team Update	10
US - Untrusted Source	11
Description	11
Recommendation	11
L04 - Conformance to Solidity Naming Conventions	12
Description	12
Recommendation	13
Team Update	13
L13 - Divide before Multiply Operation	14
Description	14
Recommendation	14
Team Update	14
Functions Analysis	15
Inheritance Graph	21

2

25

Digits DAO Token Audit

Cyberscope

About Cyberscope



Contract Review

Contract Names	Testing Deploy
Digits	https://testnet.bscscan.com/address/0x09f24E590ed2F3a187403b6694 7eFcB67DA895E3
DividendTracker	https://testnet.bscscan.com/address/0xb0D00B13A1e960a2BEf5D33b0 27f8AbcAd1D0EB2
TokenStorage	https://testnet.bscscan.com/address/0x8420B4596ca6B4bA9a61B9aF8 F506F451c26dE17

Audit Updates

Initial Audit	19 Dec 2022 https://github.com/cyberscope-io/audits/blob/main/digits-dao/v1/audit.pdf
Corrected Phase 2	30 Dec 2022 https://github.com/cyberscope-io/audits/blob/main/digits-dao/v2/audit.pdf
Corrected Phase 3	04 Jan 2023



Source Files

Filename	SHA256
Digits.sol	fdfccf30288fdf5527f32938f29e169ed19b 2d0e66a55a8dff94028f777b915a
DividendTracker.sol	9230c91afa6cf6f758ea9bf11dfb8c50105 1ecf4c7dfe19cafe9c9d96cffba4e
helpers/WrapERC20.sol	0193f63e41ce717dc360cd3bb68219ac4 b3c02527631d7213d8cdf0c33c8c46d
interfaces/IDigits.sol	7520933d39e6bce99940059a9090c1aa8 c9541a92a6b34e882053a0a92275702
interfaces/IDividendTracker.sol	3909c145c50b27f918081d262633b6418 0ede76a41177b7a571d0ce6b957f30f
interfaces/ITokenStorage.sol	6ae3a83e47496d5ecedc057359f2a989f4 f92b2c1f4a4b6e549ab39ac07e4458
TokenStorage.sol	aa94928f4e13a74889384b358c501a942 20e8269ecbed8933d0d06619ee75742



Introduction

Digits DAO consists of four contracts:

- Digits
- DividendTracker
- TokenStorage
- MultiRewards

This audit report is referring to the first three contracts. The audit report for the MultiRewards contract can be found at

https://github.com/cyberscope-io/audits/tree/main/digits-dao/MultiRewards.pdf.



Roles

Digits

The Digits contract has two roles, the USER role and the OWNER role.

The OWNER role has the authority to

- Include/Exclude an address from fees.
- Include/Exclude an address from the max tx amount.
- Include/Exclude an address from the max wallet amount
- Set fees up to 24% combined.
- Enable/Disable fees.
- Claim all the balance of the contract.
- Renounce/Transfer ownership.

The USER role has the authority to

- Make transactions.
- Claim dividends distributed as DAI tokens.

DividendTracker

The DividendTracker contract has two roles, the USER role, and the OWNER role.

The OWNER role has the authority to

- Renounce/Transfer ownership.
- Set the balance of an account.
- Include/Exclude an account from dividends.
- Transfer an account's dividends to that account.

The USER role has the authority to

• Transfer dividends to the contract.

TokenStorage

The DividendTracker contract has two roles, the MANAGER role, and the OWNER role.

The OWNER role has the authority to

- Renounce/Transfer ownership.
- Add/Remove managers.

The MANAGER role has the authority to

- Transfer DAI to an address.
- Swap tokens for DAI.
- Distribute dividends.

Contract Diagnostics

CriticalMediumMinor / Informative

Severity	Code	Description	Status
•	OCTD	Transfers Contract's Tokens	Acknowledged
•	PVC	Price Volatility Concern	Acknowledged
•	US	Untrusted Source	Acknowledged
•	L04	Conformance to Solidity Naming Conventions	Acknowledged
•	L13	Divide before Multiply Operation	Acknowledged



OCTD - Transfers Contract's Tokens

Criticality	Minor / Informative
Location	Digits.sol#L662
Status	Acknowledged

Description

The contract owner has the authority to claim all the balance of the contract. The owner may take advantage of it by calling the rescueToken function.

```
function rescueToken(address _token, uint256 _amount) external onlyOwner {
   IERC20(_token).transfer(msg.sender, _amount);
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Team Update

"Owner will likely be a multisig, also we don't expect ERC20 tokens to be sent to Digits contract per se."



PVC - Price Volatility Concern

Criticality	Minor / Informative
Location	Digits.sol#L602
Status	Acknowledged

Description

The contract accumulates tokens from the taxes to swap them for ETH. The variable swapTokensAtAmount sets a threshold where the contract will trigger the swap functionality. If the variable is set to a big number, then the contract will swap a huge amount of tokens for ETH. It is important to note that the price of the token representing it, can be highly volatile. This means that the value of a price volatility swap involving Ether could fluctuate significantly at the triggered point, potentially leading to significant price volatility for the parties involved.

```
function updateDividendSettings(bool _swapEnabled, uint256 _swapTokensAtAmount, bool
_swapAllToken) external onlyOwner {
   swapEnabled = _swapEnabled;
   swapTokensAtAmount = _swapTokensAtAmount;
   swapAllToken = _swapAllToken;

emit UpdateDividendSettings(_swapEnabled, _swapTokensAtAmount, _swapAllToken);
}
```

Recommendation

The contract could ensure that it will not sell more than a reasonable amount of tokens in a single transaction. A suggested implementation could check that the maximum amount should be less than a fixed percentage of the total supply. Hence, the contract will guarantee that it cannot accumulate a huge amount of tokens in order to sell them.



Team Update

"We are fine with this, it's unlikely that token swap will trigger with great token amount, as each transfer that fees reach threshold they are swapped and we control the threshold."



US - Untrusted Source

Criticality	Minor / Informative
Location	Digits.sol#L117,440
Status	Acknowledged

Description

The contract uses an external contract in order to determine the transaction's flow. The external contract is untrusted. As a result, it may produce security issues and harm the transactions.

```
dividendTracker = new DividendTracker(dai, address(this), uniswapRouter);
...
function setTokenStorage(address _tokenStorage) external onlyOwner {
    ...
    tokenStorage = ITokenStorage(_tokenStorage);
}
```

Recommendation

The contract should use a trusted external source. A trusted source could be either a commonly recognized or an audited contract. The pointing addresses should not be able to change after the initialization.

Team Update

"DividendTracker contract is created by the Digits contract on deployment and is part of this audit. TokenStorage contract is settable only once."



L04 - Conformance to Solidity Naming Conventions

Criticality	Minor / Informative
Location	TokenStorage.sol#L55,60,129 DividendTracker.sol#L17,18,19,20 Digits.sol#L22,23,411,482,487,501,521,522,523,538,543,548,573,574,575,619,623
Status	Acknowledged

Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

- 1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
- 2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
- 3. Use uppercase for constant variables and enums (e.g., MAX_VALUE, ERROR_CODE).
- 4. Use indentation to improve readability and structure.
- 5. Use spaces between operators and after commas.
- 6. Use comments to explain the purpose and behavior of the code.
- 7. Keep lines short (around 120 characters) to improve readability.



```
address _address
address _liquidityWallet
string private constant _name = "Digits_DividendTracker"
string private constant _symbol = "Digits_DividendTracker"
uint256 private constant minTokenBalanceForDividends = 10000 * (10**18)
uint256 private constant magnitude = 2**128
string private constant _name = "Digits"
string private constant _symbol = "DIGITS"
address[] memory _users
address _multiRewards
address _tokenStorage
address _marketingWallet
uint256 _treasuryFee
uint256 _liquidityFee
...
```

Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention.

Team Update

"Code was just repurposed, we didn't want to make too many changes to working code, so we will leave these as is."



L13 - Divide before Multiply Operation

Criticality	Minor / Informative
Location	Digits.sol#L424,429,446,448
Status	Acknowledged

Description

It is important to be aware of the order of operations when performing arithmetic calculations. This is especially important when working with large numbers, as the order of operations can affect the final result of the calculation. Performing divisions before multiplications may cause loss of prediction.

```
swapTokensDividends = (tokens * dividendFeeBPS) / totalFeeBPS
uint256 daiDividends = (daiSwapped * swapTokensDividends) /
swapTokensTotal
```

Recommendation

To avoid this issue, it is recommended to carefully consider the order of operations when performing arithmetic calculations in Solidity. It's generally a good idea to use parentheses to specify the order of operations. The basic rule is that the multiplications should be prior to the divisions.

Team Update

"Here we first calculate amount of tokens that are fees, and then we construct divisor as a sum of these different token fees, so we maintain precision that way."



Functions Analysis

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Digits	Implementation	Ownable, IERC20, IDigits		
		Public	✓	-
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	Public		-
	balanceOf	Public		-
	allowance	External		-
	approve	External	✓	-
	withdrawableDividendOf	External		-
	isExcludedFromDividends	External		-
	isExcludedFromFees	External		-
	isExcludedFromMaxTx	External		-
	isExcludedFromMaxWallet	External		-
	increaseAllowance	External	✓	-
	decreaseAllowance	External	✓	-



triggerDividendDistribution	External	✓	-
transfer	External	1	-
transferFrom	External	✓	-
claim	External	✓	-
compound	External	✓	-
_transfer	Internal	✓	
_executeTransfer	Private	✓	
_approve	Private	✓	
_mint	Private	✓	
includeToWhiteList	Private	✓	
_executeSwap	Private	✓	
_setAutomatedMarketMakerPair	Private	✓	
setMultiRewardsAddress	External	✓	onlyOwner
setTokenStorage	External	✓	onlyOwner
setWallet	External	✓	onlyOwner
setAutomatedMarketMakerPair	External	√	onlyOwner
setFee	External	✓	onlyOwner
setSwapEnabled	External	✓	onlyOwner
setTaxEnabled	External	✓	onlyOwner
setCompoundingEnabled	External	✓	onlyOwner
setMaxTxBPS	External	✓	onlyOwner
setMaxWalletBPS	External	✓	onlyOwner



	openTrading	External	✓	onlyOwner
	updateDividendSettings	External	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	excludeFromDividends	External	✓	onlyOwner
	excludeFromMaxTx	Public	✓	onlyOwner
	excludeFromMaxWallet	Public	✓	onlyOwner
	rescueToken	External	✓	onlyOwner
	rescueETH	External	✓	onlyOwner
DividendTrack er	Implementation	Ownable, IERC20, IDividendTra cker		
		Public	✓	-
	distributeDividends	External	✓	-
	setBalance	External	✓	onlyOwner
	excludeFromDividends	External	✓	onlyOwner
	processAccount	External	✓	onlyOwner
	compoundAccount	External	✓	onlyOwner
	isExcludedFromDividends	External		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	getAccountInfo	External		-



	getLastClaimTime	External		-
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public		-
	allowance	Public		-
	approve	Public		-
	transferFrom	Public		-
	_setBalance	Internal	✓	
	_mint	Private	√	
	_burn	Private	√	
	_withdrawDividendOfUser	Private	√	
	_compoundDividendOfUser	Private	✓	
IDigits	Interface			
	claim	External	✓	-
	triggerDividendDistribution	External	✓	-
IDividendTrack er	Interface			




	distributeDividends	External	✓	-
	excludeFromDividends	External	√	-
	setBalance	External	√	-
	totalSupply	External		-
	isExcludedFromDividends	External		-
	processAccount	External	✓	-
	compoundAccount	External	✓	-
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
	getAccountInfo	External		-
	getLastClaimTime	External		-
ITokenStorage	Interface			
	swapTokensForDai	External	✓	-
	transferDai	External	✓	-
	addLiquidity	External	✓	-
	distributeDividends	External	✓	-
	setLiquidityWallet	External	✓	-
TokenStorage	Implementation	Ownable, ITokenStora ge		



	Public	✓	-
addManager	External	✓	onlyOwner
removeManager	External	✓	onlyOwner
transferDai	External	✓	-
swapTokensForDai	External	✓	-
addLiquidity	External	✓	-
distributeDividends	External	✓	-
setLiquidityWallet	External	✓	-




Inheritance Graph





Flow Graph





Summary

Digits DAO contracts implement a token mechanism. This audit investigates security issues, business logic concerns, and potential improvements.



Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.



About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io