

Audit Report

Blobo

October 2023

Network ETH

Address 0xc19632ce3bfeb7800f3b5012a38765c2417df9cb

Audited by © cyberscope



Analysis

CriticalMediumMinor / InformativePass

Severity	Code	Description	Status
•	ST	Stops Transactions	Unresolved
•	OTUT	Transfers User's Tokens	Passed
•	ELFM	Exceeds Fees Limit	Passed
•	MT	Mints Tokens	Passed
•	ВТ	Burns Tokens	Passed
•	ВС	Blacklists Addresses	Passed



Diagnostics

Critical
 Medium
 Minor / Informative

Severity	Code	Description	Status
•	L03	Redundant Statements	Unresolved
•	L19	Stable Compiler Version	Unresolved



Table of Contents

Analysis	1
Diagnostics	2
Table of Contents	3
Review	4
Audit Updates	4
Source Files	4
Findings Breakdown	5
ST - Stops Transactions	6
Description	6
Recommendation	6
L03 - Redundant Statements	7
Description	7
Recommendation	7
L19 - Stable Compiler Version	9
Description	9
Recommendation	9
Functions Analysis	10
Inheritance Graph	13
Flow Graph	14
Summary	15
Disclaimer	16
About Cyberscope	17



Review

Contract Name	BLOBO
Compiler Version	v0.8.21+commit.d9974bed
Optimization	200 runs
Explorer	https://etherscan.io/address/0xc19632ce3bfeb7800f3b5012a38 765c2417df9cb
Address	0xc19632ce3bfeb7800f3b5012a38765c2417df9cb
Network	ETH
Symbol	BLOBO
Decimals	18
Total Supply	100,000,000,000

Audit Updates


Initial Audit	11 Oct 2023
---------------	-------------

Source Files

Filename	SHA256
BLOBO.sol	387130967343bc1078615cba436d877a8d2d974aa3de449108dacb1d4 c69ba00



Findings Breakdown



Severity		Unresolved	Acknowledged	Resolved	Other
•	Critical	1	0	0	0
•	Medium	0	0	0	0
	Minor / Informative	2	0	0	0



ST - Stops Transactions

Criticality	Critical
Location	BLOBO.sol#L190
Status	Unresolved

Description

The transactions are initially disabled for all users excluding the authorized addresses. The owner can enable the transactions for all users. Once the transactions are enable the owner will not be able to disable them again.

```
if(!_isExcludedFromTrade[sender] &&
!_isExcludedFromTrade[recipient]){
    require(tradingEnabled, "Trading not yet enabled");
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. Some suggestions are:

- Introduce a multi-sign wallet so that many addresses will confirm the action.
- Introduce a governance model where users will vote about the actions.

7

L03 - Redundant Statements

Criticality	Minor / Informative
Location	BLOBO.sol#L83
Status	Unresolved

Description

Redundant statements are statements that are unnecessary or have no effect on the contract's behavior. These can include declarations of variables or functions that are not used, or assignments to variables that are never used.

As a result, it can make the contract's code harder to read and maintain, and can also increase the contract's size and gas consumption, potentially making it more expensive to deploy and execute.

```
contract BLOBO is Context, IERC20, IERC20Metadata, Ownable{
    mapping (address => uint256) private _balances;

    mapping (address => mapping (address => uint256)) private
    _allowances;

    uint256 private _totalSupply;
...

    _allowances[owner][spender] = amount;
    emit Approval(owner, spender, amount);
}

function _beforeTokenTransfer(address from, address to, uint256
amount) internal virtual {
}
```

Recommendation

To avoid redundant statements, it's important to carefully review the contract's code and remove any statements that are unnecessary or not used. This can help to improve the clarity and efficiency of the contract's code.



By removing unnecessary or redundant statements from the contract's code, the clarity and efficiency of the contract will be improved. Additionally, the size and gas consumption will be reduced.



L19 - Stable Compiler Version

Criticality	Minor / Informative
Location	BLOBO.sol#L3
Status	Unresolved

Description

The ^ symbol indicates that any version of Solidity that is compatible with the specified version (i.e., any version that is a higher minor or patch version) can be used to compile the contract. The version lock is a mechanism that allows the author to specify a minimum version of the Solidity compiler that must be used to compile the contract code. This is useful because it ensures that the contract will be compiled using a version of the compiler that is known to be compatible with the code.

```
pragma solidity ^0.8.20;
```

Recommendation

The team is advised to lock the pragma to ensure the stability of the codebase. The locked pragma version ensures that the contract will not be deployed with an unexpected version. An unexpected version may produce vulnerabilities and undiscovered bugs. The compiler should be configured to the lowest version that provides all the required functionality for the codebase. As a result, the project will be compiled in a well-tested LTS (Long Term Support) environment.



Functions Analysis

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Metadat	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Ownable	Implementation	Context		
		Public	✓	-




	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
BLOBO	Implementation	Context, IERC20, IERC20Meta data, Ownable		
		Public	✓	-
	enableTrading	Public	✓	onlyOwner
	excludeFromTrade	External	✓	onlyOwner
	isExcludedFromTrade	Public		-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	√	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	




_burn	Internal	✓	
burn	Public	1	onlyOwner
_approve	Internal	✓	
_beforeTokenTransfer	Internal	✓	

Inheritance Graph





Flow Graph



Summary

Blobo contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. There are some functions that can be abused by the owner like stop transactions. Once the owner enables the transactions, this issue will be eliminated.

Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



The Cyberscope team

https://www.cyberscope.io