

Audit Report 4MOVE

May 2022

Network BSC

Address 0xb1c8b1307BFf2D335C96f87B6104CDf12a915149

Audited by © cyberscope



Table of Contents

Table of Contents	1
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
ULTW - Unlimited Liquidity to Team Wallet	5
Description	5
Recommendation	5
Contract Diagnostics	7
MTS - Manipulate Total Supply	8
Description	8
Recommendation	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L05 - Unused State Variable	12
Description	12
Recommendation	12
L09 - Dead Code Elimination	13
Description	13

Recommendation	13
L13 - Divide before Multiply Operation	14
Description	14
Recommendation	14
Contract Functions	15
Contract Flow	20
Domain Info	21
Summary	22
Disclaimer	23
About Cyberscope	24



Contract Review

Contract Name	MOVETOKEN
Compiler Version	v0.7.6+commit.7338295f
Optimization	200 runs
Licence	Unlicense
Explorer	https://bscscan.com/token/0xb1c8b1307BFf2D335C9 6f87B6104CDf12a915149
Symbol	4MOVE
Decimals	5
Total Supply	100,000,000
Domain	4move.io

Source Files

Filename	SHA256
contract.sol	6ce1c715fb22735860cb5a53c98380c37c2f438afce01c 23ae2937def518838a

Audit Updates

Initial Audit	15th May 2022
Corrected	21st May 2022

Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



ULTW - Unlimited Liquidity to Team Wallet

```
Criticality minor

Location contract.sol#L870
```

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the withdrawAllToTreasury method.

```
function withdrawAllToTreasury() external swapping onlyOwner {
    uint256 amountToSwap = _gonBalances[address(this)].div(
        _gonsPerFragment
    );
    require(
        amountToSwap > 0,
        "There is no 4MOVE token deposited in token contract"
    address[] memory path = new address[](2);
    path[0] = address(this);
    path[1] = router.WETH();
    router.swapExactTokensForETHSupportingFeeOnTransferTokens(
        amountToSwap,
        0,
        path,
        treasuryReceiver,
        block.timestamp
    );
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user



from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	MTS	Manipulate Total Supply
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
•	L05	Unused State Variable
•	L09	Dead Code Elimination
•	L13	Divide before Multiply Operation



MTS - Manipulate Total Supply

Criticality	minor
Location	contract.sol#L666

Description

Owner is able to manipulate total supply. This change will have a direct impact on the token price and Market Cap

```
for (uint256 i = 0; i < times; i++) {
    _totalSupply = _totalSupply
    .mul((10**RATE_DECIMALS).add(rebaseRate))
    .div(10**RATE_DECIMALS);
}</pre>
```

Recommendation

The contract owner should carefully manage the adjustment of the circulating supply (increases or decreases), according to the token's price fluctuations.



L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L483,487,491,510,523,528

Description

Public functions that are never called by the contract should be declared external to save gas.

transferOwnership renounceOwnership owner decimals symbol name

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L572

Description

Constant state variables should be declared constant to save gas.

totalFee

Recommendation

Add the constant attribute to state variables that never change.



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L38,272,274,305,903,912,975,995,996,997,1014,1018,1022,545,546, 547,550,564,565,566,567,568,570,574,581,601,602,603,604,605,606

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_lastRebasedTime
_initRebaseStartTime
_autoAddLiquidity
_autoRebase
RiskFreeValueReceiver
feeDenominator
sellFee
...
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions

L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L350

Description

There are segments that contain unused state variables.

MAX_INT256

Recommendation

Remove unused state variables.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L378

Description

Functions that are not used in the contract, and make the code's size bigger.

abs

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L646,1004

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
times = deltaTime.div(1800)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IPancakeSwap Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	1	-
	setFeeToSetter	External	✓	-
IPancakeSwap Router	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	√	-
	swapTokensForExactTokens	External	√	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	1	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-



	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSuppor tingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupportin gFeeOnTransferTokens	External	1	-
	swapExactETHForTokensSupportingF eeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingF eeOnTransferTokens	External	✓	-
IPancakeSwap Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-



	mint	External	1	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	1	-
	sync	External	1	-
	initialize	External	✓	-
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	transfer	External	✓	-
	approve	External	✓	-
	transferFrom	External	✓	-
ERC20Detailed	Implementation	IERC20		
	<constructor></constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-



	decimals	Public		-
Ownable	Implementation			
	<constructor></constructor>	Public	✓	-
	owner	Public		-
	isOwner	Public		-
	renounceOwnership	Public	1	onlyOwner
	transferOwnership	Public	1	onlyOwner
	_transferOwnership	Internal	✓	
MOVETOKEN	Implementation	ERC20Detai led, Ownable		
	<constructor></constructor>	Public	1	ERC20Detailed Ownable
	rebase	Internal	✓	
	transfer	External	1	validRecipient
	transferFrom	External	✓	validRecipient
	_basicTransfer	Internal	✓	
	_transferFrom	Internal	✓	
	takeFee	Internal	✓	
	addLiquidity	Internal	✓	swapping
	swapBack	Internal	✓	swapping
	withdrawAllToTreasury	External	1	swapping onlyOwner
	shouldTakeFee	Internal		
	shouldRebase	Internal		
	shouldAddLiquidity	Internal		
	shouldSwapBack	Internal		
	setAutoRebase	External	1	onlyOwner
	setAutoAddLiquidity	External	1	onlyOwner
	allowance	External		-
	decreaseAllowance	External	✓	-
	increaseAllowance	External	1	-
	approve	External	✓	-
	checkFeeExempt	External		-
	getCirculatingSupply	Public		-



isNotInSwap	External		-
manualSync	External	✓	-
setFeeReceivers	External	✓	onlyOwner
getLiquidityBacking	External		-
setWhitelist	External	✓	onlyOwner
setPairAddress	External	✓	onlyOwner
setLP	External	✓	onlyOwner
totalSupply	External		-
balanceOf	External		-
<receive ether=""></receive>	External	Payable	-



Contract Flow



Domain Info

Domain Name	4move.io
Registry Domain ID	ce86b48930bb49d6b1ff548c4c39623e-DONUTS
Creation Date	2022-05-12T03:15:22Z
Updated Date	2022-05-12T03:15:25Z
Registry Expiry Date	2027-05-12T03:15:22Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	https://www.namecheap.com/
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created 3 days before the creation of the audit. It will expire in almost 5 years.

There is no public billing information, the creator is protected by the privacy settings.



Summary

The Smart Contract analysis reported one minor severity issue. The contract owner has the authority to transfer funds to the team's wallet. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. The fees are fixed to 12% for buys and 14% for sales.

The contract does not allow transfers to the dead wallet address.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io