

Electricity Transmission Lines and Land Development in the Pacific Northwest

Zhuo (Jessica) Lyu*

September 16, 2026

[Click here for the latest version.](#)

Abstract

Multiple national-scale electricity transmission studies have pointed out that expanding transmission significantly is the most cost-effective way to serve the rapidly increasing electricity demand in the long run while supporting more clean energy resources to generate electricity. Yet, it is extremely difficult to build a new transmission line. Landowner resistance to granting a transmission line right-of-way (ROW) can slow down or kill a transmission project. In this paper, I study the build out of electricity transmission lines in the Pacific Northwest by Bonneville Power Administration from 1938 to the early 1940s. I provide the first-of-its-kind estimate on the impact of ROW resulted from building a new transmission line after 60 years up to the present day. Combining public records of ROW tracts, newly digitized historical and contemporary property assessment records, and newly geo-referenced parcel ownership maps, I find that having a ROW on a parcel reduces parcel value per acre by 14.02% to 26.38% relative to what it would have been if absent a ROW. The impact varies across lines, driven mainly by lines' locations and whether the ROWs were acquired through an easement or title ownership. As historical rural lands have transformed into today's suburbs, easement provides opportunities to develop the ROW lands, while a line's location influences the types of land use that develop after the line is built. The implied annual rate of return that could fully compensate for the long-run losses in parcel value ranges from 7.3% to 10.7%, which suggests that at the time of ROW acquisition, there was considerable uncertainty regarding possible future returns from supporting transmission infrastructure. The wealth impact could be a net positive depending on how compensation monies were invested.

JEL Codes: L94, R14, Q48.

Keywords: Electricity Infrastructure, Electricity Transmission Line Right-of-Way, Right-of-Way Compensation, Land Development, Bonneville Power Administration

*Department of Economics, University of California, Davis. Email: jzlyu@ucdavis.edu. I am grateful to my advisors Jim Bushnell, Katherine Eriksson, and Erich Muehlegger. I wish to thank them for their support, encouragement, and guidance. I would like to thank seminar participants from UC Davis for helpful comments. I would like to thank Connie Reiner and Melinda Carrey-Cookman from Bonneville Power Administration for explaining to me the transmission line right-of-way data used in this paper. I am very grateful to Jewell Dunn, Emily Venemon, Brigid Clift, Dave Beals, and many others from Washington State Archives for assisting me in collecting historical property assessment records. I would also like to thank Michelle Criner from National Archives at Seattle for helping search through court index. Lastly, I want to thank Western Power Trading Forum for their fellowship, which I used to finance my travels for data collection. All errors are my own.

1 Introduction

A robust electricity transmission system with sufficient transmission capacity is critical to serve rapidly growing electricity demand, support clean energy resources, and meet that demand with clean energy resources (U.S. DOE, 2023). Such a huge increase in transmission needs cannot be met solely by deploying alternative solutions without seeking to build more transmission lines. Multiple national-scale electricity transmission studies have pointed out that expanding transmission significantly is the most cost-effective way to serve long-run increasing electricity demand (Brown and Botterud, 2021; Denholm et al., 2022; EPRI, 2022; Jenkins et al., 2021; Mai et al., 2026; U.S. DOE, 2023). In addition, building new transmission lines is still the principal approach to increasing transmission capacity, as recognized by recent orders from the Federal Energy Regulatory Commission (FERC).¹

Despite the urgent need for a substantial increase in transmission capacity, it has only increased 27% from 2005 to 2020 (Davis et al., 2023). It's costly and time-consuming to acquire rights-of-way (ROWs) for the construction of lines, which is a big reason why the transmission build-out has been slow in recent decades (The National Council on Electricity Policy, 2004, 2022). Of all the factors leading to delays or even failures in right-of-way (ROW) acquisition, local obstruction to siting is a significant one. The concerns of resistant landowners mainly center around potential negative impacts on property values from having transmission lines sit on their land. The magnitude of these impacts may not turn out to be what is ex-ante expected, but empirical research on this topic is limited. There is a lack of economic evidence on the impact of building a new transmission line on the parties directly affected - landowners and their properties holding ROWs and towers.

There are two challenges to studying this research question in a contemporary setting. First, the location of a transmission line may be endogenous due to the rise of NIMBYism and the reluctance to use eminent domain when feasible. As a result, the final location of a line could be different from that proposed by the electric utility, thus crossing a different set of parcels from what the utility initially decided to acquire ROWs from.² Second, it's difficult to get data such as maps of planned routes at early stages before public outreach, ROW acquisition records, and detailed project timelines for completed transmission projects because these data don't always exist. Even if they do, they are hard to obtain because most of the transmission lines built in recent decades are usually scattered in different states (or crossing different sets of states), and were built by private utilities. In addition, relatively few transmission lines have been built in recent decades.

In this paper, I study the build-out of transmission lines in the Pacific Northwest by Bonneville

¹Order No. 1920 requires transmission providers to do long-term regional transmission planning. More than one cost allocation methodology should be considered in case states cannot reach an agreement. When this happens, the default cost allocation method proposed by the transmission planner can be implemented. Order No. 1977 outlines how FERC plans to implement its "backstop siting authority", which allows it to permit the construction of vital transmission projects provided it's in the "public interest".

²Endogeneity could also show up before a route is proposed. Some jurisdictions require multiple routes to be studied for a specific line before proposing a determined route. These studies, especially the environmental impact studies required by NEPA and/or state laws, take a long time to finish. It's not clear if these studies are completely unaffected by landowners when they are conducted.

Power Administration (BPA) from 1938 to the early 1940s. Specifically, I study four major transmission projects in Washington State: the Bonneville Dam-Vancouver line (B-V) and Vancouver-Kelso line (V-K) in Clark County, and Covington-Tacoma line (C-T) and Covington-Seattle line (C-SE) in King County. I estimate the impact of ROW on the assessed parcel value per acre 60 years after the ROW acquisition up to the present day using these lines. My setting mitigates the endogeneity concern for three reasons. First, an initial map of BPA's transmission system planned in 1938 looks largely identical to the lines that were eventually built. Second, BPA frequently exercised eminent domain in those years to enforce ROW acquisition along its preferred routes. In addition, the average time from planning to the completion of construction was less than two years, a large contrast to modern processes that span decades.

To estimate the impact of ROW, I first argue for a conditional exogeneity assumption: the route for ROW acquisition was largely exogenous to parcel value per acre in a local area, conditional on the pre-acquisition value of improvements (e.g., buildings) and parcel size. The reasons for the conditional exogeneity are twofold. First, when a line is to be built through areas close to a city, some of the parcels in these areas might be carefully avoided for ROW acquisition because they are quite developed, i.e., having small size and/or high value of improvements. Second, when the lowest-valued parcels in an area are adjacent to each other and 'lined up' geographically, it is often the case that ROWs would be acquired from these parcels, which in my setting are usually big and have large proportions of unimproved land.

I define the local area of a line to be a block of approximately one square mile where the ROW is at the center. This block is constructed in two steps. I draw a half mile on each side of the edge of the ROW to create a one-mile buffer surrounding the ROW, then I cut the line into segments of approximately one mile. An exact one mile is not practical because the sum of lengths of ROWs over a few parcels may not add up to exactly one mile. My research design is to compare in each block, parcels where a ROW was acquired (denoted as 'treated parcels') and the rest of the parcels that didn't have a ROW acquired (denoted as 'controlled parcels'), before and after the ROW acquisition.

To identify the locations, i.e., geographic boundaries, of treated and controlled parcels, I rely on three data sources: BPA transmission line ROW tract data, Washington State property assessment records that contain values and sizes of assessed parcels, and Washington State parcel ownership maps from times before ROW acquisition. I match the BPA data with the parcel ownership maps primarily by ROW length and ROW size to locate treated parcels, while the locations of controlled parcels are determined by the boundaries of one-square-mile blocks and the locations of parcels that remain on the parcel ownership maps after treated parcels are excluded. In addition, I verify these matches by checking whether the name of a ROW owner is matched with the name of a landowner who owned this treated parcel according to property assessment records.

The pre-acquisition parcel values are based on the property assessment conducted before and closest to the time of ROW acquisition, which was in 1938 for B-V, in 1939 for V-K, and in 1940 for C-T and C-SE. Regarding the contemporary values of these 1938, 1939, and 1940 parcels ('histori-

cal parcels'), I first geo-reference the parcel ownership maps in these years in ArcGIS, map them onto a 2025 parcel map that illustrates the locations of all the parcels that existed in 2025 ('current parcels'), and obtain the proportion that a current parcel overlaps with a historical parcel. Then, I collect the assessed values of current parcels that are mapped, and sum up the values of current parcels that are fully contained and the proportionate values of those partially overlapped to be the values of a historical parcel in the contemporary years.

I use a two-way fixed effects difference-in-differences (DID) model for my estimation, where I regress parcel value per acre on a dummy variable that equals one for a treated parcel in a post-acquisition year. I add a block-by-year fixed effect to reflect that treatment and control are defined in a block. Parcel size and pre-acquisition value of improvements are controlled, and I allow their impacts to vary across relative years. Moreover, I control for the proportion of ROW on a treated parcel because it can also affect how a treated parcel is developed. For instance, a smaller ROW proportion means a larger proportion not taken by the ROW, which has the potential to be developed into land usage with higher values, especially on the side away from the ROW. I also control for the distance from a parcel to the transmission line.

I find that having a ROW on a parcel resulted from building a transmission line reduces parcel value per acre on average by \$172,073 in 2020 dollars 60 years after the ROW acquisition. This is a decrease of 19.14% relative to the post-acquisition outcome of treated parcels had they not had a ROW. The impact of ROW peaks at relative year 82 and remains relatively stable through relative year 86, corresponding to calendar years 2020 through 2025. In addition, the impact varies across lines, with the decreases ranging from 14.02% to 26.38%. The main drivers of this heterogeneity are lines' locations and the type by which ROWs were acquired - an easement or title ownership. Easement creates the opportunities to develop the ROW lands and provides more flexibility for the development of adjacent non-ROW areas, while the location of a line determines whether it could attract high-value land usages (e.g., commercial and industrial activities) to locate on these ROW lands and adjacent non-ROW areas.

I also investigate two types of heterogeneity across controlled parcels. First, a controlled parcel that shares boundaries with ROWs may get spillover from the ROWs, such that excluding them would increase the estimated negative impact of ROW. I show that such spillover exists, and the magnitude of this spillover, which I consider as the impact of being next to ROWs on the controlled parcels, is an 18.58% drop in the per acre value relative to their estimated post-acquisition values had they not been next to ROWs. This is modestly smaller than the impact of ROW, suggesting that these 'next-to-ROW' parcels resemble, to some degree, parcels that actually had a ROW acquired - another evidence that the spillover exists. Second, different controlled parcels, near or far from the transmission line, might contribute differently to the impact of ROW. I examine three more buffer widths which would change the width of a block where treatment and control are defined to a half mile, a quarter mile, and a half-quarter mile. I find that as the buffer width narrows down, the negative impact decreases because parcels of higher post-acquisition values are dropped from the control group for being out of the buffer, but only slightly. This finding suggests that the impact of ROW is not driven by the differences among controlled parcels in terms of their distances, but by

how ROWs have shaped the treated parcels over years.

Finally, I compare my ROW impact estimates with the average ROW compensation per acre of ROW. The implied annual rate of return that could fully compensate for the long-run losses in parcel value per acre from having a ROW is 7.3% to 10.7%. This wide range and the large numbers suggest that at the time of ROW acquisition, uncertainty about what the losses or the gains would be from having a ROW was big. If the compensation monies were invested upon receiving them, it would need a high long-run return, which should be higher than the implied rate of return, to achieve a positive wealth on net. Whether landowners were over or under compensated depends on the long-run rate of return chosen to compare.

This paper relates to the literature on the property value impact of energy infrastructure. Existing research has studied wind turbines (Guo et al., 2024; Jarvis, 2025; Quentel, 2025), natural gas pipelines (Herrnstadt and Sweeney, 2024), and overhead power lines (Tang and Gibbons, 2024), exploring variations in the distance to infrastructure and the timing of events, such as turbine technology improvement, pipeline explosion, and housing construction. In these studies, infrastructure existed prior to the events, and the estimated impacts reflect the hedonic preference for certain distances to the existing infrastructure.³ This paper contrasts with this literature on two aspects. First, my “event” is ROW acquisition, which is an inevitable step in the processes of building a new transmission line. Second, changes in land values reflect not only preference for locations away from ROWs, but also the restrictions of land development on parcels with ROWs.

This paper also adds to the literature on the impact of infrastructure on economic development. Improvements in local productivity and labor market outcomes have been linked to electricity grid investment and electrification (Dinkelman, 2011; Kline and Moretti, 2013; Lipscomb et al., 2013). For non-power infrastructure, interstate highways caused a decline in central-city population (Baum-Snow, 2007), induced suburbanization (Baum-Snow, 2010), and caused economic growth to be concentrated toward cities (Duranton and Turner, 2012; Faber, 2014). Similarly, railroads have been found to reduce trade costs and induce welfare gains (Donaldson and Hornbeck, 2016; Donaldson, 2018). Unlike this county- or state-level evidence, this paper explains the economic growth through parcel-level land use responses to electricity infrastructure build-outs. I document spatial spillover across and within parcels by demonstrating that parcels with and without ROWs have been developed into different mixes of land uses.

This paper also contributes to the discussion of how to incentivize grid investment and address electric power infrastructure shortage (Brooks and Liscow, 2023; Davis et al., 2023; Ham et al., 2026; Hausman, 2025; Johnston et al., 2023). I provide the first empirical evidence on the implied rate of return that could fully compensate for landowners’ losses of having a ROW on their properties. My findings have important implications for the design of electricity transmission policies. While regional transmission organizations are required to do long-term transmission planning,

³The conventional approach to studying the impact of existing infrastructure is to compare places where such infrastructure is located versus places that are not inside the ‘inner’ part of the doughnut (assuming the infrastructure is a point), but outside of that, because we worry about the spillover to the inner part that is neighboring to the treated places.

this process is dominated by engineers' considerations. Practical strategies on how to accelerate transmission build-out and facilitate ROW acquisition in the field remain understudied and less understood. My results show that the uncertainty of potential future losses can be big at the time when ROWs were acquired. More information on existing projects' long-lasting impacts is needed to reduce this uncertainty, and better estimates of the losses in parcel values could improve settlement of ROW compensation.

Of course, how empirically relevant my findings and their implications are hinges on two predictions about the future: which places where a new transmission line is built today will be suburbanized in the future, and how much of people's underlying preference for risks associated with investment in transmission infrastructure has changed compared to what it was 85 years ago. While this paper can't answer the second question, on the first one, I provide examples of a few possible scenarios. It's true that many miles of the transmission lines built in the past are still crossing farmland, rural places, and forests today. However, for the segments that are approaching a substation that's located in between two growing cities, or at least in a region that has huge economic growth potential, we can expect to see suburbanization in areas where these segments go through. This is the story of the Puget Sound region and the Vancouver Urban Growth Area studied in this paper. While only specific segments - not an entire line - will have a possibility of being suburbanized in the future, whether the areas will actually be suburbanized depends on the interaction and pro-active coordination between transmission planning and urban/regional planning. There is therefore no definitive answer to the first question, but discussions on this question should be given attention in future transmission planning.

The rest of the paper is organized as follows. Section 2 explains the setting, including the early history of BPA's transmission system, BPA's ROW acquisition practice, and the lines studied in this paper. Section 3 explains the research design to estimate the impact of ROW. Section 4 describes the data sources and the methods used to construct the data for estimation. Section 5 presents the empirical strategy for estimation. Section 6 discusses results and explores two types of heterogeneity: heterogeneity across lines, and heterogeneity among controlled parcels regarding their boundaries' locations to ROWs and their distances to the line. Section 7 briefly discusses two questions relevant to a long-run impact: the difference between a historical setting and today, and one example of a short-run impact. Section 8 concludes the paper.

2 Setting

This section first provides the history of BPA's transmission system, focusing on the design and early construction. Specifically, I discuss why there was originally a need for this transmission system in the first place, and why the locations of power lines on this system were largely exogenous. Then, I discuss BPA's ROW acquisition practice and policy. Finally, I introduce the specific lines that I study in my empirical analysis.

2.1 History of BPA's Transmission System

Preceding the establishment of the Bonneville Power Administration (BPA) in 1937, discussions on how to develop the Columbia River had been going on for more than a century. Water has long been harnessed to power mills and factories, but it was not until the late 19th century when the United States turned its page to the age of electricity, that hydroelectric power grew to become the pillar of the Pacific Northwest economy. Small hydro power plants and dams were built on Columbia's tributary rivers as big dams for the main stem were expensive to build. In addition, a lack of demand for the large amount of power that big dams could generate deterred local and private investment for these big projects. At the same time, however, the desire to develop the Columbia for navigation, irrigation, and flood control proceeded.⁴ In 1932, the Army Corps of Engineers, directed by the River and Harbor Act of 1927, published a report that called for an integrated development of ten multi-purpose dams on the Columbia River starting from Grand Coulee and ending east of Portland, where the Bonneville Dam would sit. Aware of the potential benefits of bringing thousands of jobs to the region through investment in these large hydro projects, Franklin D. Roosevelt, the future president, declared in 1932 in his campaign speech in Oregon that "the next great hydro-electric development to be undertaken by the Federal Government must be that on the Columbia River".

"This vast water power can be of incalculable value to this whole section of the country. It means cheap manufacturing production, economy and comfort on the farm and in the household. . . . Here you have the clear picture of four great Government power developments in the United States - the St. Lawrence River in the Northeast, Muscle Shoals in the Southeast, the Boulder Dam project in the Southwest, and finally, but by no means the least of them, the Columbia River in the Northwest. Each one of these, in each of the four quarters of the United States, will be forever a national yardstick to prevent extortion against the public and to encourage the wider use of that servant of the people - electric power" (The Oregonian, 1932).

In March 1933, the Bonneville Dam and the Grand Coulee Dam were authorized as Public Works Administration projects under the National Industrial Recovery Act, with the Army Corps of Engineers in charge of constructing the Bonneville Dam and the Bureau of Reclamation constructing the Grand Coulee Dam.

As the construction went on, long-established concerns about the economic feasibility of the dams fueled debates about who should market the power. Oregon proposed a bill that suggested that the two dams be operated and marketed separately, with a lower price for power sales at the dam site that would favor industrial customers who wanted to build factories near Portland. Under this bill, there were essentially no incentives for the Army Corps to build long-distance transmission lines to sell power to places far away from the Bonneville Dam. Washington, where the Grand Coulee Dam would not be finished until 1941, did not support this bill as it could have impeded the public utility district movement in its state (Springer, 1976).

⁴Debates in Washington centered on what system would work best for irrigation purposes. On the Oregon side, the focus was on the flood control.

Should the Pacific Northwest have an extensive transmission system so that all customers in the region could benefit from the federally generated power? Requested by President Roosevelt to study this issue, the Pacific Northwest Regional Planning Commission released a 1936 report recommending a master grid that would link the major demand centers (Portland, Puget Sound, and Spokane areas) and existing and future power generation with high voltage transmission lines. The report also came with recommendations that the rates charged for transmitting energy should be as nearly uniform as possible throughout the transmission areas,⁵ and an independent commission should be the marketing agency. A compromise was eventually reached between the states and the agencies. With the passage of the Bonneville Project Act in 1937, both the Army Corps and the Bureau of Reclamation could still operate their own dams, but the authority to build and operate transmission lines and to market the power would go to a new bureau, the Bonneville Project (later changed to BPA in 1940), within the Department of the Interior (Norwood and Burghardt, 1964; Norwood, 1980).

In 1938, the proposed locations of the system that were planned to be eventually built were released in a map known as the master grid (see Figure B1). It was based on the 1936 study conducted by the Regional Planning Commission (see Figure B2) and illustrated results from surveying the territory. The master grid indicates very rough locations of the substations to-be-built, the approximate places a line connecting two substations would go through, and the general direction of such a line. These survey results were then followed by land surveyors to determine the proposed route for ROW acquisition. The master grid is an engineering and economic solution to maximize the use of the network to transmit power from hydro resources to electricity demand ('load') centers,⁶ a system design that was largely unknown to many people in the Pacific Northwest before ROWs were acquired and lines started breaking ground for construction. In addition, there weren't any distributions of this map to the public except a coarse one published in the *Oregonian* in November 1938 after its release (see Figure B3). Therefore, any anticipation by landowners about where a proposed route for ROW acquisition might be was unlikely.

2.2 BPA ROW Acquisition

The BPA undertook massive condemnation in the first two years (1938 and 1939) due to the urgent need to start constructing transmission lines as the Bonneville Dam was already generating power from its first powerhouse. Once a condemnation proceeding was initiated, BPA immediately secured the ownership and had possession over the ROW lands. While BPA would deposit an "estimated just compensation" to the federal district courts, the ROW payment could not be "withdrawn" by the landowners before certain settlement was reached. This initial policy took a


⁵BPA's rate remained from 1938 to 1965 at \$17.50/kilowatt-year (0.2 cents/kWh) for places beyond 15 miles of the dam and \$14.50/kilowatt-year for those within 15 miles of the dam.

⁶In its 1938 annual report to the Department of the Interior, BPA explained "the type of transmission system selected for the present basic design for Bonneville is one which can become a part, without fundamental changes, of an advanced synchronized-at-the load master system." Some major advantages of such a system are that it provides stable operation, minimizes the effect of disturbances at individual generating plants to the system, and maximizes the use of connected lines while minimizing the unused transmission investment in anticipation of load growth. In BPA's own words from its 1939 report, "the aim has been to program a system not only to supply the initial power markets but also to provide for the expansion of service to meet growing power loads with the maximum economy of investment and operating costs." (BPA, 1938, 1939)


long time not only because it's harder to purchase by title in fee than to purchase just an easement on the ROW lands, but also because once a settlement with a landowner was reached, a petition for deposit withdrawal needed to be signed and each petition required a separate court hearing. It was during such a hearing that the official transfer of the title would happen and the final ROW payment would be decided. To acquire ROW at lower costs and difficulty, BPA changed its policy - effective December 7, 1939 - from condemnation to direct voluntary purchase. Since then, judicial proceedings would only happen when it was "unable to agree with a landowner as to the amount of damages to be paid him, or when satisfactory title to a tract cannot be obtained without court action" (BPA, 1940).

2.3 Lines Studied in This Paper

In this paper, I study four segments of transmission lines in Washington State: the Bonneville Dam-Vancouver (B-V) and Vancouver-Kelso (V-K) in Clark County, and Covington-Tacoma (C-T) and Covington-Seattle (C-SE) in King County. Specifically, for B-V and V-K, I study their segments within the Urban Growth Area of Vancouver, WA.⁷ Figure 1 shows their location.



(a) C-T&C-SE



(b) V-K&B-V

Figure 1: Line Location. Source: BPA Transmission Assets.

The construction of a transmission line involves four steps: survey of territory, design of line, acquisition of ROWs, and actually building the power line. In practice, the exact timing of design and ROW acquisition can be hard to separate as the design and ROW acquisition may proceed together. Table 1 summarizes the dates of these steps for each line. While survey end dates, or design start dates, were not recorded by BPA, ROW acquisition as well as line design should start in between the start of survey and the start of construction. I conjecture the start of ROW acquisition

⁷See Figure B11 for the Vancouver Urban Growth Area.

based on when ROW compensation payments were made.

Table 1: Line Data

	Survey Began	Construction Started	ROW Acquisition Started*	Notes
B-V	April 4, 1938	March 13, 1939	Late 1938/Early 1939	Line placed in service on December 1, 1939
V-K	September 1, 1938	September 21, 1939	Early 1939	Line placed in service on October 30, 1940
C-T	February 25, 1940	–	Mid 1940	Line under design by June 1940; placed in service on March 9, 1941
C-SE	August 23, 1939	–	Mid/Late 1940	Line under design by June 1940; placed in service on May 25, 1941

Source: BPA 1939, 1940, and 1941 annual report and BPA ROW data. Notes: 'ROW Acquisition Started' column is my estimation. ROW acquisition for B-V approximately started around late 1938/early 1939 because almost all of the ROWs for this line had their compensation payment deposited on January 5, 1939. For V-K, ROW acquisition approximately started around early 1939 because almost all of the ROWs for this line had their compensation payment deposited on February 28, 1939, and there were no records in Clark County showing that ROWs had already been acquired up to January 1939 for V-K. For C-T, the earliest payment date among ROWs was September 11, 1940, so the ROW acquisition likely started around mid 1940. For C-SE, the earliest payment date among ROWs was January 8, 1941. There is a possibility that some ROWs of this line had their ROW acquisition finished as of mid 1940 since the survey of C-SE began very early. I can't rule out this possibility, but it's likely to be small.

Although not listed in the 1938 master grid, C-T and C-SE went through the same processes as the earlier lines did, as suggested in BPA's annual reports. The survey results of these two lines were therefore not known by the people in the region before BPA started acquiring ROWs in the field.⁸

There are two reasons to study these four transmission line segments. First, their design objectives reflect two primary reasons for building transmission lines that remain relevant today: connecting remote generation sources (e.g., solar and wind farms), to major load centers like cities, and extending the existing grid infrastructure to serve growing electricity demand (e.g., data centers). B-V and V-K were built to transmit hydropower from the Bonneville Dam to major load centers, whereas C-T and C-SE served as feeder lines to deliver electricity from an integrated grid to the load centers. Table 2 presents a summary of the main design objectives of each line. Second, these lines cross suburban landscapes rather than farmland and forests, thus are located near places with high-density economic activities. Studying these lines could offer a closer look at how

⁸BPA explained its transmission planning in the 1940 annual report: "This transmission system consists of a main interconnecting, high capacity, high voltage transmission network extending from the Grand Coulee plant to the Bonneville plant to Vancouver, Washington, thence north to Covington and east to Grand Coulee, and extending eastward from Grand Coulee through Spokane. This high capacity bus is designed for 230,000 volt operation and will form the main power supply system of the region. From the main substations located at Spokane, Vernita, Vancouver and Covington radiate 115,000-volt and lower voltage transmission lines to supply power to the various load centers and to interconnect the federal transmission system with the existing generating and transmission facilities." (BPA, 1940)

transmission lines affect economic development and provide valuable guidance on how to build more transmission lines while supporting future economic growth.

Table 2: Line Objectives

Line	Design Objectives
B-V	Transmit Bonneville and Grand Coulee power to the Portland area. To be a link in interconnection of the Portland load area with the Spokane load area.
V-K	Transmit Bonneville power northward into western Washington. To be a link in interconnection of the Portland load area with the Puget Sound load area.
C-T	Provide facilities for supplying large blocks of power to the Puget Sound area. Interchange power between the city of Tacoma and the Bonneville system.
C-SE	Provide facilities for supplying large blocks of power to the Puget Sound area. Interchange power between the city of Seattle and the Bonneville system.

Source: BPA 1939 and 1940 annual report.

3 Research Design

This section explains the research design to estimate the impact of ROW resulted from building a new transmission line on the per acre parcel value. Specifically, I explain how I identify the impact of ROW, and I illustrate this identification strategy with maps.

3.1 Research Design

To estimate the impact of ROW, I argue that ROW acquisition is exogenous to pre-acquisition parcel value per acre in a local area. In some areas, this exogeneity will be relaxed through a conditional exogeneity.

As explained in Section 2, the survey results for lines indicate the rough locations where the substations would be built and the approximate route a line between two cities would take. This route identifies the areas the line would likely cross and the line's general direction. These results were then followed by BPA's land surveyors who narrowed down a route of specific parcels they wanted to acquire ROWs from. From BPA's perspective, the decision to pick parcels is again driven by a mix of factors, such as topography and ground conditions (stream, swamps, etc.) (Lundquist, 1912), as well as conjectured ROW acquisition costs, construction costs, etc. There are no open documents discussing how each factor weighs into the determination of a route, but any cost estimates of ROW acquisition would only be one of the factors considered, such that the correlation between the choice of parcels and parcels' pre-acquisition values may be weak. In addition, these transmission lines follow a straight route; they don't zig-zag in order to go through parcels that have the lowest values in a given area, except when the lowest-valued parcels were already 'lined up'. Below, I will argue for a conditional exogeneity for my empirical analysis because there is suggestive evidence that a route likely correlates with pre-acquisition parcel value per acre in some

areas.

There is a potential identification concern that certain parcels may have been difficult to acquire ROWs from due to landowner resistance. If true, ROW acquisition is not entirely exogenous to parcel values as these landowners may have convinced BPA to choose a different route. This is not likely to be true in my setting because BPA could use eminent domain. For B-V and V-K, this is not a concern because their ROWs were acquired before the end of 1939 when eminent domain was exercised on a large scale. For C-T and C-SE, this may be a concern, but as these lines were finished in less than two years after their survey started, this suggests that their ROWs were also acquired quickly and met little resistance. If there was any, it's possible it was eventually resolved through condemnation.⁹ However, preliminary searches over the judgment docket and index of the U.S. District Court for the Western District of Washington that are associated with federal land condemnation cases in the period of the early 1940s suggest that there might not be such a case in the areas of C-T and C-SE studied in this paper because no relevant cases were found.¹⁰

In which local areas will ROW acquisition be exogenous? For a given line, I define such a local area to be a block of approximately one square mile where the ROW is at the center. Specifically, I draw a half mile on each side of the ROW to create a one-mile buffer where the ROW is at the center of the buffer.¹¹ Then I cut the line into segments of approximately one mile so that each block would contain a few parcels, each of which had a ROW acquired. This ensures there is variation within a block across these ROW parcels. My empirical design is to compare parcels from which a ROW was acquired, which I denote as treated parcels, and parcels in the same block but with no ROW acquisition, which I denote as controlled parcels, before and after the ROW acquisition. This design comes from hypothesizing that there were other routes within the one-mile buffer that could also be the route of the built line, and these routes would cross some of the parcels next to or near the actual treated parcels.

However, no two parcels are identical. A controlled parcel within the same block is not completely identical to a treated parcel other than the absence of a ROW. But, half a mile is sufficiently short such that treated and controlled parcels are likely similar in many unobservable characteristics, and I assume that, on average, there are no differences in unobservable characteristics between the two groups. Still, observable differences between the two groups could have caused the treated parcels to be chosen for ROW acquisition endogenously, which is why I argue for a conditional exogeneity for my estimation.

⁹Taking a step back, the existence of a land condemnation case about an easement ROW doesn't sufficiently prove that the landowner had changed BPA's mind in terms of route because the exact reasons why a condemnation case was brought to court could vary. The landowner may simply have been dissatisfied with the amount of compensation, or he may have been resistant to granting a ROW regardless of how much compensation was offered.

¹⁰There was one case, however, that related to parcels where the Covington substation was built and the case was dated in June 1940. Nevertheless, as I will mention in the Data section, I do not study the parcels where substations were built, or the parcels sharing boundaries with them in this paper, because ROW acquisition for a substation may be different from that for a line, as the ROW of a substation is usually a big piece of land instead of a slim strip.

¹¹Except for Covington-Seattle, for which I also include a half mile on the east side of Covington-Renton, which is a line also built by BPA and located very close to Covington-Seattle.

In practice, the exogeneity of ROW acquisition to parcel values may not hold in areas that are close to a city, because some places in these areas are already quite developed, leaving fewer parcels from which to acquire ROWs. Endogeneity could also exist in an area far away from a city where there are only a few parcels that have expensive improvements, or the opposite - where there are many low value parcels adjacent to or 'lined up' with each other geographically. In the first scenario, these parcels with high improvements value could be avoided in the acquisition by careful design; in the second scenario, these low value parcels could provide an obvious solution to the acquisition problem. Therefore, I argue for a conditional exogeneity of ROW acquisition to parcel value per acre, conditional on the pre-acquisition value of improvements and parcel size.¹² This argument is supported by a conditional balance in the pre-acquisition value per acre between treated and controlled parcels, which will be discussed in the Estimation section of this paper.

3.2 Map Illustration of the Identification Strategy

Figures 2 and 3 illustrate my identification strategy with a segment of V-K in Section 36 of Township 3 North, Range 1 East of the Willamette Meridian. This section is a one mile by one mile square according to the Public Land Survey System (PLSS).¹³ ROWs were acquired from four parcels: No. 13, No. 12, No. 21 and NE of NW. The length of the one-square-mile block is determined by the length of Section 36. The width of the block is established by drawing a half mile from the right edge of the ROW and a half mile from the left edge of the ROW, which goes slightly beyond the left edge of Section 36 into Section 35. Together, the block is illustrated by the purple shade. Controlled parcels are the rest of the parcels in this shade, including those that partially overlap with the shade. Visually, a route for V-K could cross No. 14, No. 27, No. 6, No. 20, No. 25, and No. 22, or No. 10, NW of SW, No. 9, and NW of NW, or some other parcels. But, a possible route that I use to compare with the actually built line should not cross any treated parcels, such as the one that would go through No. 1, NW of SW, **No. 21**, and NW of NW. This is to ensure that the comparison between treated and control parcels provides (conditionally) exogenous variation.

My identification strategy doesn't require the direction of a possible route to be the same as that of the built line as long as it's within the one-mile buffer. Figure 4 explains this idea in a more general setting where a line doesn't go south-north or east-west, for instance, C-T. Each square in this figure is a section in the PLSS. Dashed lines illustrate possible routes that don't have the same direction as the solid line.

Figure 5 further illustrates this idea by magnifying two sections in Figure 4. Figures 5b and 5c present the parcel landscape in 1940 for a segment of C-T before ROW acquisition. Yellow polygons are parcels. The blue shade indicates the one-mile buffer. As the line goes towards southwest,

¹²The parcel size is used to approximate the proportion of land that is unimproved because this variable doesn't exist for data from King County.

¹³PLSS, which is a way of subdividing and describing land, defines a township-range as a piece of land that is six mile by six mile relative to a point at the intersection of a meridian and a baseline. For example, Township 21 North, Range 4 East of the Willamette Meridian is a 36-square-mile piece of land in Washington State. Its north boundary is 126 miles north of the Willamette baseline and its east boundary is 24 miles east of the Willamette meridian. Each township-range has 36 sections, each of which is a one mile by one mile square which equals 640 acres. Sections can be further divided into quarter sections, quarter-quarter sections, or irregular lots.


NW of NW F. N. MCCANDLES			NE of NW MARTHA CHAPMAN		No. 26	No. 23	No. 28	No. 22	No. 17	
									No. 18	
No. 9	No. 21				No. 19	No. 25		No. 19		
NW of SW ALBERT EGGER			No. 11	No. 12	No. 24		No. 6	NE of SE DAVID UELTSCHI		
					No. 8					
					No. 5					
No. 10	No. 7	No. 1	No. 13		No. 3	No. 2	No. 14	No. 15	No. 16	
		No. 4								

(a) The map of Section 36 of T3N R1E in Clark County, WA in 1939 before ROW acquisition. Notes: See Figure B4 for the original map.

NW of NW F. N. MCCANDLES			NE of NW MARTHA CHAPMAN		No. 26	No. 23	No. 28	No. 22	No. 17	
									No. 18	
No. 9	No. 21				No. 19	No. 25		No. 19		
NW of SW ALBERT EGGER			No. 11	No. 12	No. 24		No. 6	NE of SE DAVID UELTSCHI		
					No. 8					
					No. 5					
					No. 27					
No. 10	No. 7	No. 1	No. 13		No. 3	No. 2	No. 14	No. 15	No. 16	
		No. 4								


(b) Section 36 T3N R1E, Clark County, WA after ROW acquisition. Notes: Pink shade indicates the ROW of V-K, 250 ft wide. ROWs were acquired from No. 13, No. 12, No. 21, and NE of NW, which are denoted as treated parcels.

Figure 2: Example of ROW Acquisition for V-K in Clark County, WA.



Notes: This picture shows Section 36 and part of Section 35 of T3N R1E, Clark County, WA. Purple shade indicates the one-square-mile block. Parcels without a ROW but fully or partially in this block are defined as controlled parcels.

Figure 3: Identification Strategy Illustration Using a South-North Line (Based on V-K).



Notes: The dark solid line indicates C-T. Light solid lines establish the boundaries of the one-mile buffer (ROW width is ignored here for simplification). Dashed lines illustrate possible routes in the buffer.

Figure 4: Identification Strategy Illustration Using a Southwestward Line (Based on C-T).

the one-square-mile blocks are created by cutting the line into segments of approximately one mile. Figure 5c shows a one-square-mile block whose boundaries are established by buffer boundaries and two dashed lines perpendicular to C-T. The treated parcels in this block are colored in red. The controlled parcels are the rest of the parcels in this block - either fully inside or partially overlapping, and their locations are indicated by the red lines.

4 Data

In this section, I describe my data sources and explain how I construct the dataset that can be used to estimate the impact of ROW.

4.1 Bonneville Power Administration Transmission Line Right-of-way (ROW) Data

This data contains records of BPA's transmission line right-of-way (ROW) tracts. For each ROW tract, I can see its size in acres, its width and length in feet, the township-range-section in which it's located, its owner's name, the ROW compensation payment(s) to its owner, the date(s) paid, the reasons for the payment(s), and information of the line for which it was acquired, including the line's name, corridor, voltage, and total miles.

In general, a transmission line ROW is a piece of land on a parcel which an electric utility must acquire either by title or by easement to build and maintain a transmission line. Title purchase in fee transfers the ownership from the original landowner to the utility, while easement only grants the utility the right to access the ROW. In this paper, B-V and V-K were acquired by title in fee, C-T and C-SE were acquired by easement.

Due to protection of the Personally Identifiable Information, this data doesn't contain the locations, i.e., geographic boundaries, of parcels from which ROWs were acquired. To get this information, historical parcel ownership maps ideally right before ROW acquisition are needed. More details will be discussed later on how to identify the locations of these parcels.

In summary, for the lines studied in this paper, there are a total of 302 ROW tracts in the BPA raw data, forming 243 ROWs¹⁴ on 243 historical parcels. These parcels are denoted as treated parcels because ROWs were acquired from them. However, the number of treated parcels used in the empirical estimation is bigger. Matching the size and length of ROW with parcel geometries established from parcel ownership maps, I find that in the BPA raw data, there are 1.1 miles of ROWs missing for C-T that should have been acquired from five parcels, 0.2 miles of ROWs on three parcels missing for C-SE, 0.56 miles of ROWs on four parcels missing for V-K, and 0.57 miles of ROWs on five parcels missing for B-V. I use these 16 parcels as treated parcels, except one whose pre-acquisition parcel value can't be found from any existing historical records. Table 3 shows the

¹⁴This number is smaller than the total number of tracts because the ROW on every treated parcel of C-T was acquired under two separate acquisitions that happened successively within a year. Each time the width acquired was 100 ft. As a result, the width of C-T's ROWs was 200 ft. In 1958, C-T was upgraded as part of the Tacoma-Grand Coulee line, and the ROWs were extended to 262.5 ft, a width still used today. These extensions stayed within the boundaries of all the 1940 treated parcels, with the exception of one parcel. I exclude this parcel from the set of controlled parcels used in my analysis because ROW acquisition seemed to happen in 1958 on this parcel.






Figure 5: Identification Strategy Illustration Using a Southwestward Line (Based on C-T).

summary statistics of ROWs on their sizes, the size of treated parcels, the proportion of a ROW on a treated parcel, and the ROW compensation.¹⁵

Table 3: Summary Statistics of Rights-of-way

	mean	sd	min	max
ROW Size (acres)	4.04	4.14	0.010	25.60
Treated Parcel Size (acres)	27.80	30.56	0.480	197.27
Proportion of ROW	0.20	0.15	0.001	0.88
ROW Compensation (\$)	536.94	797.09	9.500	4698.52
<i>N</i>	243			

Notes: ROW compensations are in 1940 dollars for C-T and C-SE, 1938 dollars for B-V, and 1939 dollars for V-K. I do not deflate or inflate them into the same year, because the 'deflation then inflation' from 1938 to 1940 was very little.

Whether a ROW was acquired through voluntary agreement or condemnation that involved BPA first depositing an estimated just compensation to the federal courts, the total compensation for a ROW reflected at least two things: BPA's estimation and the landowner's judgment and perhaps bargaining power, and a third thing when condemnation happened - judges' decisions, which may or may not lead to extra monies. Figure 6a plots the ROW compensation and the proportionate parcel value of ROW before acquisition. Figure 6b plots the ROW compensation and the value of the entire parcel. Together, these figures show that ROW compensation was on average above the proportionate parcel value, but below the full parcel value.

4.2 Washington State Real Property Assessment Records

4.2.1 King County, Washington


Because C-T and C-SE started ROW acquisition no earlier than mid 1940, I need maps and values of parcels no later than early 1940.

To get parcels' values before ROW acquisition, I obtain the King County tax roll for the year 1941, which was the only year except 1935 that King County assessor's office created a county-wide tax roll. The 1941 tax roll contains for each assessed parcel, the real property values assessed in 1940, the taxes paid in 1941, the parcel location described in legal descriptions, the size in acres, and the landowner's name.¹⁶ The real property values include land value, improvements value, and the sum of these two values as the parcel value. For parcels that were exempt from taxes, their 1940 values are collected from their property record cards.


To visualize the 1940 locations of parcels described in the tax roll, I obtain the King County parcel ownership maps in 1936, which was the only year that existed prior to 1940. I then create

¹⁵For some ROWs, this number is the sum of multiple compensations discounted to the year when the ROW was acquired (i.e., 1938 for B-V, 1939 for V-K, 1940 for C-T and C-SE). These ROWs were paid multiple times for a combination of reasons such as 'deficiency', 'timber, danger trees', 'interests', and 'taxes' after their first payment.

¹⁶According to Washington state laws, the assessed value of property for tax purposes is determined on January 1 of the assessment year. This was the standard practice during 1940 and continues today.



(a) ROW compensation vs. proportionate parcel value



(b) ROW compensation vs. full parcel value

Figure 6: ROW Compensation vs. Proportionate Parcel Value and Full Parcel Value.

some 1940 parcel ownership maps on top of the 1936 maps by manually drawing parcel boundaries from translating legal descriptions.¹⁷ Using 1936 maps as base maps improves the accuracy of locating a parcel based on the legal descriptions of its location, especially if there were no big changes from 1936 to 1940. Figures B5 and B6, and Figure 7a each provide an example of the 1936 base map, the 1941 tax roll, and the 1940 map created by myself.

I then match BPA's ROW data with the 1940 maps and the tax roll by ROW length and ROW owner's name to verify the locations of treated parcels. ROW length allows me to confirm the location of a treated parcel in a specific section given the line's location, the ROW width of this line, and the locations of all the other parcels in this section. A good matching result will signal that the boundaries of treated parcels are correctly established through my self-created 1940 maps, and that the boundaries of controlled parcels are also very likely to be correctly established. In the process of matching, it's obvious to locate a ROW using its length when it's a rectangle or a parallelogram. When it's a trapezoid, I treat the ROW length as if it could refer to the either base. After locating a parcel using ROW length, I check if the name on the tax roll is matched with the name of the ROW owner in BPA's data. A mismatch could occur if a parcel's owner changed between when the parcel was assessed (e.g., January 1940) and when the ROW was acquired (mid to late 1940).

The only data that have a more comprehensive list of historical ownership changes at the parcel level are King County's property record cards, which include years from 1937 to 1973. However, it's not guaranteed that each year, or even the full history of ownership changes, was recorded for every parcel. Regarding the mismatches, some of them can be solved with a re-match as I am able to find the ROW owners on the property record cards of these parcels. Overall, there are four ROW parcels for C-SE and 13 ROW parcels for C-T whose owner names cannot be matched from either the tax roll or the property record card.¹⁸ For these parcels, I still regard them as valid ROW parcels, but I can't verify that the ROW owners - who received payment from BPA, were landowners of these parcels. Table 4 presents a summary of King County's parcels.

Table 4: Summary Statistics of 1940 King County Parcels


	Treated Parcels				Controlled Parcels			
	mean	sd	min	max	mean	sd	min	max
Size (Acres)	30.66	30.43	0.48	197.27	15.45	13.28	0.12	72.08
Land Value (\$)	672.54	876.86	10.00	5500.00	408.82	598.05	10.00	7350.00
Improvements Value (\$)	141.31	214.80	0.00	1150.00	169.34	373.00	0.00	5410.00
Parcel Value (\$)	813.85	992.36	10.00	6650.00	578.16	803.71	10.00	10180.00
<i>N</i>	130				816			

To determine the contemporary values of these 1940 parcels, the first step is to identify what they have become today. Over 85 years of development, from a vast amount of rural land east of


¹⁷For instance, 'NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ less S 165' of E 263' ' indicates a polygon that equals a square of 660 ft by 660 ft (the northeast quarter of the northeast quarter of the southeast quarter of a section) less a rectangle of 165 ft by 263 ft.

¹⁸Given that C-T's ROWs were acquired in two batches, the second person recorded as the ROW owner of a ROW could be different from the first person recorded as the ROW owner, and thus can't be found in the 1941 tax roll which indicates only the 1940 ownership. For eight of the 13 parcels, I am able to find their first ROW owners but not the second ROW owners. For the other five parcels, neither ROW owners can be found on their property record cards.

Tacoma and south of Renton, to a weave of residential subdivisions, industrial parks, and commercial centers, with Interstate-5 and state highways crossing through, this area of the Puget Sound region has become one of the most economically developed places in the U.S. A parcel in 1940 is almost certain to have been divided into many smaller parcels up to today (Glaeser and Kahn, 2004). Therefore, I geo-reference the 1940 parcel ownership maps in ArcGIS and overlay them on a base map of King County's current parcels in 2025. Figure 7b presents an example of this mapping of parcel landscape from history to today. To find out which 1940 parcel a current parcel falls inside or partially overlaps with, I compare the geometries (i.e. real earth coordinates) of all the current parcels with those of each 1940 parcel. The current value of a 1940 parcel is thus the sum of full values of current parcels that are fully contained and proportionate values of those that partially overlap. All current parcels' values come from King County Department of Assessment, which include three parts: land value, improvements value, and the sum of the two as the parcel value. Overall, there are 11,724 current parcels mapped to 518 historical parcels in 1940 for C-T, and 12,658 current parcels mapped to 428 historical parcels in 1940 for C-SE.



(a) The 1940 parcel ownership map for Section 4 T21N R5E.



(b) The present-day parcel ownership landscape of Section 4 T21N R5E.

Figure 7: Example of Geo-referencing in ArcGIS, Section 4 T21N R5E, King County, WA.

Naturally, of all the parcels that can be found on King County's 2025 parcel ownership map, many parcels were created before 2025. Open data from King County Assessment, which contain parcel values from 1998 to the present day, thus include the values of these parcels since the first year they were created as long as they hadn't been divided into more parcels or merged with other parcels over the years up to 2025. This created a unique feature in my parcel data - the contemporary values of a 1940 parcel do not reflect the same sub-areas inside it over years, because different sub-areas could be 'created' into parcels at different times.

Figure B7 explains this feature using Lot 13 in Section 4 of T21N R5E of King County. Figure B7b zooms in at the current landscape that Lot 13 is mapped onto, which contains three subdivi-

sions highlighted in blocks. The yellow block has values since 1998, but the blue block on the left wasn't created until 2015, and the blue block in the middle was created after 2015. So, the value of Lot 13 before 2015 is just the value of the yellow block, and the value per acre of Lot 13 equals the value per acre of the yellow block. Unfortunately, I didn't find any parcel ownership maps before 2025 to figure out which 'vintage' (before 2025 and after 1998) parcel a parcel once belonged to before it was created, as well as the value of this 'vintage' parcel. In other words, in this example, I don't know which 'vintage' parcel the blue block on the left in Figure B7b once belonged to before 2015. Finally, I don't know how this feature may affect the estimation results, but it will likely lead to an underestimation of the ROW impact if I only use data from the recent few years such that the composition of sub-areas for each historical parcel is stable over these years.¹⁹

In an extreme case, a 1940 parcel may have no assessed values for many years if none of the current parcels inside were created in those years. I call this the 'zero value issue'. The data of Clark County's current parcels, which will be discussed below, share the same feature: the only parcels that can be traced back for their values of multiple years before 2025 are those that hadn't been divided since they were created. The two counties together have 64 parcels that have this issue, and I drop the years that these parcels have no values in all of my results. For the robustness checks, I drop these parcels entirely.

4.2.2 Clark County, Washington

To get pre-acquisition maps and values for Clark County parcels, I rely on Clark County real property assessment yearbooks from 1938 to 1941. A yearbook contains the parcel ownership maps and the assessed parcel values and parcel sizes in that year by section or donation land claim (DLC).²⁰ Although the parcel ownership maps don't include a legal description for every parcel, for parcels that are small and usually not a common proportion of a section (e.g., a quarter-quarter section), the map does indicate the length and width for those that have a regular shape. For the remaining few parcels that are small and have irregular shapes, I obtain their locations by geo-referencing the parcel ownership maps.²¹ The property values include the value of improved land, the value of unimproved land, and the value of improvements. This separation of the value of land is unique to Clark County.

Because ROW acquisition started in late 1938 for B-V and in early 1939 for V-K, I use the parcel ownership maps from the 1938 yearbook for B-V and the maps from the 1939 yearbook for V-K to identify the locations of treated and controlled parcels. For each line, similar to what I have done for King County, I match the parcel ownership maps and the property assessment yearbook with BPA's ROW data to confirm that the maps can correctly establish the boundaries of parcels. But

¹⁹ As I will discuss in the Results section, the event study regression shows that from 2020 to 2025, i.e., relative years 82 to 86, the impact of ROW - almost the same over these years - peaks in the contemporary period and is statistically significant. This finding implies that if I only use the recent five years of data, my estimated ROW impact would be bigger.

²⁰ The Greater Vancouver area and rural Clark County have many land claims, each of which could cover multiple sections (as in a township-range in PLSS) in geography. Figure B8 shows an example of a DLC.

²¹ I use the measurement tools in ArcGIS to confirm that my geo-referenced parcels are located correctly, specifically by checking whether their sizes are approximately the same as those listed in the assessment yearbook.

here, I match by ROW size instead of ROW length. Since the ROWs for B-V and V-K were acquired by title, there is a change in parcel size before and right after acquisition. For B-V, I calculate the change in acres from 1938 to 1939. For V-K, I calculate the change in acres from 1939 to 1941 because the 1940 yearbook is missing. Matching with ROW length is less desirable for Clark County because some ROWs are recorded as having zero ROW length in BPA's data, likely because they are small so it's difficult to measure such lengths.

I also match by ROW owner's name to verify that Clark County parcel ownership maps are able to establish a parcel landscape consistent with BPA's records. Regarding the matching results, for V-K, there are three ROWs where names in the BPA data don't match with those on the assessment records. For B-V, there are seven ROWs having this issue. Unfortunately, the earliest set of property record cards that exists for Clark County is from 1940 to 1956. It doesn't necessarily contain cards for all the parcels, and for those that do have cards, the assessed values may not date back to 1940, so I couldn't resolve the name mismatch issues as I have done for some of the parcels in King County. But I'm certain that these parcels are located correctly because the change in parcel size is matched with the ROW size for each parcel. Table 5 presents a summary of Clark County parcels.

Table 5: Summary Statistics of 1938 and 1939 Clark County Parcels


	Treated Parcels				Controlled Parcels			
	mean	sd	min	max	mean	sd	min	max
Acres	24.78	29.19	1.20	160.00	12.10	16.51	0.08	149.00
Land Value	857.33	1104.37	15.00	8990.00	436.98	527.72	5.00	4560.00
Improvements Value	134.19	190.97	0.00	1000.00	146.24	220.37	0.00	1800.00
Parcel Value	991.51	1180.01	90.00	9610.00	583.22	611.58	5.00	4830.00
<i>N</i>	129				622			

To get the contemporary values of the 1938 and 1939 parcels, I use the same method of geo-referencing. Overall, there are **12,136** current parcels mapped to **379** historical parcels in 1938 for B-V, **9,562** current parcels mapped to **372** historical parcels in 1939 for V-K.


To conclude the Data section, Figure 8 and Figure 9 present the geo-referenced locations of all the historical parcels studied in this paper.

5 Estimation

This section first discusses the conditional balance between treatment and control that supports the conditional exogeneity assumption. Next, I describe the empirical method to estimate the impact of ROW. I use a difference-in-differences model, where treatment is defined as having a ROW; event is when the ROW was acquired. The estimated treatment effect is therefore the average effect of having a ROW on parcels from which it was acquired.




(a) C-T. Notes: Yellow polygons are geo-referenced 1940 parcels for C-T. Blue shade is the one-mile buffer.




(b) C-SE. Notes: Yellow polygons are geo-referenced 1940 parcels for C-SE, including parcels in a half mile on the east of Covington-Renton, which goes through the 'gap' between polygons in this picture, until the last mile when it's located next and parallel to C-SE.

Figure 8: Geo-referenced Historical Parcels for C-T and C-SE.



(a) V-K. Notes: Highlighted polygons are geo-referenced 1939 parcels used for estimating the impact of ROW for V-K.



(b) B-V. Notes: Highlighted polygons are geo-referenced 1938 parcels used for estimating the impact of ROW for B-V. Parcels that have ROWs for lines other than B-V are excluded. Areas inside the edge of the historical Greater Vancouver are not geo-referenced or included in the block closest to the Vancouver substation (Ross). See the location of this edge in Figure B9. The actual last mile to the Ross substation is not studied in this paper or geo-referenced in this picture because the pre-acquisition parcel maps for this area are complicated to geo-reference.

Figure 9: Geo-referenced Historical Parcels for V-K and B-V.

5.1 Conditional Balance Between Treatment and Control Before Acquisition

The ideal data to test the conditional balance, or pre-trends, between treatment and control group on the assessed parcel value per acre would contain a few more years of parcel data before ROW acquisition because treated and controlled parcels may have followed different development paths up to the time of acquisition.²² However, there are many constraints on collecting more years of data.²³ In addition, even if multiple years of pre-acquisition data exist, there may not be much variation over those years in parcel values for the purpose of estimation because land values usually do not change much over just a few years, especially on land that's already improved. There may be changes in the value of improvements that are not small, but such changes usually occur to only a handful of parcels, while other parcels just carry their improvements value from previous years. Therefore, with only one year of pre-acquisition data, I conduct a one-period balance test to argue for a conditional parallel pre-trend between treatment and control. Specifically, I run the following regression for each block.

$$V_i = \alpha + \beta Treat_i + \theta Impvts_i + \mu Acre_i + \epsilon_i \quad (1)$$

where V_i is the one-year pre-acquisition parcel value per acre for parcel i , $Impvts_i$ is the pre-acquisition improvements value, $Acre_i$ is the parcel size, and standard errors are robust. A statistically insignificant β would imply that conditional on parcel size and improvements value, there are no statistically significant differences on average in the baseline outcome between the treated and the controlled parcels in a one-square-mile block.

Tables 6, 7, and 8 present the results for each block. Column (1) comes from estimating the full equation. Except for the one-square-mile block with id=4 in the area of B-V that shows a statistically significant difference between treatment and control and is thus excluded from my empirical analysis,²⁴ there are no statistically significant differences by treatment in other blocks.

As a comparison, column (2) shows the unconditional balance test results from not controlling for parcel size and improvements value. When there is a statistically significant coefficient in column (2), there is usually a statistically significant difference in parcel size and/or improvements value by treatment in columns (3) and/or (4), corresponding to the two scenarios that require the assumption of conditional exogeneity explained in the identification strategy. To reiterate, first, sub-areas that are more developed than elsewhere in places close to a city tend to be less favorable to site a transmission. Examples of such places include block 12 of C-T, block 7 of C-SE, blocks 1 and 2 of V-K. Second, in places far away from a city, there may be a few parcels with large proportions of unimproved land 'lining up' together, creating a favorable condition for transmission line siting. Examples of such areas include block 6 of C-SE, blocks 4 and 5 of V-K, and blocks 6 and 7 of B-V.

²²Nevertheless, this period should not start too early, otherwise the parcel ownership landscape would be too different from the one right before ROW acquisition, as there are always new parcels created over time.

²³Clark County property assessment yearbooks start from 1937, so for B-V, there's only one year before 1938, for V-K, there are two years before 1939. As explained in the Data section, King County doesn't have tax rolls between 1936-1940, and King County's property record cards in reality don't have the 1937-1939 values for many parcels either.

²⁴For this area, parcel size doesn't seem to be a good proxy for the proportion of unimproved land. When directly controlling for the proportion of unimproved land, there is no more significant difference between treatment and control.

One square mile block id	(1) parcel value per acre on treat, Acres, ImprovementsValue	(2) parcel value per acre on treat	(3) Acres on treat	(4) ImprovementsValue on treat	(5) N
1	-72.217 (65.102)	-28.707 (24.197)	12.649*** (3.974)	183.958* (101.167)	54
2	-3.269 (2.514)	0.592 (5.887)	-8.484** (4.006)	30.455 (72.760)	30
3	43.286 (52.713)	-38.394 (27.957)	12.374* (7.131)	-75.512 (86.452)	46
4	-13.809 (13.410)	-22.741** (10.913)	47.823 (29.351)	62.241 (114.353)	33
5	91.709 (58.227)	-65.987** (27.504)	20.945** (7.930)	97.843 (142.840)	37
6	0.628 (25.456)	-47.883* (28.400)	19.411** (8.106)	34.946 (189.142)	68
7	-10.095 (6.272)	-18.245* (9.240)	10.801 (13.261)	-48.872 (62.852)	49
8	12.175 (11.879)	-2.894 (5.059)	37.634*** (8.437)	-80.000 (50.375)	31
9	-0.387 (9.541)	-22.034 (13.225)	7.505 (4.935)	-267.951 (169.766)	41
10	5.519 (11.769)	-12.634 (10.036)	27.385*** (9.668)	-31.667 (28.378)	30
11	-0.581 (0.354)	-1.894* (0.968)	11.843*** (2.870)	-12.500 (7.586)	25
12	39.845 (30.109)	-80.676** (39.836)	16.301** (7.529)	-80.833*** (19.282)	74

Notes: Each coefficient is the coefficient on treat from the indicated regression, with robust standard errors in parentheses. N is the sample size, the number of parcels in that one-square-mile block. Block 1 (id=1) is the one-square-mile block closest to Covington substation. Block 12 (id=12) is the block farthest from Covington, closest to Tacoma. Column (1) shows results of conditional balance. Column (2) shows results of unconditional balance. Columns (3) and (4) show that there could be differences in improvements value and/or parcel size prior to acquisition, and these observable differences need to be controlled for in the regression to support the argument that ROW acquisition is conditionally exogenous to parcel value per acre. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table 6: Balance Table for Covington-Tacoma (C-T)

5.2 Empirical Estimation

I estimate a difference-in-differences model with the following specification.

$$V_{ioy} = \beta D_{iy} + \eta_i + \sum_{r \neq 0} \theta_r Impvts_i \mathbf{1}(r_{iy} = r) + \sum_{r \neq 0} \mu_r Acre_i \mathbf{1}(r_{iy} = r) + \alpha Dist_{iy} + \phi Prop_{iy} + \delta_{oy} + \epsilon_{ioy} \quad (2)$$

where $D_{iy} = Treat_i \times Post_y$. y includes one year before the ROW acquisition ('the baseline year') and many years in recent decades. The baseline year is 1940 for C-T and C-SE, 1938 for B-V,

One square block mile id	(1) parcel value per acre on treat, Acres, ImprovementsValue	(2) parcel value per acre on treat	(3) Acres on treat	(4) ImprovementsValue on treat	(5) N
1	-19.678 (20.329)	-34.880 (26.221)	-0.684 (2.069)	-49.007 (62.354)	103
2	20.171 (22.545)	-59.727** (24.430)	18.113** (7.828)	-122.480 (95.097)	60
3	14.959 (9.613)	-7.919 (14.625)	23.646** (9.221)	136.282 (105.436)	45
4	2.263 (4.177)	4.258 (4.916)	0.762 (3.811)	55.874 (62.150)	57
5	-0.343 (4.799)	3.015 (7.461)	4.072 (4.024)	54.639 (47.310)	71
6	33.506 (23.941)	-20.963*** (3.869)	121.360*** (42.772)	-107.273*** (31.244)	46
7	35.623 (22.741)	-71.660** (27.557)	62.511*** (20.142)	-124.286*** (33.527)	46

Notes: Each coefficient is the coefficient on treat from the indicated regression, with robust standard errors in parentheses. N is the sample size, the number of parcels in that one-square-mile block. Block 1 (id=1) is the block closest to Covington substation. Block 7 (id=7) is the one farthest from Covington, closest to Renton/Seattle. Column (1) shows results of conditional balance. Column (2) shows results of unconditional balance. Columns (3) and (4) show that there could be differences in improvements value and/or parcel size prior to acquisition, and these observable differences need to be controlled for in the regression to support the argument that ROW acquisition is conditionally exogenous to parcel value per acre. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table 7: Balance Table for Covington-Seattle (C-SE)

and 1939 for V-K. The post-acquisition period contains 1998 to 2025 for C-T and C-SE, and 2008 to 2025 for B-V and V-K. $D_{iy} = 1$ for a treated parcel i in a year y in the post period. V_{ioy} is parcel value per acre, η_i is parcel fixed effects. I control for one square mile by year fixed effects (δ_{oy}) to compare parcels within a one-square-mile block across years as treated and controlled parcels are defined in a block. A year fixed effect would be redundant as it's absorbed in δ_{oy} . I also control for the improvements value ($Impvts_i$) in the baseline year and parcel size ($Acre_i$), and I allow their impacts to vary across relative years r_{iy} as parcels with different initial improvements values and sizes may have different development patterns over the post-acquisition years. $r_{iy} = y - b_i$, where b_i is the baseline year. Standard errors are clustered at the one-square-mile block.

I also control for two parcel-level characteristics: the distance from a parcel to the transmission line ($Dist_i$) and the proportion of ROW on a treated parcel ($Prop_i$) by interacting each of them with the event dummy $Post_y$. This prevents them from being absorbed by the parcel fixed effects. Because $Post_y$ is absorbed by δ_{oy} , α is the average effect of distance over the post-acquisition years, and ϕ is the average effect of ROW proportion on the treated parcels in the post-acquisition period.

Not controlling for distance will not bias the estimated treatment effect because distance is independent of the treatment. However, distance may be correlated with the post-acquisition parcel value per acre. For instance, properties on parcels that are further away from the transmission

One square mile block id	(1) parcel value per acre on treat, TotalAcres, ImprovementsValue	(2) parcel value per acre on treat	(3) TotalAcres on treat	(4) ImprovementsValue on treat	(5) N
V-K					
1	-11.996 (9.274)	-64.611*** (14.478)	3.626 (3.616)	-88.272*** (24.658)	100
2	5.130 (6.937)	-17.868*** (5.925)	7.574 (5.078)	-67.820** (27.226)	88
3	-3.162 (4.207)	-8.358 (6.209)	21.890*** (7.591)	147.353 (138.600)	38
4	-20.485 (12.311)	-48.871** (18.587)	5.880 (5.654)	-85.022* (45.944)	53
5	-10.340 (11.246)	-24.295** (10.841)	37.437 (25.897)	37.333 (60.606)	35
6	-3.593 (3.974)	-0.241 (6.759)	3.412 (8.880)	107.719 (179.317)	25
7	-3.737 (3.616)	-3.873 (5.362)	13.582 (10.039)	50.350 (90.938)	33
B-V					
1	-205.241 (459.456)	-1278.013*** (283.512)	8.337*** (2.755)	-69.606 (90.542)	94
2	-1.574 (21.237)	5.847 (19.425)	16.659* (9.516)	142.179** (66.985)	64
3	-0.694 (5.184)	6.190 (5.021)	20.319*** (4.827)	108.547** (46.534)	55
4	-9.559*** (3.189)	-17.017*** (3.110)	18.868 (13.180)	-113.347*** (38.808)	54
5	-5.139 (5.765)	1.022 (5.355)	-5.988** (2.684)	19.359 (20.593)	51
6	-2.371 (2.325)	-10.258*** (1.963)	48.132*** (15.824)	-37.143*** (10.929)	33
7	-2.891 (5.985)	-13.792*** (3.177)	73.333* (33.407)	-216.667* (108.446)	8

Notes: Each coefficient is the coefficient on treat from the indicated regression, with robust standard errors in parentheses. N is the sample size, the number of parcels in that one-square-mile block. Block 1 (id=1) is the block closest to Vancouver substation. Block 7 (id=7) is the one farthest from Vancouver. Column (1) shows results of conditional balance. Column (2) shows results of unconditional balance. Columns (3) and (4) show that there could be differences in improvements value and/or parcel size prior to acquisition, and these observable differences need to be controlled for in the regression to support the argument that ROW acquisition is conditionally exogenous to parcel value per acre. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table 8: Balance Table for the Bonneville Dam-Vancouver (B-V) and Vancouver-Kelso (V-K)

line may have higher values, possibly due to fear of electromagnetic field exposure, restrictions on land development, visual dis-amenity, etc. Therefore, I add the distance as a control variable, which might improve the precision of my estimates. Since there are three parts on a transmission line: the ROW, the towers, and the line, I calculate six measures of distance between each parcel and the transmission line: the distances from either the parcel centroid or the parcel boundary to

the edge of the ROW, to the nearest tower, and to the line itself.

The proportion of ROW on a treated parcel indicates what percentage of the parcel's area is taken by the ROW, and thus what is left untouched by the ROW. A hypothesis is that this percentage may be correlated with the usage and thus the value of land developed on a treated parcel in the post-acquisition period. The bigger the non-ROW portion of a treated parcel is, the more likely this area will be developed into high value usage (e.g., single-family housing). Of course, the ROW's position also matters, and is partially captured by the distance ($Dist_i$) for treated parcels.²⁵ If the ROW is along the edge, rather than at the center, it leaves a bigger complete space to be developed rather than two segregated spaces, which could possibly increase the value of this entire area. Figure 10 illustrates a few positions that a ROW could take on a treated parcel.




Figure 10: Illustration of Different ROW Positions.

Since by definition that $Prop_i = 0$ for a controlled parcel, $Prop_i \times Post_y$ essentially equals to $Treat_i \times Prop_i \times Post_y$. Therefore, the treatment effect on a treated parcel i with a ROW proportion $Prop_i$ is not β , but $\beta + \phi Prop_i$. Denote $\overline{Prop}_T$ as the average of ROW proportion over treated parcels, then the treatment effect on a treated parcel with the average ROW proportion is $\beta + \phi \overline{Prop}_T$.

To estimate $\beta + \phi \overline{Prop}_T$, I estimate the following equation equivalent to equation (2).

$$V_{ioy} = \beta^c D_{iy} + \phi Prop_{iy}^c + \eta_i + \sum_{r \neq 0} \theta_r Impvts_i \mathbf{1}(r_{iy} = r) + \sum_{r \neq 0} \mu_r Acre_i \mathbf{1}(r_{iy} = r) + \alpha Dist_{iy} + \delta_{oy} + \epsilon_{ioy} \quad (3)$$

where $\beta^c = \beta + \phi \overline{Prop}_T$ and $Prop_{iy}^c = Treat_i \times Post_y \times (Prop_i - \overline{Prop}_T)$. $Prop_i - \overline{Prop}_T$ is the centered ROW proportion. Now, the treatment effect on a treated parcel i is $\beta^c + \phi(Prop_i - \overline{Prop}_T)$, which still equals to $\beta + \phi Prop_i$.

Noticeably, β^c is also the average treatment effect across all treated parcels, because

$$\frac{1}{N_T} \sum_{i=1}^{N_T} (\beta + \phi Prop_i) = \frac{1}{N_T} \sum_{i=1}^{N_T} (\beta^c + \phi(Prop_i - \overline{Prop}_T)) = \beta^c$$

²⁵For a treated parcel, the distance captures to some extent the relative position of the ROW on this parcel, e.g., along the edge vs. at the center. If the distance from the parcel centroid to the line is 0 ft, it means the line exactly crosses the parcel center. If this distance is big, the ROW might be along the edge of the parcel.

where N_T is the number of treated parcels.

6 Results

In this section, I start with analyzing the results from estimating equation (3). Next, I explore the mechanisms by investigating two types of heterogeneity: the heterogeneity across treated parcels reflected by the heterogeneity across lines, and the heterogeneity across controlled parcels determined by their locations and distances to the transmission line. Specifically, I ask three big questions. First, what causes heterogeneity across lines and how does it affect the impact of ROW? Second, some controlled parcels share boundaries with ROWs, thus are likely affected by the ROWs despite not having one on the ground, which I call ‘post-acquisition spillover’. Does this spillover exist? If so, what’s the magnitude of this spillover, and how does it compare with the impact of ROW? Third, does it matter which controlled parcels - close to the ROW or not - are used to estimate the treatment effect?

6.1 The Impact of ROW

Table 9 shows the results from estimating equation (3) using four lines controlling for the distance from parcel centroid to ROW edge, which I use as the preferred distance measure. Column (4) shows that having a ROW on a parcel, resulted from building a new transmission line, has caused an average decrease of \$172,073 (in 2020 dollars) 60 years after the ROW acquisition up to the present day. This translates to a 19.14% decrease relative to the values of treated parcels over the past nearly 30 years if they hadn’t had a ROW acquired in history. Results are similar if using other distance measures. Overall, across all six distance measures, the decrease is, on average, between \$169,287 and \$188,585 (in 2020 dollars), which translates to a decrease of 18.89% to 20.6%. These results are shown in Table A1. In addition, the robustness checks regarding the ‘zero-value’ issue explained in the Data section are presented in Tables A2 and A3. Dropping the parcels that ever had a zero value, treatment effect estimates across all specifications become larger, while the statistical significance does not change.

The coefficient in front of ‘Treat $\times$ Post’ in column (4) is bigger than that in column (2) because excluding ROW proportion, despite centered at the average, causes negative bias to the estimation: ROW proportion is positively correlated with the treatment (both ROW proportion and ‘Treat’ are zero for a controlled parcel), and is negatively correlated with the outcome (less area left to be potentially developed into high value usage). The coefficient in front of ‘Treat $\times$ Centered ROW proportion $\times$ Post’ is statistically insignificant but large, suggesting that ROW proportion may have a big impact on the changes in the per acre value.

To see if there is any heterogeneity across years in the post-acquisition period, I estimate an

Table 9: The Impact of ROW

	Dependent variable: parcel value per acre (in 2020 dollars)			
	(1)	(2)	(3)	(4)
Treat × Post	-180823.3*** (57231.8)	-173948.2** (71894.9)	-178062.5*** (56252.6)	-172072.9** (70602.1)
Distance × Post		4.835 (34.52)		4.221 (34.41)
Treat × Centered ROW Proportion × Post			-317630.4 (213333.5)	-316258.5 (209574.7)
Constant	894924.3*** (22041.5)	887559.0*** (61255.6)	897729.6*** (22386.2)	891288.0*** (60764.5)
Observations	40000	40000	40000	40000
Ycf (treated post, cf.)	907832.515	900965.885	905056.011	899073.846
% effect vs Ycf	-19.92	-19.31	-19.67	-19.14


Notes: This estimation uses all four lines. Distance is from parcel centroid to ROW edge, the preferred distance measure. ROW proportion is centered at the average among treated parcels. Treat x Post in column (4) is the effect of ROW at the average ROW proportion, and is also the average treatment effect of ROW on the treated parcels. Parcel fixed effect and block-by-year fixed effect are included. Pre-acquisition value of improvements and parcel size are controlled, with their impacts varying by relative year. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. % effect vs Ycf is the ratio of Treat x Post to Ycf. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * p<0.10, ** p<0.05, *** p<0.01.

event study version of equation (3).


$$\begin{aligned}
V_{ioy} = & \sum_{r \neq 0} \beta_r^c \text{Treat}_i \mathbf{1}(r_{iy} = r) + \sum_{r \neq 0} \phi_r \text{Prop}_i^c \mathbf{1}(r_{iy} = r) \\
& + \sum_{r \neq 0} \theta_r \text{Impvts}_i \mathbf{1}(r_{iy} = r) + \sum_{r \neq 0} \mu_r \text{Acre}_i \mathbf{1}(r_{iy} = r) \\
& + \alpha \text{Dist}_{iy} + \eta_i + \delta_{oy} + \epsilon_{ioy}
\end{aligned} \tag{4}$$

where $\text{Prop}_i^c = \text{Treat}_i \times (\text{Prop}_i - \overline{\text{Prop}_T})$, and $\overline{\text{Prop}_T}$ is still the average of ROW proportion over treated parcels. The treatment effect on a treated parcel i in relative year r is $\beta_r^c + \phi_r (\text{Prop}_i - \overline{\text{Prop}_T})$. β_r^c is the treatment effect for a treated parcel that has the average ROW proportion, as well as the average treatment effect on the treated parcels in relative year r .


Figure 11 shows the estimated β_r^c under different distance measures. The average treatment effect is statistically significant starting 75 years after the ROW acquisition under the preferred distance measure. When choosing other distance measures, such as the distance from parcel centroid or parcel boundary to the line or the closest tower, the treatment effects are statistically significant starting at relative year 68. Across all distances, the treatment effect reaches a maximum of a decrease of \$290,327 (in 2020 dollars) at relative year 82, and this largest impact barely changes between relative years 82 and 86, i.e., from 2020 to 2025 in calendar time. The statistical significance goes away at relative year 87 because only the B-V line has data 87 years after ROW acquisition, so the estimates may be less precise.




(a) Control for Parcel Centroid to ROW Edge




(b) Control for Parcel Boundary to ROW Edge




(c) Control for Parcel Centroid to the Line



(d) Control for Parcel Boundary to the Line



(e) Control for Parcel Centroid to the Closest Transmission Tower



(f) Control for Parcel Boundary to the Closest Transmission Tower

Figure 11: The Dynamic Impact of ROW Across Years Since ROW Acquisition.

6.2 Heterogeneity Across Lines

Each transmission line crosses a unique combination of parcels. Even when two lines are in the same region, they could go through parcels that look quite different because landscape and economic development could be different between different sub-regions and even within a specific sub-region.

Table 10 Panel A shows the regression results for C-T and C-SE under the preferred distance.²⁶ Regardless of whether a regression controls for distance or not, controlling for centered ROW proportion leads to a bigger estimate of the negative impact of C-T, but a smaller estimate of the negative impact of C-SE. In other words, omitting ROW proportion creates a positive bias for C-T, instead of a negative bias. The reason turns out to be a statistical one - there is a positive correlation between the ROW proportion and the post-period parcel value per acre for the treated parcels of C-T. This raises a natural question that a bigger ROW seems to be associated with raising the values of treated parcels only for C-T but not for C-SE.

To explore this question, it's helpful to first look at some parcel features, such as the distribution of ROW proportion (Figure 12a), parcel size (Figure 12b), their correlations with the post-period per acre values of treated parcels (Figures 12e and 12c), and the correlation between ROW proportion and parcel size (Figure 12d). There are two salient observations about C-T's treated parcels compared to those of C-SE. First, Figure 12c shows that they have higher value per acre on average at many ROW proportions, except around 20% or close to zero. Second, Figure 12d shows that they are bigger in size on average at any given ROW proportion. Together, the two observations imply that C-T's treated parcels have higher total values on average than C-SE's treated parcels at a given ROW proportion.

One plausible explanation for this phenomenon is that C-T is an easement line, and geographically it crosses two major highways (US Interstate Highway 5 and WA State Route 167) when going southwestward towards Tacoma. Easement means the ownership of the ROW was not transferred to BPA. This allowed more possibility and flexibility to develop the ROW lands and the adjacent non-ROW areas, and provided a prerequisite that helped create various line-specific land usages on parcels that hold ROWs or are located in the adjacent non-ROW areas as the regional economy developed over the past 85 years. Yet, C-SE is also an easement line; easement itself doesn't tell the whole story, C-T's location matters as well, and is reflected in land development.

Figure 13a and Figure 13b show the distribution of land usage types among parcels that hold ROWs for C-T and C-SE.²⁷ C-T crosses parcels that are used as 'Warehouse', 'Shopping Center (Major Retail)', 'Office Building', etc., which have some of the highest assessed values outside of parcels used for residential housing. C-SE, by contrast, rarely crosses parcels used for commercial and industrial (C&I) activities: except those used for single-family residential housing, most of the

²⁶The impact of ROW for C-T and C-SE under the other five distance measures are shown in Table A4.


²⁷Types that have a frequency smaller than 1% are categorized into 'Other' and frequency is defined as the number of parcels in a usage type divided by the total number of parcels that have ROWs. More details on the ownership and land usage among current parcels that have ROWs are in Appendix C.

Table 10: The Impact of ROW Across Lines


	Dependent variable: parcel value per acre (in 2020 dollars)							
	Panel A: C-T and C-SE							
	C-T				C-SE			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Treat $\times$ Post	-154589.6* (71649.0)	-250991.4** (102117.6)	-160315.1** (61103.8)	-256339.7** (97982.0)	-278335.7 (196145.4)	-156497.5 (215094.5)	-274064.4 (171259.5)	-153269.3 (192191.5)
Distance $\times$ Post		-57.46 (52.99)		-57.27 (53.15)		86.30 (58.77)		85.60 (59.06)
Centered ROW Proportion $\times$ Treat $\times$ Post			573652.1 (807851.1)	567638.2 (819010.2)			-1040929.3* (429601.0)	-1027697.2** (413919.6)
Constant	958853.5*** (36363.8)	1053847.5*** (103867.0)	954172.0*** (35430.1)	1048902.6*** (102144.6)	839877.6*** (44138.0)	701029.8*** (117667.4)	845747.8*** (46098.3)	707952.2*** (120108.0)
Observations	14732	14732	14732	14732	12163	12163	12163	12163
Ycf (treated post, cf.)	870280.543	966662.270	875826.509	971833.068	834839.532	713022.503	830569.650	709795.567
% effect vs Ycf	-17.76	-25.96	-18.30	-26.38	-33.34	-21.95	-33.00	-21.59

	Panel B: V-K and B-V							
	V-K				B-V			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Treat $\times$ Post	-137836.1 (77887.0)	-143823.5 (150154.5)	-134208.3 (80885.4)	-142458.7 (148817.2)	-172853.8*** (42560.6)	-162096.7 (109434.1)	-170255.1*** (38710.9)	-160365.0 (107773.3)
Distance $\times$ Post		-4.211 (78.94)		-5.814 (79.16)		9.499 (71.95)		8.796 (71.82)
Centered ROW Proportion $\times$ Treat $\times$ Post			-503157.3** (192571.9)	-505281.6** (199117.0)			-146608.2 (368482.8)	-142618.6 (358631.1)
Constant	843008.4*** (33196.1)	849233.8*** (125511.8)	847485.4*** (34346.9)	856098.6*** (127259.7)	999682.2*** (53658.0)	988481.4*** (105318.0)	1001703.8*** (56302.7)	991277.1*** (105666.7)
Observations	7007	7007	7007	7007	6098	6098	6098	6098
Ycf (treated post, cf.)	796603.161	802595.033	793006.168	801262.796	1156632.951	1145886.107	1154028.858	1144148.358
% effect vs Ycf	-17.30	-17.92	-16.92	-17.78	-14.94	-14.15	-14.75	-14.02


Notes: Distance is from parcel centroid to ROW edge. ROW proportion is centered at the average among treated parcels. For each line, Treat $\times$ Post in column (4) (or column (8)) is the effect of ROW at the average ROW proportion, and is also the average treatment effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled in the regressions. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. % effect vs Ycf is the ratio of Treat $\times$ Post to Ycf. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.




(a) Density of ROW Proportion




(b) Density of Parcel Size



(c) Parcel value per acre (in 2025) vs. ROW proportion



(d) ROW proportion vs. size of treated parcel



(e) Parcel Value per Acre (in 2025) vs. ROW Proportion (Treated Parcels)

Figure 12: Features of King County Parcels.

parcels crossed are public parks or low value mobile homes (or townhouses). Different locations of C-T and C-SE largely contribute to these differences in land development. C-T intersects with

two major highways built in the 1960s while C-SE does not. C-T goes through the heartland of the Puget Sound region while C-SE is located close to the inland boundary of King County's urban growth area.²⁸ Naturally there would not be much C&I use mixed into C-SE's areas, but the highways and being at the center of a region have really created a different environment for C-T's areas that have attracted and bred large-scale C&I development.

Overall, the impact of C-T is huge: the per acre parcel value drops by 26.38% after 60 years compared to what it would have been if a ROW had not been acquired. But, the impact of C-SE's ROWs is statistically insignificant, and one possible reason is that there are only seven blocks of one square mile on this line. The standard errors are big and much bigger than those of C-T. Nevertheless, the coefficients in front of centered ROW proportion are big and statistically significant for C-SE, suggesting that ROW proportion is an important factor explaining the impact of ROW for this line.

Table 10 Panel B shows the regression results for V-K and B-V under the preferred distance. Columns (2) and (4), and columns (6) and (8) tell the same story as before - the treatment effect estimate becomes smaller after controlling for centered ROW proportion.²⁹ However, for both lines, the treatment effect is statistically insignificant. In terms of the magnitude, the per acre parcel value drops by 17.78% for V-K and by 14.02% for B-V. In addition, ROW proportion explains a large part of the impact of ROW for V-K.

6.2.1 Easement vs. Title


Of the two forms of ROW acquisition, neither easement nor title is necessarily better than the other. Because the ROW lands of a title line are usually owned by the electric utility unless partially disposed of, and are vacant in most cases unless partial ownership brings in demand to develop them, there is very little development of these ROW lands into usages other than holding the transmission infrastructure. Therefore, for a title line, the post-acquisition value of a treated parcel reflects only the value of the non-ROW portion. To compare the impact of ROW between easement and title lines, I calculate the value per acre for easement lines' treated parcels only from their non-ROW portions.

Table 11 shows the regression results comparing title lines (V-K and B-V) and easement lines (C-T and C-SE). Column (3) shows that the impact of ROW for easement lines is smaller (-18.42%) when the per acre value of treated parcels is calculated from the non-ROW portion, but is still bigger than the impact from the title lines as shown in column (1). Interestingly, neither estimate is statistically significant, which may suggest that neither easement nor title is better than the other, even when the long-run decrease in parcel value is the only cost to be minimized.


What's more striking is column (4) in Table 11 that shows a substantial decrease of 53.63% in the per acre value of the ROW lands instead of the entire treated parcels. The fact that columns (2) and (3) are similar and columns (3) and (4) are drastically different has two meanings. First,

²⁸See Figure B10 for King County's urban growth area.


²⁹The impact of ROW for V-K and B-V under the other five distance measures are shown in Table A5.




(a) Parcels That Have ROWs (C-T)




(b) Parcels That Have ROWs (C-SE)




(c) Parcels That Don't Have ROWs but Are Within Treated Parcels (C-T)



(d) Parcels That Don't Have ROWs but Are Within Treated Parcels (C-SE)



(e) Parcels That Don't Have ROWs and Are Within Controlled Parcels (C-T)



(f) Parcels That Don't Have ROWs and Are Within Controlled Parcels (C-SE)

Figure 13: Land Use Distribution Among King County Parcels Separately for C-T and C-SE.

Table 11: The Impact of ROW by ROW Acquisition Type

	Dependent variable: parcel value per acre (in 2020 dollars)			
	Title Lines (V-K and B-V)	Easement Lines (C-T and C-SE)		
	(1)	(2)	(3)	(4)
Treat $\times$ Post	-140815.8 (93989.6)	-211766.0* (109342.8)	-158105.2 (111030.6)	-446283.1*** (115183.4)
Distance $\times$ Post	-6.508 (58.50)	2.862 (44.42)	1.438 (44.05)	9.746 (44.67)
Treat $\times$ Centered ROW Proportion $\times$ Post	-372612.2 (215733.0)	-226911.7 (489406.8)	-102444.2 (571597.8)	200511.9 (372632.1)
Constant	925265.9*** (86462.2)	896849.2*** (85705.5)	895177.8*** (83733.0)	900528.2*** (90167.8)
Observations	13105	26895	26895	26893
Ycf (treated post, cf.)	959482.319	853954.714	858378.230	832187.021
% effect vs Ycf	-14.68	-24.80	-18.42	-53.63

Notes: For treated parcels, the value per acre used behind column (3) is calculated using only the non-ROW portion, and that used behind column (4) is calculated only from the ROW portion. For example, mathematically, the former equals the total value of the non-ROW portion divided by the size of this area. For columns (1) and (2), the value per acre is still calculated from the entire parcel. Again, distance is from parcel centroid to ROW edge. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by giving each parcel equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

comparing treated parcels with controlled parcels is similar to comparing the non-ROW portions of treated parcels to controlled parcels. This suggests that how ROWs have affected the non-ROW portions is an important mechanism behind the impact of ROW. Second, within treated parcels, the ROWs and the non-ROW portions have huge differences in assessed values. This difference reflects that as long as it's not on the ROW, the usage of land for everyday living and economic activities hasn't been much affected by the transmission infrastructure despite being close to it.

6.3 Spillover to Controlled Parcels After Acquisition

Controlled parcels that share boundaries with ROWs could be affected by the ROWs. These parcels may be viewed as similar to treated parcels and their values in the post-acquisition period could have been higher if they weren't next to the ROWs. Including these parcels into the control group may underestimate the impact of ROW if such post-period spillover exists from treated to these controlled parcels.

Table 12 Panel A column (2) shows the regression results excluding controlled parcels that share boundaries with ROWs, i.e., those that have zero distance from their boundaries to the edge of ROWs.³⁰ If the spillover doesn't exist, these parcels will have similar value per acre with other controlled parcels not next to ROWs, so that excluding them should result in results close to, if not almost identical to, those obtained when they are not excluded. Comparing column (2) with column (1) that shows the result of Table 9, the drop in value per acre increases by 2 percentage

³⁰Table A6 shows the results under other five distance measures.

points, and an average of 2.1 percentage points across all distance measures, which suggest that spillover does exist.³¹

Table 12: Analysis of Spillover to Controlled Parcels

Panel A: ROW Impact Using Different Subsamples				Panel B: Spillover Effect	
	Parcel value per acre (2020 dollars)				Parcel value per acre (2020 dollars)
	(1)	(2)	(3)		(1)
Treat $\times$ Post	-172072.9** (70602.1)	-194768.0** (73993.6)	-279689.1*** (93379.5)	Next $\times$ Post	-198408.3 (149934.2)
Distance $\times$ Post	4.221 (34.41)	-2.133 (33.41)	-14.22 (61.60)	Distance $\times$ Post	-33.81 (64.57)
Centered ROW Proportion $\times$ Treat $\times$ Post	-316258.5 (209574.7)	-285451.7 (210489.5)	-188339.6 (308838.9)	Constant	1100511.0*** (107952.9)
Constant	891288.0*** (60764.5)	897020.5*** (60854.5)	1045118.4*** (96427.5)	Observations	15135
Observations	40000	39149	17933	Ycf (treated post, cf.)	1067827.851
Ycf (treated post, cf.)	899073.846	921973.079	1076738.003	% effect vs Ycf	-18.58
% effect vs Ycf	-19.14	-21.13	-25.98		

Notes: For Panel A, column (1) is the column (4) in Table 9, column (2) shows the results from estimating equation (3) after excluding controlled parcels whose distance from parcel boundary to ROW edge is zero (i.e., sharing boundaries with ROWs, or denoted as next to ROWs). Panel B column (1) shows the result from estimating equation (5). Compared to the full sample, the data used in Panel B exclude one-square-mile blocks that don't have any controlled parcels that are next to ROWs, and three more blocks where controlled parcels, next to ROWs or not, have statistically significant difference in their pre-acquisition parcel value per acre. Panel A column (3) uses the same set of one-square-mile blocks as Panel B to estimate the impact of ROW. Again, all distance is from parcel centroid to ROW edge. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled in all regressions. Ycf (treated post, cf.) is calculated by giving each parcel equal weight. Standard errors in parentheses. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

To quantify the magnitude of this spillover, which I consider as the impact of ROW on the controlled parcels that share boundaries with ROWs, I use the following regression only on the controlled parcels.

$$V_{ioy} = \beta Next_i \times Post_y + \eta_i + \sum_{r \neq 0} \theta_r Imputsi \mathbf{1}(r_{iy} = r) + \sum_{r \neq 0} \mu_r Acre_i \mathbf{1}(r_{iy} = r) + \alpha Dist_{iy} + \delta_{oy} + \epsilon_{ioy} \quad (5)$$

where $Next_i = 1$ if a parcel shares boundaries with ROWs. The idea is to use controlled parcels that don't share boundaries with ROWs as the control group for those that do, after controlling for pre-acquisition improvements value, parcel size, and the distance to transmission line. In addition, I only look at one-square-mile blocks that have controlled parcels located next to ROWs, and I exclude blocks that don't have a conditional balance on the pre-acquisition parcel value per acre between parcels that share and don't share boundaries with ROWs. The ROW proportion is no longer controlled because none of the parcels in this regression has a ROW.

³¹The spillover can't be tested by viewing the 'next-to-ROW' controlled parcels as treated parcels. Whether the spillover exists or not, or how big it is, the 'next-to-ROW' controlled parcels have higher post-acquisition values than treated parcels, such that including them into the treatment group will for sure lower the treatment effect estimate.

Table 12 panel B shows the results from estimating equation (5). The value per acre of controlled parcels that are next to ROWs decreases by 18.58% relative to their estimated post-acquisition value had they not been next to ROWs, although this estimate is statistically insignificant. One way to understand the size of this estimate is to compare it with the treatment effect (i.e., the impact of ROW on treated parcels) estimated using the same set of one-square-mile blocks. Column (3) in Table 12 Panel A shows that the per acre value of treated parcels drops by 25.98% relative to their post-acquisition values had a ROW not acquired from them, which is 7.4 percentage points larger than the spillover effect. This comparison does not allow me to determine whether the spillover is big or small, but it does suggest that, to a certain extent, the ‘next-to-ROW’ controlled parcels do resemble the non-ROW portion of treated parcels because it’s not a big difference from 25.98% to 18.58%. In other words, it’s another evidence that spillover exists.

6.4 Discussion on the Robustness of the One-Mile Buffer

According to the four steps to build a transmission line in historical times, I argue that the ROW acquisition is conditionally exogenous in a local area containing the line. Instead of constructing this area by drawing a one-mile wide buffer centering at the ROW, I discuss three other widths: a half mile (2640 ft), a quarter mile (1320 ft), and a half-quarter mile (660 ft). A quarter-quarter mile (330 ft) is not considered because it’s too narrow to find a controlled parcel for a treated parcel.³² The goal of this discussion is twofold. One, to show that the negative impact on treated parcels persists without decreasing much as buffer width narrows. Two, as an implication, to argue that the negative treatment effect is not driven by the differences among controlled parcels - that some are close to and some are far away from the transmission line, but the differences between treated parcels, from which ROWs were acquired to hold the line, and controlled parcels that weren’t.

Table 13 shows the regression results under four buffer widths.³³ Column (1) is the same as column (4) in Table 9. Considering that treated and controlled parcels may not be conditionally balanced before acquisition in blocks set by these new buffer widths (e.g., a half-square-mile block set by a half-mile buffer), columns (2) to (5) look at blocks that have conditional balance not only under a one-mile buffer, but also a half-mile, a quarter-mile, and a half-quarter-mile buffer. Columns (3) to (5) are estimated by dropping controlled parcels that have zero overlap with an indicated buffer. For instance, the regression under a half-mile buffer in column (3) means that controlled parcels that don’t overlap with this buffer are dropped from the data used to get column (2).

As the buffer gets narrower, the estimated impact decreases, because the controlled parcels that overlap with the buffer have a lower post-acquisition per acre value on average since they are closer to the transmission line than those out of the buffer. This results in a decrease in the estimated counterfactual for treated parcels, thus a decrease in the estimated treatment effect. There is an increase from a half-mile buffer to a quarter-mile buffer, but this doesn’t affect the decreasing trend as buffer narrows down. From -23.94% to -19.52%, the negative treatment effect largely

³²The ROW width is 250 ft for V-K and C-SE, 262.5 ft for C-T, and 300 ft for B-V.

³³The results here control for the preferred distance measure, and are robust to other distance measures. For instance, the results using parcel centroid to transmission line or parcel centroid to the closest transmission tower are presented in Table A7.

Table 13: The Impact of ROW Under Different Buffer Width

	Dependent variable: parcel value per acre (in 2020 dollars)				
	(1) one mile	(2) one mile	(3) half mile	(4) quarter mile	(5) half-quarter mile
Treat × Post	-172072.9** (70602.1)	-213832.2** (78547.3)	-168236.9* (89597.7)	-201850.2* (99043.1)	-164663.8 (97098.4)
Distance × Post	4.221 (34.41)	3.599 (38.39)	60.40 (57.52)	-27.47 (92.08)	-56.87 (105.9)
Treat × Centered ROW Proportion × Post	-316258.5 (209574.7)	-425257.4* (232945.0)	-401355.1 (238606.4)	-483991.2* (257370.2)	-418102.8 (264547.9)
Constant	891288.0*** (60764.5)	870584.7*** (68276.5)	815400.5*** (65667.5)	872898.1*** (77203.9)	834230.3*** (89536.5)
Observations	40000	31301	20295	12909	9233
Ycf (treated post, cf.)	899073.846	893360.163	847402.615	881207.372	843761.011
% effect vs Ycf	-19.14	-23.94	-19.85	-22.91	-19.52

Notes: Column (1) is the column (4) in Table 9. Columns (2) to (5) use 'blocks' where treated and controlled parcels are conditionally balanced pre-acquisition under four blocks formed by four buffers: the one-square-mile block, the half-square-mile block, the quarter-square-mile block, and the half-quarter-square-mile block. Distance is from parcel centroid to ROW edge. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled in the regressions. Ycf (treated post, cf.) is calculated by giving each parcel equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

persists, suggesting that there isn't much difference in the per acre value of parcels that are in between the half-quarter mile and the one mile buffer, and that excluding any of them won't affect the estimate of treatment effect much. The heterogeneity among controlled parcels, i.e., their different distances to the transmission line, is not a core factor that drives the magnitude of the ROW impact.

6.5 The Wealth Impact of ROW

Figure 14 shows the implied discount rate calculation following equation (6)

$$V_h(1+r)^{t-h} = V_t \quad (6)$$

where h is the year when ROW compensation payment was made. I let t be 2020 because all values are adjusted to 2020 dollars in my regressions. V_h is the average of ROW compensation per acre of ROW, and is presented in Table 14. V_t is the decrease in parcel value per acre estimated from various regressions.³⁴ The implied discount rate r is the rate of return needed to net out the losses of holding a ROW in the long run. A big r indicates that landowners either viewed the compensation to be too small back in the late 1930s and early 1940s, or felt the losses that they would bear into the future to be too uncertain to predict.

As shown in the figure, the implied rate of return is in the range from 7.3% to 10.7%, with an

³⁴I only use results from regressions that control for centered ROW proportion and distance. Specifically, results are from Table 9 column (4), Table 10 columns (4) and (8), Table 11 columns (1) to (3), Table 12 Panel A column (2), Table 13 columns (2) to (5), Tables A1 and A3' columns (2), (4), (6), (8), and (10), Table A2 column (4), Tables A4, A5, A6, and A7.

Table 14: Average ROW Compensation per Acre of ROW

	Average of (ROW compensation/ROW size) (\$ per acre)
All (Four Lines)	238.34 [1938]
C-T	78.24 [1940]
C-SE	61.87 [1940]
C-T and C-SE	70.65 [1940]
B-V	347.92 [1938]
V-K	476.84 [1939]
B-V and V-K	410.23 [1938]

Notes: Each row is the per acre ROW compensation averaged over the treated parcels of the corresponding line (or group of lines). The year in the bracket is the year h used in the rate of return calculation. For a specific line, h is when the ROWs were acquired. When there are multiple lines and their ROWs acquired in different years, I pick h as the earliest year, i.e., 1938.




Figure 14: Implied Rate of Return That Fully Compensates for Long-run Losses.

average of 8.9%. This rate could be higher than the long-run U.S. interest rate (e.g., yield of 10-Year U.S. Treasury note) depending on how the long run interest rate is measured. Nevertheless, some of the high numbers in this range suggest that at the time of ROW acquisition, there was substantial uncertainty for landowners to predict the losses from having ROWs on their land. While the stock market in the long run could generate a return of above 10%, it would require using the ROW compensation monies to invest over a very long horizon to achieve a net positive in wealth.

7 Discussion

In this section, I discuss two questions that may be relevant to a long-run impact of ROW. First, what is different about building a transmission line today? Second, what might a short-run impact be?

7.1 How Building Transmission is Different Today

As explained in the Setting, there were historically four steps to building a transmission line: surveying the territory, designing the line, acquiring ROWs, and actually building the line. In the present day, the process has become more lengthy and slightly different. For example, before coming up with a determined proposed route to acquire ROWs, there would typically be many rounds of open house meetings where relevant landowners could get informed of the project. It's very likely they are able to see some survey results and perhaps design details, depending on the project. These open house meetings are usually part of the processes to carry out an Environmental Impact Study (EIS). In most EISs, in addition to the determined proposed route, you could also see some alternative routes that are considered but not chosen, which was rarely the case historically, especially before the 1970s. These EIS alternative routes are not good "controls". They are not a good comparison to the determined proposed route because they likely have been shaped by landowners' inputs during open houses. If there's a map that is purely the outcome of a utility's own planning and not influenced by any landowners, and also has multiple routes, then we can compare the determined one with the rest of the routes. Unfortunately, it's often the case that when such a map exists, it has only one route, and is very likely only an illustrative sketch.

In the early years of BPA's history, BPA unilaterally set the route for ROW acquisition for B-V and V-K, and faced seemingly very little resistance from landowners in both the design and ROW acquisition for C-T and C-SE. Whereas nowadays, as explained above, the design process of a line will likely involve many rounds of open discussions and consider many alternative routes. As it has always been hard to completely separate the design and the ROW acquisition, these open houses may be designed with the intention of eliminating potential objection that could later show up in the field during ROW acquisition by engaging with landowners early. But, in reality, these open houses cannot iron out all the potential objections that landowners may have. This is why we're still seeing eminent domain cases brought to the courts as a last resort to get ROWs, and why utilities try very hard to get the right to use eminent domain from local and state authorities.

7.2 The Short Run Impact Might be a Different Story

Long term planning is difficult. There is no guarantee of achieving what is planned. Meanwhile, the constantly changing world calls for a change of the plan, and the plan does often change. A long term mindset may be rare, but we often want to know whether short-run outcomes will resemble those that we intend to achieve in the long run. In this section, I estimate the impact after 16 years of ROW acquisition using V-K as an example. My results suggest that in this particular setting, there is no robust evidence of impacts of ROWs in the short run. More importantly, the short run is not a simple scaled-down version of the long run; the stories about how ROWs and the

transmission infrastructure broadly affect land development are likely different in the short run.

Table 15 shows the results from V-K using 1956 as the only post-acquisition year. Panel A column (4) shows that the impact of ROW is positive but statistically insignificant, which also holds when excluding controlled parcels that share boundaries with ROWs as shown in Panel B column (4). Moreover, comparing to column (4) in Table 10 Panel B that shows the long run impact after almost 70 years of ROW acquisition, centered ROW proportion does not have a statistically significant negative impact on parcel value per acre in the short run as it does in the long run.³⁵

Table 15: The Impact of ROW in the Short Run Using V-K as an Example

	Dependent variable: parcel value per acre (in 2020 dollars)							
	All Sample				Drop Controlled Parcels with Boundary to ROW = 0			
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Treat × Post	-26.59 (94.70)	187.0 (192.0)	-32.52 (100.6)	184.6 (171.7)	-39.88 (128.2)	203.2 (219.6)	-48.72 (133.4)	195.4 (200.9)
Distance × Post		0.151 (0.168)		0.154 (0.169)		0.156 (0.163)		0.157 (0.164)
Centered ROW Proportion × Treat × Post			832.4 (1226.1)	887.1 (1214.7)			757.1 (1253.1)	771.3 (1230.9)
Constant	1950.3*** (113.3)	1833.0*** (115.4)	1946.4*** (109.9)	1826.6*** (112.4)	2013.2*** (117.8)	1888.6*** (126.1)	2008.9*** (113.7)	1883.7*** (124.3)
Observations	740	740	740	740	700	700	700	700
Ycf (treated post, cf.)	1770.159	1556.614	1776.097	1558.976	1783.450	1540.382	1792.289	1548.223
% effect vs Ycf	-1.50	12.01	-1.83	11.84	-2.24	13.19	-2.72	12.62

Notes: This is a 2x2 DID, the pre-acquisition year is 1939, the post-acquisition year is 1956. Distance is from parcel centroid to ROW edge. Treat × Post in columns (4) and (8) are the effects of ROW at the average ROW proportion and also the average treatment effects of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled in the regressions. Ycf (treated post, cf.) is calculated by giving each parcel equal weight. % effect vs Ycf is the ratio of Treat × Post to Ycf. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * p<0.10, ** p<0.05, *** p<0.01.

One possible explanation for these results is that, before the 1960s, treated parcels, especially the non-ROW portions in the case of V-K, and control parcels differed little in the types of properties developed on them. In other words, ROWs didn't seem to have impeded high value properties from being developed on treated parcels in the two decades following ROW acquisition as well as the existence of the transmission line, relative to what would have happened on these parcels in the long run. Meanwhile, the fact that results in Table 15 are sensitive to whether distance is controlled also supports this explanation. Comparing columns (1) and (2), or columns (3) and (4), when distance is controlled, the regression essentially tries to compare treated and controlled parcels that have the same distance within each block. One could visualize that a wider but shorter treated parcel and a narrower but longer controlled parcel could have the same distance from their parcel centroids to ROW edge, but that properties of higher values would be developed on the latter would not necessarily occur in the short run.

³⁵ In the raw data, the average post-acquisition difference in the outcome between treated and controlled parcels is even smaller than the average pre-acquisition difference, which illustrates why the treatment effect is positive number.

8 Conclusion

This paper studies the long-run impact of ROW resulted from building a new transmission line in a unique setting - the transmission lines studied were built by Bonneville Power Administration in Washington State from 1938 to the early 1940s.

I use a two-way fixed effects DID model where I control for parcel size, value of improvements before acquisition, the proportion of ROW acquired from a parcel, and the distance from a parcel to the transmission line. I also use a block-by-year fixed effect because my treatment and control are defined in a one-square-mile block. I estimate that having a ROW on a parcel reduces parcel value per acre by \$172,073 in 2020 dollars 60 years after the ROW acquisition, which is a decrease of 19.14% relative to the post-acquisition per acre values of treated parcels had they not had a ROW. The impact of ROW varies across lines, which is largely driven by differences in lines' locations that could affect the long-run development of ROW lands and adjacent non-ROW areas and whether the ROWs are acquired by easement or title.

I detect spillover from parcels where ROWs were acquired to parcels from which no ROW was acquired but which shared boundaries with ROWs. These parcels could have had higher per acre values if not located next to the ROWs. The magnitude of this spillover is only modestly smaller than the impact of ROW, suggesting that to some extent the ROWs have made these parcels, which did not receive any ROW compensation because no ROW was acquired from, resemble those that did have a ROW acquired. In addition, I find that whether the parcels used in the control group are close to or far from the transmission line doesn't change the estimated impact of ROW much. This means that a key to understanding the impact of a line's ROW is to identify how the ROWs have affected the parcels from which they were originally acquired.

Lastly, I show that the annual rate of return that could fully compensate for the long-run losses in parcel value per acre is 7.3% to 10.7%. The wide range and the large numbers suggest that uncertainty was big at the time of ROW acquisition, and the return of any long-run investment using ROW compensation monies needs to be big for landowners to have net positive wealth.

Looking at today, while it's possible that landowners might care about the short run impact more than the long run impact when approached by a utility, there is much evidence that the opposite is true, and is common. Many landowners have emphasized their long-lasting attachment to their land and property, which reflects, to some extent, their wish to stay connected to their land and property into the long run. The long-run impact of building a transmission line from this paper can provide valuable insights for future transmission planning.

References

- Baum-Snow, N. (2007). Did highways cause suburbanization? *The Quarterly Journal of Economics*, 122(2):775–805.
- Baum-Snow, N. (2010). Changes in transportation infrastructure and commuting patterns in us metropolitan areas, 1960-2000. *American Economic Review*, 100(2):378–82.
- BPA (1938). First Annual Report of the Bonneville Power Administration.
- BPA (1939). Second Annual Report of the Bonneville Power Administration.
- BPA (1940). Third Annual Report of the Bonneville Power Administration.
- Brooks, L. and Liscow, Z. (2023). Infrastructure costs. *American Economic Journal: Applied Economics*, 15(2):1–30.
- Brown, P. R. and Botterud, A. (2021). The value of inter-regional coordination and transmission in decarbonizing the us electricity system. *Joule*, 5(1):115–134.
- Davis, L. W., Hausman, C., and Rose, N. L. (2023). Transmission impossible? prospects for decarbonizing the us grid. *Journal of Economic Perspectives*, 37(4):155–180.
- Denholm, P., Brown, P., Cole, W., Mai, T., Sergi, B., Brown, M., Jadun, P., Ho, J., Mayernik, J., McMillan, C., Augustine, C., Beiter, P., Duffy, P., Feldman, D., Geisenheimer, S., Ho, J., Jain, R., Lantz, E., Robert, M., Spencer, D., Turchi, C., Williams, T., and Wood, E. (2022). Examining supply-side options to achieve 100% clean electricity by 2035. Technical Report NREL/TP-6A40-81644, National Renewable Energy Laboratory, Golden, CO.
- Dinkelman, T. (2011). The effects of rural electrification on employment: New evidence from south africa. *American Economic Review*, 101(7):3078–3108.
- Donaldson, D. (2018). Railroads of the Raj: Estimating the Impact of Transportation Infrastructure. *American Economic Review*, 108(4-5):899–934.
- Donaldson, D. and Hornbeck, R. (2016). Railroads and american economic growth: A “market access” approach. *The Quarterly Journal of Economics*, 131(2):799–858.
- Duranton, G. and Turner, M. A. (2012). Urban growth and transportation. *The Review of Economic Studies*, 79(4):1407–1440.
- EPRI (2022). Lcri net-zero 2050: U.s. economy-wide deep decarbonization scenario analysis. Technical Report 3002024993, Low-Carbon Resources Initiative (LCRI). Version 1.1.0.
- Faber, B. (2014). Trade integration, market size, and industrialization: Evidence from china’s national trunk highway system. *The Review of Economic Studies*, 81(3):1046–1070.
- Glaeser, E. L. and Kahn, M. E. (2004). *Sprawl and urban growth*, volume 4 of *Handbook of Regional and Urban Economics*. Elsevier, 1 edition.

- Guo, W., Wenz, L., and Auffhammer, M. (2024). The visual effect of wind turbines on property values is small and diminishing in space and time. *Proceedings of the National Academy of Sciences*, 121(13):e2309372121.
- Ham, D., Kay, O., and Hausman, C. (2026). Transmission lowers us generation costs, but generator incentives are not aligned. *Proceedings of the National Academy of Sciences*, 123(9):e2524463123.
- Hausman, C. (2025). Power flows: Transmission lines, allocative efficiency, and corporate profits. *American Economic Review*, 115(8):2574–2615.
- Herrnstadt, E. and Sweeney, R. L. (2024). Housing market capitalization of pipeline risk. *Land Economics*.
- Jarvis, S. (2025). The economic costs of nimbyism: Evidence from renewable energy projects. *Journal of the Association of Environmental and Resource Economists*, 12(4):983–1022.
- Jenkins, J. D., Mayfield, E. N., Larson, E. D., Pacala, S. W., and Greig, C. (2021). Mission net-zero america: The nation-building path to a prosperous, net-zero emissions economy. *Joule*, 5(11):2755–2761.
- Johnston, S., Liu, Y., and Yang, C. (2023). An empirical analysis of the interconnection queue. Technical report, National Bureau of Economic Research.
- Kline, P. and Moretti, E. (2013). Local Economic Development, Agglomeration Economies, and the Big Push: 100 Years of Evidence from the Tennessee Valley Authority. *The Quarterly Journal of Economics*, 129(1):275–331.
- Lipscomb, M., Mobarak, A. M., and Barham, T. (2013). Development effects of electrification: Evidence from the topographic placement of hydropower plants in brazil. *American Economic Journal: Applied Economics*, 5(2):200–231.
- Lundquist, R. A. (1912). *Transmission Line Construction, Methods and Costs*. McGraw-Hill Book Company.
- Mai, T., Brown, P. R., Palchak, D., Brinkman, G., Brooks, A., Denholm, P., Gramlich, R., Homer, J. S., Lew, D., Kuna, J., Okullo, J., Pfeifenberger, J., Rose, A., Simeone, C., and Wright, J. (2026). What can we learn from us national transmission studies? *Joule*, 10(2):102339.
- Norwood, D. and Burghardt, J. (1964). *Bonneville Power Administration, a Bibliography: 1930-1963*. Library, US Bonneville Power Administration.
- Norwood, G. (1980). *Columbia River power for the people: A history of policies of the Bonneville Power Administration*.
- Quentel, M. (2025). Renewable energy infrastructure, welfare, and redistribution. *Job market paper*.
- Springer, V. (1976). *Power and the Pacific Northwest: A History of the Bonneville Power Administration, 1937-1976*. Department of the Interior, Bonneville Power Administration.

Tang, C. K. and Gibbons, S. (2024). Are friends electric? valuing the social costs of power lines using house prices. *Energy Economics*, 134:107554.

The National Council on Electricity Policy (2004). Electricity Transmission: A Primer.

The National Council on Electricity Policy (2022). Coordinating Interstate Electric Transmission Siting: An Introduction to the Debate.

The Oregonian (1932). U.S. Power Resources Must Be Guarded, Says Roosevelt. The Oregonian, September 22, 1932, page 6, columns 1–8.

U.S. DOE (2023). National Transmission Needs Study.

Appendix A: Additional Tables

Table A1: The Impact of ROW Under Different Distance Measures

	Dependent variable: parcel value per acre (in 2020 dollars)									
	Boundary to ROW Edge (1)	Centroid to Line (2)	Centroid to Line (3)	Boundary to Line (4)	Boundary to Line (5)	Centroid to Tower (6)	Centroid to Tower (7)	Boundary to Tower (8)	Boundary to Tower (9)	Boundary to Tower (10)
Treat × Post	-172725.8** (67403.4)	-169287.3** (66246.1)	-183579.2** (71017.2)	-182518.9** (69392.2)	-181622.5** (68265.8)	-178598.9** (66847.8)	-190649.0*** (67459.5)	-188584.6*** (66036.3)	-189610.5*** (65845.9)	-186559.0*** (64537.9)
Distance × Post	7.069 (35.19)	7.644 (35.41)	-1.832 (33.58)	-2.972 (33.36)	-0.621 (34.54)	-0.416 (34.67)	-6.929 (34.35)	-7.432 (34.26)	-7.084 (35.16)	-6.844 (35.34)
Centered ROW Proportion × Treat × Post		-319762.3 (216716.1)		-319433.2 (207166.6)		-317587.8 (214576.9)		-319527.9 (210905.0)		-316839.2 (214989.7)
Constant	886524.7*** (51153.9)	888664.9*** (50898.8)	897933.0*** (63341.6)	902627.8*** (62745.1)	895737.4*** (53871.2)	898274.5*** (53553.6)	906630.8*** (65990.6)	910302.2*** (65454.6)	904530.7*** (56068.3)	907003.6*** (55808.4)
Observations	40000	40000	40000	40000	40000	40000	40000	40000	40000	40000
Ycf (treated post, cf.)	899739.504	896285.493	910585.722	909507.912	908631.637	905592.282	917645.919	915564.800	916612.162	913545.221
% effect vs Ycf	-19.20	-18.89	-20.16	-20.07	-19.99	-19.72	-20.78	-20.60	-20.69	-20.42

Notes: This table presents the results of columns (2) and (4) of Table 9 using five other distance measures. The estimation uses all four lines. Treat × Post in column (4) is the average effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * p<0.10, ** p<0.05, *** p<0.01.

Table A2: Robustness Check for the Impact of ROW Under the Preferred Distance Measure

	Dependent variable: parcel value per acre (in 2020 dollars)			
	(1)	(2)	(3)	(4)
Treat $\times$ Post	-209541.5*** (49007.3)	-186986.0*** (65630.5)	-206583.6*** (48716.6)	-185027.3*** (64565.9)
Distance $\times$ Post		15.86 (33.98)		15.18 (33.83)
Treat $\times$ Centered ROW Proportion $\times$ Post			-335884.6 (210360.3)	-330823.7 (205027.5)
Constant	859877.2*** (21677.6)	835507.6*** (60057.6)	862924.0*** (22070.6)	839539.9*** (59383.8)
Observations	38912	38912	38912	38912
Ycf (treated post, cf.)	871906.756	849373.833	868919.789	847385.553
% effect vs Ycf	-24.03	-22.01	-23.77	-21.84

Notes: The 64 parcels that ever had a zero value in the post period are dropped. The estimation uses all four lines. Treat $\times$ Post in column (4) is the average effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table A3: Robustness Check for the Impact of ROW Under Different Distance Measures

	Dependent variable: parcel value per acre (in 2020 dollars)									
	Boundary to ROW Edge (1)	Centroid to Line (2)	Centroid to Line (3)	Boundary to Line (4)	Boundary to Line (5)	Centroid to Tower (6)	Centroid to Tower (7)	Boundary to Tower (8)	Boundary to Tower (9)	Boundary to Tower (10)
Treat $\times$ Post	-193267.0*** (62703.4)	-189572.2*** (61933.1)	-195392.7*** (65922.7)	-194330.9*** (64471.0)	-200875.7*** (64610.3)	-197654.2*** (63549.5)	-204284.8*** (64047.3)	-202133.8*** (62842.1)	-207106.2*** (63451.8)	-203819.2*** (62482.2)
Distance $\times$ Post	14.20 (35.45)	14.81 (35.69)	9.387 (33.96)	8.159 (33.69)	6.717 (35.63)	6.917 (35.77)	3.690 (34.71)	3.129 (34.57)	1.958 (35.84)	2.221 (36.03)
Centered ROW Proportion $\times$ Treat $\times$ Post		-339948.1 (214378.9)		-330825.6 (201696.3)		-336526.8 (211559.6)		-335045.1 (206458.0)		-336146.2 (212053.4)
Constant	842859.9*** (51121.7)	845210.4*** (50769.4)	844315.9*** (63425.8)	849353.2*** (62640.8)	851005.5*** (54816.0)	853794.0*** (54392.6)	853597.0*** (65942.6)	857591.3*** (65224.3)	857202.7*** (56335.3)	859892.9*** (55967.9)
Observations	38912	38912	38912	38912	38912	38912	38912	38912	38912	38912
Ycf (treated post, cf.)	855638.084	851914.132	857766.693	856675.115	863240.029	859989.387	866653.543	864472.931	869471.327	866155.225
% effect vs Ycf	-22.59	-22.25	-22.78	-22.68	-23.27	-22.98	-23.57	-23.38	-23.82	-23.53

Notes: The 64 parcels that ever had a zero value in the post period are dropped as a robustness check. The results here are columns (2) and (4) of Appendix Table A1 using five other distance measures. The estimation uses all four lines. Treat $\times$ Post in column (4) is the average effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table A4: The Impact of ROW by Line Under Different Distance Measures - C-T and C-SE

Panel A: C-T

	Dependent variable: parcel value per acre (in 2020 dollars)				
	(1) Boundary to ROW Edge	(2) Centroid to Line	(3) Boundary to Line	(4) Centroid to Tower	(5) Boundary to Tower
Treat × Post	-220161.3** (86386.2)	-258114.0** (95358.0)	-227703.4** (87309.8)	-246478.7** (87389.3)	-223636.3** (82333.2)
Distance × Post	-47.61 (55.99)	-57.62 (49.65)	-50.23 (52.49)	-54.34 (48.48)	-49.09 (50.47)
Treat × Centered ROW Proportion × Post	577145.0 (813830.7)	557826.3 (819359.3)	575070.2 (813511.6)	580628.0 (826986.0)	568973.0 (814808.4)
Constant	1016584.9*** (89988.8)	1054819.8*** (101487.8)	1024664.2*** (90720.8)	1051096.2*** (100057.9)	1024584.2*** (87447.7)
Observations	14732	14732	14732	14732	14732
Ycf (treated post, cf.)	935684.757	973608.194	943224.456	961953.644	939153.787
% effect vs Ycf	-23.53	-26.51	-24.14	-25.62	-23.81

Panel B: C-SE

	Dependent variable: parcel value per acre (in 2020 dollars)				
	(1) Boundary to ROW Edge	(2) Centroid to Line	(3) Boundary to Line	(4) Centroid to Tower	(5) Boundary to Tower
Treat × Post	-173196.8 (181133.8)	-153794.6 (191085.8)	-167338.1 (181353.9)	-184397.8 (181653.7)	-193946.3 (172396.9)
Distance × Post	95.19 (56.82)	83.81 (58.78)	94.85 (57.09)	64.82 (69.55)	72.05 (66.98)
Treat × Centered ROW Proportion × Post	-1084799.2** (416101.1)	-1011894.9* (418026.1)	-1085188.9** (415941.6)	-1052942.5** (411779.6)	-1093543.1** (412984.2)
Constant	730790.1*** (89915.8)	705480.7*** (122925.3)	725151.5*** (93469.6)	732827.4*** (144618.1)	747975.5*** (110999.6)
Observations	12163	12163	12163	12163	12163
Ycf (treated post, cf.)	729706.915	710321.227	723848.330	740915.583	750449.611
% effect vs Ycf	-23.74	-21.65	-23.12	-24.89	-25.84

Notes: This table presents the results of columns (4) and (8) of Table 10 Panel A using five other distance measures. Treat x Post is the average effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * p<0.10, ** p<0.05, *** p<0.01.

Table A5: The Impact of ROW by Line Under Different Distance Measures - V-K and B-V

Panel A: V-K					
Dependent variable: parcel value per acre (in 2020 dollars)					
	(1) Boundary to ROW Edge	(2) Centroid to Line	(3) Boundary to Line	(4) Centroid to Tower	(5) Boundary to Tower
Treat × Post	-156033.0 (141531.3)	-201077.5 (134671.8)	-215450.3 (136475.8)	-201761.1 (129027.5)	-218251.1 (137257.8)
Distance × Post	-17.81 (83.07)	-43.63 (71.51)	-57.36 (77.01)	-47.10 (72.56)	-62.08 (80.08)
Treat × Centered ROW Proportion × Post	-500844.1** (194210.5)	-531262.8** (211247.9)	-507471.5** (202173.7)	-519502.6** (205232.3)	-511476.5** (205028.4)
Constant	868780.7*** (109703.3)	919820.3*** (119767.3)	926316.9*** (107674.5)	926794.8*** (122182.6)	934350.3*** (114382.4)
Observations	7007	7007	7007	7007	7007
Ycf (treated post, cf.)	814832.417	859914.510	874254.591	860637.863	877034.748
% effect vs Ycf	-19.15	-23.38	-24.64	-23.44	-24.89

Panel B: B-V					
Dependent variable: parcel value per acre (in 2020 dollars)					
	(1) Boundary to ROW Edge	(2) Centroid to Line	(3) Boundary to Line	(4) Centroid to Tower	(5) Boundary to Tower
Treat × Post	-145172.6 (105046.2)	-127775.8 (104861.0)	-110599.6 (104634.5)	-129433.1 (106575.4)	-109929.7 (101211.1)
Distance × Post	24.03 (74.19)	32.89 (62.54)	47.17 (63.32)	33.41 (67.24)	50.13 (63.74)
Treat × Centered ROW Proportion × Post	-163375.4 (392308.3)	-119937.6 (347307.6)	-166264.4 (382311.9)	-127796.2 (351521.0)	-166029.4 (380847.2)
Constant	980016.4*** (93701.4)	954899.9*** (106327.2)	947887.5*** (96723.5)	953154.8*** (114239.4)	943104.9*** (98964.4)
Observations	6098	6098	6098	6098	6098
Ycf (treated post, cf.)	1128980.493	1111625.771	1094486.215	1113347.192	1093962.228
% effect vs Ycf	-12.86	-11.49	-10.11	-11.63	-10.05

Notes: This table presents the results of columns (4) and (8) of Table 10 Panel B using five other distance measures. Treat x Post is the average effect of ROW on the treated parcels. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled. Ycf (treated post, cf.) is calculated by first averaging the estimated counterfactual outcomes across post-period years within each parcel, then averaging across unique treated parcels, so that each parcel receives equal weight. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * p<0.10, ** p<0.05, *** p<0.01.

Table A6: The Impact of ROW Excluding Controlled Parcels Next to ROWs

	Dependent variable: parcel value per acre (in 2020 dollars)				
	(1) Boundary to ROW	(2) Centroid to Line	(3) Boundary to Line	(4) Centroid to Tower	(5) Boundary to Tower
Treat × Post	-192276.1*** (70065.2)	-207358.4*** (72709.5)	-204217.8*** (70706.1)	-213753.8*** (68886.5)	-212848.9*** (67712.7)
Distance × Post	-0.536 (34.84)	-10.18 (32.55)	-9.431 (34.40)	-15.14 (33.23)	-16.47 (34.73)
Centered ROW Proportion × Treat × Post	-284682.7 (217886.5)	-290528.3 (208172.2)	-283396.5 (215749.0)	-287947.8 (212025.7)	-282049.1 (216148.6)
Constant	894375.1*** (51696.1)	910631.2*** (62704.7)	906182.7*** (54339.0)	919513.9*** (65091.3)	916238.4*** (56270.3)
Observations	39149	39149	39149	39149	39149
Ycf (treated post, cf.)	919484.092	934554.461	931427.484	940939.421	940045.301
% effect vs Ycf	-20.91	-22.19	-21.93	-22.72	-22.64

Notes: This table presents the results of column (2) of Table 12 using five other distance measures. Controlled parcels who are next to ROWs are excluded in all regressions. Parcel fixed effect, block-by-year fixed effect, pre-acquisition value of improvements, and parcel size are controlled in all regressions. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Table A7: The Impact of ROW Under Different Buffer Widths and Distance Measures

	Dependent variable: parcel value per acre (in 2020 dollars)							
	Centroid to Line				Centroid to Tower			
	(1) one mile	(2) half mile	(3) quarter mile	(4) half-quarter mile	(5) one mile	(6) half mile	(7) quarter mile	(8) half-quarter mile
Treat × Post	-214241.6** (79463.5)	-171219.4* (86317.7)	-202081.4** (93424.3)	-153347.3 (93308.9)	-225218.0*** (75175.0)	-190074.0** (77946.1)	-220350.8** (79238.8)	-159523.7* (79314.5)
Distance × Post	3.147 (37.44)	51.73 (44.83)	-23.89 (61.14)	-22.02 (70.69)	-4.484 (38.54)	34.78 (49.31)	-59.25 (61.70)	-38.35 (81.82)
Centered ROW Proportion × Post	-424558.7* (230479.0)	-390652.6 (236983.6)	-487412.5* (256299.2)	-392528.9 (269448.5)	-428377.6* (233316.2)	-417354.0* (240115.2)	-506987.3* (257965.1)	-399309.1 (270793.2)
Constant	870911.1*** (71231.0)	816822.0*** (61569.2)	873989.0*** (69884.1)	818380.4*** (85922.8)	883778.9*** (74499.9)	833957.0*** (68755.4)	907165.5*** (75203.4)	833451.9*** (96857.3)
Observations	31301	20295	12909	9233	31301	20295	12909	9233
Ycf (treated post, cf.)	893768.160	850359.946	881448.388	832463.407	904730.673	869210.961	899663.639	838616.944
% effect vs Ycf	-23.97	-20.13	-22.93	-18.42	-24.89	-21.87	-24.49	-19.02

Notes: This table presents the results of columns (2) to (5) of Table 13 using two distance measures: distance from parcel centroid to the line and to the nearest transmission tower. Standard errors in parentheses. SEs clustered at a block of (approx.) one square mile. Significance: * $p < 0.10$, ** $p < 0.05$, *** $p < 0.01$.

Appendix B: Additional Figures




Figure B1: BPA Master Grid, 1938.




Figure B2: Proposed Power System for the Pacific Northwest, Pacific Northwest Regional Planning Commission, National Resource Committee, 1936.




Figure B3: BPA Master Grid published in the Oregonian, November 1938.

CLARK COUNTY

Road District 1

Section 36

School District 18-P & 21-P

Township 3

North, Range 1 E&S1

40a		40a		No. 17	
F. N. MC CANDLES		MARTHA J. CHAPMAN			
Un. \$288---\$1000		Imp. 80@45---\$360 Un. 20@20---\$400 Impyts.-----\$700		No. 18	
No. 9		No. 21		No. 19	
SCHOOL DISTRICT 18-P		SCHOOL DISTRICT 21-P		No. 20	
ALBERT BOGER		No. 11 No. 12		DAVID UNLTACHI	
Un. \$255---\$1000				Imp. 80@45---\$360 Un. 20@20---\$400 Impyts.-----\$450	
No. 10		No. 13		No. 14 No. 15 No. 16	

Figure B4: Section 36 of T3N R1E in Clark County, WA in 1939.





Figure B5: 1936 Parcel Ownership Map for T21N R5E, King County, WA.

798
VOL. 5
REAL PROPERTY ASSESSMENT AND TAX ROLL
OF KING COUNTY, WASHINGTON, FOR THE YEAR 1941

Owner	Address	Assessed Value	Tax
1. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
2. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
3. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
4. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
5. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
6. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
7. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
8. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
9. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
10. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
11. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
12. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
13. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
14. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
15. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
16. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
17. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
18. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
19. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
20. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
21. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
22. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
23. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
24. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
25. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
26. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
27. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
28. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
29. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
30. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
31. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
32. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
33. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
34. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
35. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
36. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
37. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
38. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
39. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
40. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
41. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
42. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
43. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
44. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
45. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
46. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
47. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
48. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
49. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00
50. J. B. THORNTON	1000 1st St. N. E.	100.00	1.00

Figure B6: 1941 Tax Roll, King County, WA.



(a)



(b)

Figure B7: Lot 13 of Section 4, T21N R5E, King County in Today.



Figure B8: Post-1938 Parcel Ownership Map for Durgan DLC in Clark County, WA. Notes: The 1938 map is the same for this DLC but without ROWs depicted by the county assessor.




Figure B9: The Edge of the Historical Greater Vancouver. Notes: the red line is the edge. The city of Vancouver was on the left of the red line.




Figure B10: King County Zoning Map.




Figure B11: Vancouver Urban Growth Area, Clark County Zoning Map.

Appendix C: Ownership and Land Usage of Current Parcels That Have ROWs


To understand why a treated parcel's contemporary values are much lower than those of a controlled parcel - the main reason why the treatment effect is negative, it's important to know who in modern times owns parcels that hold a ROW and what are those parcels used for.

For B-V and V-K, because their ROWs were acquired by title thus owned by BPA, these ROW lands are exempt from property value assessment unless there's a small parcel located on a ROW land that usually holds a facility house of BPA, which would then have an assessed value. Moreover, these ROWs in most cases are not located on any current parcels, which usually have assessment information, except in a few cases where a ROW is located on a parcel owned by a public entity (e.g., Clark County Public Works), or very rare, by a private real estate developer (e.g., a park developer). Although, these parcels may or may not have a non-zero assessed value depending on what the entire parcel is used for. Notice that these parcels are no longer owned by BPA despite once owned by BPA in history, this is because BPA has disposed some of the ROWs they initially acquired by title.


There's more data available to look at C-T and C-SE because their ROWs were acquired by easement. There are 648 out of **24382** (2.6%) current parcels that hold ROWs for C-T and C-SE. Some of these parcels don't have assessed values, and the total size of ROWs on them is about 9.4% - 9.6% of the total size of C-T and C-SE's ROWs.³⁶ Detailed information of ownership and land usage doesn't exist for parcels with no assessed values. But, based on the 'ids' of these parcels, they are mostly "tract lots"³⁷ that "represent an undivided interest within the plat and are not considered lots or building sites for purposes of residential dwelling construction". They are owned for the purpose of ingress/egress (e.g., privately-owned access roads), utility facilities, open spaces, or they could be parcels with environmental restrictions (e.g., parcels set aside for native growth protection). Other than being a tract lot, a parcel with no assessed value could also represent a water body within a plat, and is usually owned by a water district. Figure C1 provides an example of a ROW locating on a parcel that doesn't have assessed values. The blue parallelogram indicates the ROW on Lot 4 of Section 10, T21N R4E of King County, which is partially located on a parcel (the pink polygon) that is an open area.

³⁶The ratio of a current parcel that overlaps with a line's ROW could be very small when it's not zero. The lower bound 9.4% comes from truncating the lowest ratio to 0.01. This narrows the number of parcels that are considered to have ROWs, but barely affects the land use distribution over these current parcels.

³⁷A tract lot doesn't have to be a parcel that holds a ROW. It could be anywhere, such as within a treated parcel but doesn't include areas where a ROW is located, or inside a residential subdivision, e.g., part of a cul-de-sac.



(a)



(b)

Figure C1: The Current Landscape of Lot 4 in Section 10, T21N R4E, King County. Notes: boundaries of Lot 4 are indicated by the black lines. The blue parallelogram in (a) is the ROW on Lot 4. The pink lines in (b) indicate an open area in Lot 4. Source: King County Department of Assessment.