The Mental Health Access Gap in America

How Mental Health Provider Availability Relates to Suicide Rates

States with lower mental health provider availability often experience higher suicide rates, highlighting disparities in access to care.

Average Suicide Rate (per 100,000)

15.97

Avg Providers per 100k

219.07

Total Suicide Deaths (Annual)

48.824K

Top 10 States with Highest Suicide Rates

Rates per 100,000 population



Western and rural states consistently show higher suicide rates.

1 in 5 U.S. adults experience mental illness each year, yet access to care remains uneven.

Why This Matters

Mental health remains a critical public health challenge in the United States, with millions of individuals experiencing mental illness each year. Despite the growing need for care, access to mental health providers remains uneven across states, particularly in rural and underserved communities. These disparities can delay or prevent individuals from receiving the support they need, potentially leading to worsening outcomes, including increased suicide rates.

This dashboard explores the relationship between mental health provider availability and suicide rates across U.S. states. By combining statistical and geographic visualizations, this analysis highlights how gaps in access to care may contribute to broader public health challenges. Understanding these patterns is essential for informing policy decisions, improving resource allocation, and ultimately reducing preventable loss of life. The following visualizations explore these disparities and their potential impact across U.S. states.

Mental Health Providers per 100,000 vs Suicide Rates by State



The relationship is not strictly linear, suggesting additional factors influence outcomes.
Clusters of lower provider availability align with higher-risk regions.

Scatterplot Analysis: Provider Availability and Suicide Rates

This scatterplot explores the relationship between mental health provider availability and suicide rates across U.S. states. Each point represents a state, with the x-axis showing the number of mental health providers per 100,000 people and the y-axis representing the suicide rate per 100,000 people. The size of each point reflects the population of the state, providing additional context when comparing states of varying sizes.

Overall, the visualization suggests that the relationship between provider availability and suicide rates is complex rather than strictly linear. While some states with fewer mental health providers exhibit higher suicide rates, this pattern is not consistent across all states. There is mild clustering among states with lower provider availability and elevated suicide rates; however, other factors such as geographic barriers, rurality, and socioeconomic conditions likely also influence these outcomes.

This highlights that increasing access to mental health providers is an important component of improving public health, but it must be addressed alongside broader structural and social determinants to effectively reduce suicide rates.

Mental Health Providers per 100,000 by State



Geographic Distribution of Mental Health Providers

This map displays the distribution of mental health providers per 100,000 people across U.S. states, with larger bubbles indicating higher availability. Clear regional disparities are evident, as some states have significantly greater provider access than others.

These gaps in availability highlight unequal access to mental health care and may contribute to differences in outcomes observed across states. Identifying these patterns is essential for guiding targeted resource allocation and improving access in underserved areas.

Call to Action

Expanding access to mental health care is essential to reducing preventable deaths. Increasing provider availability and early support can help individuals receive care before reaching a crisis point. Addressing these gaps is not just a policy issue, it is essential to saving lives.

Note: Outcomes may also be influenced by factors such as rurality, socioeconomic conditions, and access barriers.

Data Sources: CDC, HRSA Area Health Resources Files, U.S. Census Bureau