```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Simple To-Do List</title>
<style>
 body {
  font-family: 'Arial', sans-serif;
  background-color: #f4f4f4;
  margin: 0;
  padding: 20px;
 #new-task {
  margin-bottom: 20px;
 }
 ul {
  list-style: none;
  padding: 0;
 }
 ul li {
  background: #fff;
  margin-bottom: 10px;
  padding: 10px;
  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
 }
 .completed {
  text-decoration: line-through;
  color: #888;
 }
</style>
```

```
</head>
<body>
<h2>My To-Do List</h2>
<input type="text" id="new-task" placeholder="Add a new task...">
<button onclick="addTask()">Add Task</button>
ul id="task-list">
<script>
 function addTask() {
  var taskInput = document.getElementById('new-task');
  var taskList = document.getElementById('task-list');
  var task = taskInput.value;
  if (task.trim() === ") return;
  var listItem = document.createElement('li');
  listItem.textContent = task;
  var deleteBtn = document.createElement('button');
  deleteBtn.textContent = 'Delete';
  deleteBtn.onclick = function() {
   taskList.removeChild(listItem);
 };
  var completeBtn = document.createElement('button');
  completeBtn.textContent = 'Complete';
  completeBtn.onclick = function() {
   listItem.classList.toggle('completed');
  };
  listItem.appendChild(deleteBtn);
  listItem.appendChild(completeBtn);
  taskList.appendChild(listItem);
  taskInput.value = ";
 }
</script>
</body> </html>
```







