

# 1D CNN — Architecture Variant Comparison

Generated 2026-05-19 23:32:16

## Configuration (full)

Every parameter from the configuration cell is reproduced verbatim below. Copy the values back into the notebook config cell to regenerate this run. Derived counts (trials / channels / classes) are shown in *italics* in the Derived quantities section.

### Data locations & class filter

|                    |                                                               |
|--------------------|---------------------------------------------------------------|
| DATA_PATHS[0]      | /home/jestin/ThesisRepo/ML/NewTrainingData/NewNewDynamic      |
| DATA_ROOT (legacy) | None                                                          |
| BATCH_TEST_ROOT    | /home/jestin/ThesisRepo/ML/NewTestData/8_Jestin/NewNewDynamic |
| TEST_USER          | 8_Jestin                                                      |
| INCLUDE_LABELS     | None                                                          |
| ReportPostfix      | YPR                                                           |

### Sensor selection

|                      |                                                        |
|----------------------|--------------------------------------------------------|
| Selection mode       | SENSOR_GRID dict (fine-grained per-sensor)             |
| USE_LEFT_HAND        | True                                                   |
| USE_RIGHT_HAND       | True                                                   |
| INCLUDE_SEGMENTS     | ['thumb', 'index', 'middle', 'ring', 'pinky', 'wrist'] |
| SENSORS enabled (n)  | 44                                                     |
| SENSORS disabled (n) | 0                                                      |

### SENSOR\_GRID (✓ enabled, X disabled, — not present)

| Hand / Segment | IMU_mid | IMU_prox | Flex_MCP | Flex_PIP |
|----------------|---------|----------|----------|----------|
| left palm      | ✓       | —        | —        | —        |
| left thumb     | ✓       | ✓        | ✓        | ✓        |
| left index     | ✓       | ✓        | ✓        | ✓        |
| left middle    | ✓       | ✓        | ✓        | ✓        |
| left ring      | ✓       | ✓        | ✓        | ✓        |
| left pinky     | ✓       | ✓        | ✓        | ✓        |
| left wrist     | ✓       | —        | —        | —        |
| right palm     | ✓       | —        | —        | —        |
| right thumb    | ✓       | ✓        | ✓        | ✓        |
| right index    | ✓       | ✓        | ✓        | ✓        |
| right middle   | ✓       | ✓        | ✓        | ✓        |
| right ring     | ✓       | ✓        | ✓        | ✓        |
| right pinky    | ✓       | ✓        | ✓        | ✓        |
| right wrist    | ✓       | —        | —        | —        |

### IMU channel modalities

|           |       |
|-----------|-------|
| USE_YPR   | True  |
| USE_QUAT  | False |
| USE_ACCEL | False |
| USE_FLEX  | False |

### Preprocessing

|                       |                  |
|-----------------------|------------------|
| RESAMPLE_TO_N_STEPS   | 90               |
| APPLY_BUTTERWORTH     | True             |
| BUTTERWORTH_CUTOFF_HZ | 10.0             |
| BUTTERWORTH_ORDER     | 4                |
| SAMPLING_RATE_HZ      | 30.0             |
| NORMALISATION         | per_trial_zscore |

### Train / test split

|                |      |
|----------------|------|
| TEST_SIZE      | 0.1  |
| RANDOM_STATE   | 42   |
| STRATIFY_SPLIT | True |

### Cross-validation

|                      |      |
|----------------------|------|
| RUN_CROSS_VALIDATION | True |
| CV_FOLDS             | 7    |
| CV_SHUFFLE           | True |

### Augmentation (master switches)

|                       |      |
|-----------------------|------|
| AUGMENT_TRAINING_DATA | True |
|-----------------------|------|

|                                |    |
|--------------------------------|----|
| AUGMENTATION_COPIES_PER_SAMPLE | 6  |
| AUGMENTATION_RANDOM_SEED       | 42 |

AUGMENT\_CONFIG (per transform)

| Transform       | Enabled | apply_prob | Other params                                 |
|-----------------|---------|------------|----------------------------------------------|
| time_shift      | ✓       | 1.0        | max_shift_steps=3, fill_mode=edge            |
| time_warp       | ✓       | 1.0        | speed_range=(0.95, 1.05)                     |
| time_mask       | ✓       | 1.0        | max_masks=2, max_mask_size=3, fill_mode=zero |
| gaussian_noise  | ✗       | 1.0        | std_ratio=0.02                               |
| amplitude_scale | ✓       | 1.0        | scale_range=(0.95, 1.05)                     |
| baseline_offset | ✓       | 1.0        | offset_std_ratio=0.02                        |
| channel_dropout | ✓       | 1.0        | drop_fraction=0.03, fill_mode=zero           |
| left_right_swap | ✗       | 0.5        | —                                            |

Training hyperparameters

|                        |     |
|------------------------|-----|
| TRAIN_EPOCHS           | 60  |
| TRAIN_BATCH_SIZE       | 16  |
| TRAIN_VALIDATION_SPLIT | 0.2 |
| TRAIN_VERBOSE          | 1   |

Early stopping

|                             |          |
|-----------------------------|----------|
| EARLY_STOPPING_ENABLED      | True     |
| EARLY_STOPPING_MONITOR      | val_loss |
| EARLY_STOPPING_PATIENCE     | 8        |
| EARLY_STOPPING_MIN_DELTA    | 0.0      |
| EARLY_STOPPING_RESTORE_BEST | True     |
| EARLY_STOPPING_VERBOSE      | 1        |

Output paths

|                     |                                                                                          |
|---------------------|------------------------------------------------------------------------------------------|
| MODEL_OUTPUT_DIR    | /home/jestin/ThesisRepo/ML/NewReports/NewDynamicReports/NN_Models                        |
| EXPERIMENT_LOG_PATH | /home/jestin/ThesisRepo/ML/NewReports/NewDynamicReports/NN_Models/experiment_results.csv |

Variants in this run

| Name        | Builder           | Description                                                                                                                                                |
|-------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model_I_1D  | build_model_i_1d  | 1-D adaptation of published Model I: Conv1D(32,k=5,s=3)→Pool→BN→Conv1D(64,k=2)→Conv1D(64,k=2)→Pool→Flatten→Dense(64)→Drop(0.5)→Softmax                     |
| Model_II_1D | build_model_ii_1d | 1-D adaptation of published Model II (CNN+LSTM): Conv1D(32,k=5,s=3)→Conv1D(32,k=3)→BN→Pool→Drop→LSTM(64,seq)→Drop→LSTM(64)→Drop→Dense(128)→BN→Drop→Softmax |


Derived quantities (read-only — computed from data)

|                           |                                                                                                                                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Total trials (X.shape[0]) | 720                                                                                                                                                             |
| Train pool size           | 648                                                                                                                                                             |
| Hold-out size             | 72                                                                                                                                                              |
| Sequence length           | 90                                                                                                                                                              |
| Sensor channels           | 72                                                                                                                                                              |
| Number of classes         | 6                                                                                                                                                               |
| Class names               | Double_ClosedHand_Flip_OpenHand, Double_FingerTips, Double_Okay_Ring_Middle_Pinky, Double_OpenHand_Flip_ClosedHand, Double_OpenHand_LPunch_R_Punch, Double_Snap |
| len(SENSOR_COLS)          | 72                                                                                                                                                              |



Variant comparison (summary)

| Variant     | Params  | CV mean (k=7) | CV std | Hold-out acc | Hold-out loss | Batch acc | Batch n |
|-------------|---------|---------------|--------|--------------|---------------|-----------|---------|
| Model_I_1D  | 106,918 | 0.9969        | 0.0049 | 1.0000       | 0.0015        | 0.9000    | 108/120 |
| Model_II_1D | 82,246  | 0.9938        | 0.0054 | 1.0000       | 0.0000        | 0.8500    | 102/120 |

Best on hold-out: **Model\_I\_1D** · Best on CV: **Model\_I\_1D**



### Training curves (final retrain on full training pool)



# Variant: Model\_I\_1D

1-D adaptation of published Model I:  
Conv1D(32,k=5,s=3)→Pool→BN→Conv1D(64,k=2)→Conv1D(64,k=2)→Pool→Flatten→Dense(64)→Drop(0.5)→Softmax

|                          |                  |
|--------------------------|------------------|
| Trainable params         | 106,918          |
| CV mean ± std            | 0.9969 ± 0.0049  |
| Hold-out test acc / loss | 1.0000 · 0.0015  |
| Batch-test acc           | 0.9000 (108/120) |


## Cross-validation folds

| Fold | Train (post-aug) | Val | Val acc | Best val | Final val |
|------|------------------|-----|---------|----------|-----------|
| 1    | 3885             | 93  | 1.0000  | 1.0000   | 0.9892    |
| 2    | 3885             | 93  | 0.9892  | 0.9892   | 0.9785    |
| 3    | 3885             | 93  | 1.0000  | 1.0000   | 0.9892    |
| 4    | 3885             | 93  | 1.0000  | 1.0000   | 1.0000    |
| 5    | 3892             | 92  | 1.0000  | 1.0000   | 0.9891    |
| 6    | 3892             | 92  | 0.9891  | 0.9891   | 0.9891    |
| 7    | 3892             | 92  | 1.0000  | 1.0000   | 1.0000    |

## Per-class hold-out metrics

| Class                           | Precision | Recall | F1    | Support |
|---------------------------------|-----------|--------|-------|---------|
| Double_ClosedHand_Flip_OpenHand | 1.000     | 1.000  | 1.000 | 12      |
| Double_FingerTips               | 1.000     | 1.000  | 1.000 | 12      |
| Double_Okay_Ring_Middle_Pinky   | 1.000     | 1.000  | 1.000 | 12      |
| Double_OpenHand_Flip_ClosedHand | 1.000     | 1.000  | 1.000 | 12      |
| Double_OpenHand_LPunch_R_Punch  | 1.000     | 1.000  | 1.000 | 12      |
| Double_Snap                     | 1.000     | 1.000  | 1.000 | 12      |
| macro avg                       | 1.000     | 1.000  | 1.000 | 72      |
| weighted avg                    | 1.000     | 1.000  | 1.000 | 72      |



## Hold-out confusion matrix



## Batch test per class (8\_Jestin)

| Class                           | Correct | Total | Accuracy |
|---------------------------------|---------|-------|----------|
| Double_ClosedHand_Flip_OpenHand | 19      | 20    | 0.950    |
| Double_FingerTips               | 14      | 20    | 0.700    |
| Double_Okay_Ring_Middle_Pinky   | 19      | 20    | 0.950    |
| Double_OpenHand_Flip_ClosedHand | 18      | 20    | 0.900    |
| Double_OpenHand_LPunch_R_Punch  | 19      | 20    | 0.950    |
| Double_Snap                     | 19      | 20    | 0.950    |
| Overall                         | 108     | 120   | 0.900    |

## Batch confusion matrix (8\_Jestin)



# Variant: Model\_II\_1D

1-D adaptation of published Model II (CNN+LSTM):  
Conv1D(32,k=5,s=3)→Conv1D(32,k=3)→BN→Pool→Drop→LSTM(64,seq)→Drop→LSTM(64)→Drop→Dense(128)→BN→Drop→Softmax

|                          |                  |
|--------------------------|------------------|
| Trainable params         | 82,246           |
| CV mean ± std            | 0.9938 ± 0.0054  |
| Hold-out test acc / loss | 1.0000 · 0.0000  |
| Batch-test acc           | 0.8500 (102/120) |


## Cross-validation folds

| Fold | Train (post-aug) | Val | Val acc | Best val | Final val |
|------|------------------|-----|---------|----------|-----------|
| 1    | 3885             | 93  | 1.0000  | 1.0000   | 1.0000    |
| 2    | 3885             | 93  | 0.9892  | 0.9892   | 0.9892    |
| 3    | 3885             | 93  | 0.9892  | 0.9892   | 0.9892    |
| 4    | 3885             | 93  | 1.0000  | 1.0000   | 1.0000    |
| 5    | 3892             | 92  | 0.9891  | 0.9891   | 0.9891    |
| 6    | 3892             | 92  | 0.9891  | 0.9891   | 0.9891    |
| 7    | 3892             | 92  | 1.0000  | 1.0000   | 1.0000    |

## Per-class hold-out metrics

| Class                           | Precision | Recall | F1    | Support |
|---------------------------------|-----------|--------|-------|---------|
| Double_ClosedHand_Flip_OpenHand | 1.000     | 1.000  | 1.000 | 12      |
| Double_FingerTips               | 1.000     | 1.000  | 1.000 | 12      |
| Double_Okay_Ring_Middle_Pinky   | 1.000     | 1.000  | 1.000 | 12      |
| Double_OpenHand_Flip_ClosedHand | 1.000     | 1.000  | 1.000 | 12      |
| Double_OpenHand_LPunch_R_Punch  | 1.000     | 1.000  | 1.000 | 12      |
| Double_Snap                     | 1.000     | 1.000  | 1.000 | 12      |
| macro avg                       | 1.000     | 1.000  | 1.000 | 72      |
| weighted avg                    | 1.000     | 1.000  | 1.000 | 72      |

## Hold-out confusion matrix



## Batch test per class (8\_Jestin)

| Class                           | Correct | Total | Accuracy |
|---------------------------------|---------|-------|----------|
| Double_ClosedHand_Flip_OpenHand | 19      | 20    | 0.950    |
| Double_FingerTips               | 4       | 20    | 0.200    |
| Double_Okay_Ring_Middle_Pinky   | 20      | 20    | 1.000    |
| Double_OpenHand_Flip_ClosedHand | 20      | 20    | 1.000    |
| Double_OpenHand_LPunch_R_Punch  | 19      | 20    | 0.950    |
| Double_Snap                     | 20      | 20    | 1.000    |
| Overall                         | 102     | 120   | 0.850    |

## Batch confusion matrix (8\_Jestin)

