




1.- Crear en su cuenta de Github un repositorio con el nombre "desafio4" con el archivo readme. Clonar el repositorio localmente en su pc y crear localmente una nueva rama con el nombre "R1". Crear un archivo index.html en esa nueva rama y hacer commit para luego subir la rama "R1" al repositorio remoto (hacer print screen de cada paso).



The screenshot shows the 'Create a new repository' page on GitHub. The browser address bar shows 'https://github.com/new'. The page title is 'Create a new repository'. Below the title, it says 'A repository contains all the files for your project, including the revision history.' The form has two main sections: 'Owner' and 'Repository name'. The owner is 'JesusA94' and the repository name is 'desafio4', which has a green checkmark. Below this, there is a 'Description (optional)' field with the text 'Ultimo Desafio de Glit'. There are two radio buttons for visibility: 'Public' (selected) and 'Private'. Below these, there is a checkbox for 'Initialize this repository with a README', which is checked. At the bottom, there are two dropdown menus for 'Add .gitignore: None' and 'Add a license: None'. A green 'Create repository' button is at the bottom right.



The screenshot shows the GitHub repository page for 'JesusA94 / desafio4'. The browser address bar shows 'https://github.com/JesusA94/desafio4'. The page has a header with the repository name and navigation links: 'Code', 'Issues', 'Pull requests', 'Projects', 'Wiki', 'Insights', and 'Settings'. Below the header, there is a section for 'Ultimo Desafio de Glit' with an 'Edit' button. A 'Manage topics' section is also present. The repository statistics show '1 commit', '1 branch', '0 releases', and '1 contributor'. There are buttons for 'Branch: master', 'New pull request', 'Create new file', 'Upload files', 'Find file', and 'Clone or download'. The commit history shows 'JesusA94 Initial commit' and 'Latest commit 803c1f8 just now'. The file list shows 'README.md' with 'Initial commit' and 'just now'. The README content is displayed below, showing the title 'desafio4' and the text 'Ultimo Desafio de Glit'.





```
MINGW64/c/Users/Beto-/Desktop/Git Desafio 4

Beto-@DESKTOP-VLJRQQC MINGW64 ~/Desktop/Git Desafio 4
$ git config --global user.name
jesus mogollon

Beto-@DESKTOP-VLJRQQC MINGW64 ~/Desktop/Git Desafio 4
$ git config --global user.email
beto-barca10@hotmail.com

Beto-@DESKTOP-VLJRQQC MINGW64 ~/Desktop/Git Desafio 4
$ git clone https://github.com/JesusA94/desafio4.git
Cloning into 'desafio4'...
remote: Counting objects: 3, done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.

Beto-@DESKTOP-VLJRQQC MINGW64 ~/Desktop/Git Desafio 4
$
```



```
MINGW64:/c/Users/Beto-/Desktop/Git Desafio 4/desafio4
Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4
$ cd desafio4


Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (master)
$ git branch R1

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (master)
$ git checkout R1
Switched to branch 'R1'

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git branch
* R1
  master

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git add index.html

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git commit -m "Se Creo un archivo index.html"
[R1 eede751] Se Creo un archivo index.html
1 file changed, 9 insertions(+)
create mode 100644 index.html
```



```
MINGW64:/c/Users/Beto-/Desktop/Git Desafio 4/desafio4
$ git add index.html

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git commit -m "Se Creo un archivo index.html"
[R1 eede751] Se Creo un archivo index.html
1 file changed, 9 insertions(+)
create mode 100644 index.html

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git log
commit eede751b7dc7823f112dd3524728b24616e00cb9 (HEAD -> R1)
Author: jesus mogollon <beto-barca10@hotmail.com>
Date: Sat Sep 22 17:27:07 2018 -0400

    Se Creo un archivo index.html

commit 803c1f8f8be42dadfd5834bbcdf446774c1be5b3c (origin/master, origin/HEAD, master)
Author: JesusA94 <42987030+JesusA94@users.noreply.github.com>
Date: Thu Sep 20 03:32:37 2018 -0400

    Initial commit

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git push origin R1
```



```
MINGW64:/c:/Users/Beto-/Desktop/Git Desafio 4/desafio4

commit 803c1f8be42dadfd5834bbcdf446774c1be5b3c (origin/master, origin/HEAD, master)
Author: JesusA94 <42987030+JesusA94@users.noreply.github.com>
Date: Thu Sep 20 03:32:37 2018 -0400

Initial commit

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$ git push origin R1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 372 bytes | 186.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'R1' on GitHub by visiting:
remote:   https://github.com/JesusA94/desafio4/pull/new/R1
remote:
To https://github.com/JesusA94/desafio4.git
 * [new branch]      R1 -> R1

Beto-@DESKTOP-VLJRQCC MINGW64 ~/Desktop/Git Desafio 4/desafio4 (R1)
$
```






Ramas



The screenshot shows the 'Branches' page for the repository 'JesusA94/desafio4'. The page has a dark header with the GitHub logo and navigation links: 'Pull requests', 'Issues', 'Marketplace', and 'Explore'. Below the header, the repository name is displayed with 'Watch', 'Star', and 'Fork' buttons. A tab bar shows 'Code' as the active tab, with other tabs for 'Issues', 'Pull requests', 'Projects', 'Wiki', 'Insights', and 'Settings'. Under the 'Code' tab, there are sub-tabs: 'Overview' (selected), 'Yours', 'Active', 'Stale', and 'All branches'. A search bar for branches is on the right. The main content area is divided into three sections: 'Default branch' showing 'master' as the default branch, 'Your branches' showing a branch 'R1' created 8 minutes ago, and 'Active branches' also showing 'R1'. Each branch entry includes a 'New pull request' button. The footer contains copyright information for 2018 GitHub, Inc. and various links like 'Terms', 'Privacy', 'Security', 'Status', 'Help', 'Contact GitHub', 'Pricing', 'API', 'Training', 'Blog', and 'About'.

Commits


The screenshot shows the 'Commits' page for the repository 'JesusA94/desafio4'. The layout is similar to the 'Branches' page, with the same header and navigation elements. The 'Code' tab is active, and the 'Branch: R1' dropdown is visible. The main content area displays a list of commits. The first commit is dated 'Sep 22, 2018' and has the message 'Se Creo un archivo index.html', committed by 'JesusA94' 7 minutes ago. The second commit is dated 'Sep 20, 2018' and is an 'Initial commit', committed by 'JesusA94' 3 days ago. Each commit entry includes a 'Verified' badge, a commit hash, and a 'Code' button. At the bottom of the commit list, there are 'Newer' and 'Older' buttons. The footer is identical to the 'Branches' page.

2.- Crear una organización de github y crear un equipo. Crear un repositorio nuevo asociado a la organización e invitar a 2 de sus compañeros a ser parte del equipo con permisos de escritura.








3.- Hacer un Fork al repositorio <https://github.com/joselrojasd/bootstrap.git>.



4.- Instalar en su computadora GithubDesktop para clonar localmente el repositorio que acaba de hacerle Fork (al de su cuenta). Hacer varios commits locales usando la herramienta y luego subir los cambios a su repositorio remoto.







Sign in to GitHub.com

Username or email address

beto-barca10@hotmail.com

Password



.....



Sign in



Cancel



[Forgot password?](#)



[Sign in using your browser](#)















5.- Hacer un pull request al repositorio al cual hizo Fork indicando al dueño del repositorio los cambios que esta proponiendo para mejorar la versión original.



Modificaciones by JesusA94 · Pull request

GitHub, Inc. [US] | https://github.com/joselrojasd/bootstrap/pull/17

<> Code

Issues 0

Pull requests 16

Projects 0

Wiki

Insights

Modificaciones #17

Edit

Open

JesusA94 wants to merge 3 commits into joselrojasd:master from JesusA94:master

Conversation 0

Commits 3

Checks 0

Files changed 3

+30 -2

JesusA94 commented just now

+ @

...

Buenas Tarde Jose Luis, a tu pagina web le agregue un color de fondo azul al index y tambien hice lo mismo a formularios, sesion y cadif1 pero un fondo de color naranja. Modifique el formulario centrándolo para que se viera bien, al igual que el index pero al Titulo(Probando Bootstrap).

JesusA94 added some commits 33 minutes ago

Se quito el Class en Label Usuario y Password0151412

Se coloco un color de Fondo y posicione el formulario43098e7

Se centro el titulo principal y se agrego un fondo azulb98d76d

Add more commits by pushing to the master branch on JesusA94/bootstrap.

✓

This branch has no conflicts with the base branch

Only those with write access to this repository can merge pull requests.

Reviewers

No reviews

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Notifications