

First steps in HTML

HTML is the standard markup language for web pages. It's easy to use and learn and is the entry door for web design.

Let's see some examples for HTML tags:

[Headings](#) | [Paragraphs](#) | [Links](#) | [Images](#) | [Lists](#)

Headings

Heading are titles or subtitles that we want to display on a webpage. They can go from `<h1>` to `<h6>` from most important to the least important.

Examples of the 6 types of headings tags:

```
<h1>Encabezado 1</h1>
```


```
<h2>Encabezado 2</h2>
```

```
<h3>Encabezado 3</h3>
```

```
<h4>Encabezado 4</h4>
```

```
<h5>Encabezado 5</h5>
```

```
<h6>Encabezado 6</h6>
```



Learn more about this in the section [Headings in w3schools](#).


[Back to top](#)

Paragraphs

The paragraph tag is used to start writing in a new line of text; and it's defined by `<p>`.

It's used to separate paragraphs from one another, like in this example:

```
<p>Esto es un párrafo.</p>
<p>Esto es un segundo párrafo.</p>
<p>Esto es un tercer párrafo.</p>
```



Learn more about this in the section [Paragraphs in w3schools](#).

[Back to top](#)

Links

Links are found in nearly all web pages. Links allow users to click their way from page to page; Its defined tag is <a>.

Let's see an example:

```
<h1>HTML Links</h1>
```

```
<p><a href="https://www.w3schools.com/">Visita W3Schools.com!</a></p>
```

HTML Links

[Visita W3Schools.com!](https://www.w3schools.com/)

As we can see, **href** is the most important atribute, which indicates the link's destination. The link text is the part that will be visible to the reader.

Learn more about this in the section [Links in w3schools.](#)

[Back to top](#)

Images

The image tag is used to introduce images into our website, which improves the design and gives style to it; its defined by .

Mandatorily, inside tag we must include the atributes **src** which points to the source of the image, and the attribute **alt** which provides an alternate text. Let's see an example:

```
<h2>Imagen HTML</h2>
```

```

```

Imagen HTML



Learn more about this in the section [Images in w3schools.](#)

[Back to top](#)

Lists

The list tag is used to create lists of elements in our website; its defined by `` for an unordered list and `` for an ordered list.

In both cases we must include the tag `` which defines the list's items. Let's see an example:

```
<h2>Lista sin ordenar</h2>
```

```
<ul>  
  <li>Café</li>  
  <li>Té</li>  
  <li>Leche</li>  
</ul>
```

```
<h2>Lista ordenada</h2>
```

```
<ol>  
  <li>Café</li>  
  <li>Té</li>  
  <li>Leche</li>  
</ol>
```

Lista sin ordenar

- Café
- Té
- Leche

Lista ordenada

1. Café
2. Té
3. Leche

Learn more about this in the section [Lists in w3schools](#).

[Back to top](#)