

Examen Práctico – Unidad III

Curso: Soluciones Móviles II

Tema: Automatización de calidad con GitHub Actions

Fecha: 23 de junio de 2026

Estudiante: Jesus Humberto Escalante Alanoca

Repositorio

URL: https://github.com/JesusEscalante/SM2_ExamenUnidad3

Estructura del proyecto

El repositorio contiene la siguiente estructura (se muestran solo los archivos relevantes para el examen):

```
SM2_ExamenUnidad3/  
├── .github/  
│   └── workflows/  
│       └── quality-check.yml  
├── test/  
│   └── main_test.dart  
├── lib/  
│   ├── models/  
│   │   ├── report_model.dart  
│   │   └── user_model.dart  
│   └── (resto de archivos del proyecto)  
├── pubspec.yaml  
└── README.md
```

Configuración de compatibilidad de versiones

Versiones utilizadas

Componente	Versión	Detalle
Flutter	3.44.1	Estable, compatible con Dart 3.7.2
Dart	3.7.2	Requerido por el proyecto
SDK requerido	^3.7.2	Especificado en pubspec.yaml

 Configuración en GitHub Actions

Para garantizar la compatibilidad, el workflow utiliza:

```
- name: Set up Flutter
  uses: subosito/flutter-action@v2
  with:
    flutter-version: '3.44.1'
    channel: 'stable'
```

Contenido del archivo quality-check.yml

```
name: Quality Check

on:
  push:
    branches: [main]

  pull_request:
    branches: [main]

jobs:
  analyze:
    runs-on: ubuntu-latest

    steps:
      - uses: actions/checkout@v3

      - name: Set up Flutter
        uses: subosito/flutter-action@v2
        with:
          flutter-version: '3.44.1' # ajusta a tu versión de Flutter
          channel: 'stable'

      - name: Install dependencies
        run: flutter pub get

      - name: Analyze
        run: flutter analyze --no-fatal-warnings --no-fatal-infos

      - name: Run tests
        run: flutter test
```

Evidencias

Checkout Actions

analyze

succeeded 7 minutes ago in 1m 48s

>  Set up job>  Run actions/checkout@v3v  Set up Flutter

```

1 ▶ Run subosito/flutter-action@v2
10 ▶ Run chmod +x "$GITHUB_ACTION_PATH/setup.sh"
13 ▶ Run $GITHUB_ACTION_PATH/setup.sh -p \
25 ▶ Run $GITHUB_ACTION_PATH/setup.sh \
33   % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
34           Dload  Upload   Total   Spent    Left     Speed
35   0     0    0     0    0     0      0      0  --:--:-- --:--:-- --:--:--     0
36   5 1470M    5  76.0M    0     0  93.5M      0  0:00:15 --:--:-- 0:00:15  93.4M
37  13 1470M   13  203M    0     0  112M      0  0:00:13 0:00:01 0:00:12  112M
38  20 1470M   20  302M    0     0  107M      0  0:00:13 0:00:02 0:00:11  107M
39  27 1470M   27  399M    0     0  104M      0  0:00:14 0:00:03 0:00:11  104M
40  35 1470M   35  518M    0     0  107M      0  0:00:13 0:00:04 0:00:09  107M
41  43 1470M   43  636M    0     0  109M      0  0:00:13 0:00:05 0:00:08  112M
42  51 1470M   51  759M    0     0  111M      0  0:00:13 0:00:06 0:00:07  111M
43  58 1470M   58  857M    0     0  109M      0  0:00:13 0:00:07 0:00:06  111M
44  66 1470M   66  972M    0     0  110M      0  0:00:13 0:00:08 0:00:05  114M
45  72 1470M   72 1064M    0     0  108M      0  0:00:13 0:00:09 0:00:04  109M
46  79 1470M   79 1165M    0     0  107M      0  0:00:13 0:00:10 0:00:03  105M
47  86 1470M   86 1275M    0     0  107M      0  0:00:13 0:00:11 0:00:02  103M
48  94 1470M   94 1388M    0     0  108M      0  0:00:13 0:00:12 0:00:01  106M
49 100 1470M  100 1470M    0     0  108M      0  0:00:13 0:00:13 --:--:--  104M

```

Instalando Dependencias

```
✓ Install dependencies

1 ▶ Run flutter pub get
7
7 Resolving dependencies...
8 Downloading packages...
9 + _flutterfire_internals 1.3.69 (1.3.73 available)
10 + archive 4.0.9
11 + args 2.7.0
12 + async 2.13.1
13 + boolean_selector 2.1.2
14 + change_app_package_name 1.5.0
15 + characters 1.4.1
16 + checked_yaml 2.0.4
17 + cli_util 0.4.2 (0.5.1 available)
18 + clock 1.1.2
19 + cloud_firestore 6.3.0 (6.6.0 available)
20 + cloud_firestore_platform_interface 7.2.0 (8.0.3 available)
21 + cloud_firestore_web 5.3.0 (5.6.0 available)
22 + code_assets 1.2.1
23 + collection 1.19.1
24 + cross_file 0.3.5+2
25 + crypto 3.0.7
26 + csslib 1.0.2
27 + csv 6.0.0 (8.0.0 available)
28 + dart_earcut 1.2.0
29 + dbus 0.7.14
30 + equatable 2.0.8
31 + fake_async 1.3.3
32 + ffi 2.2.0
33 + file 7.0.1
34 + file_selector_linux 0.9.4
35 + file_selector_macos 0.9.5
```

Flutter Analyze

```
Analyze 14s

1 ▶ Run flutter analyze --no-fatal-warnings --no-fatal-infos
7
7 Analyzing SM2_ExamenUnidad3...
8 info • Don't use 'BuildContext's across async gaps. Try rewriting the code to not use the 'BuildContext', or guard the use with a 'mounted' check • lib/screens/add_report_screen.dart:224:30 •
use_build_context_synchronously
9 info • Don't use 'BuildContext's across async gaps. Try rewriting the code to not use the 'BuildContext', or guard the use with a 'mounted' check • lib/screens/add_report_screen.dart:234:32 •
use_build_context_synchronously
10 info • Don't use 'BuildContext's across async gaps. Try rewriting the code to not use the 'BuildContext', or guard the use with a 'mounted' check • lib/screens/add_report_screen.dart:242:30 •
use_build_context_synchronously
11 info • 'desiredAccuracy' is deprecated and shouldn't be used. use settings parameter with AndroidSettings, AppleSettings, WebSettings, or LocationSettings. Try replacing the use of the deprecated member with the
replacement • lib/screens/add_report_screen.dart:248:60 • deprecated_member_use
12 info • 'value' is deprecated and shouldn't be used. Use initialValue instead. This will set the initial value for the form field. This feature was deprecated after v3.33.0-1.0.pre. Try replacing the use of the
deprecated member with the replacement • lib/screens/add_report_screen.dart:428:17 • deprecated_member_use
13 info • Use a function declaration rather than a variable assignment to bind a function to a name. Try rewriting the closure assignment as a function declaration • lib/screens/chat_screen.dart:337:11 •
prefer_function_declarations_over_variables
14 info • Use a function declaration rather than a variable assignment to bind a function to a name. Try rewriting the closure assignment as a function declaration • lib/screens/chat_screen.dart:348:11 •
prefer_function_declarations_over_variables
15 info • Redundant initialization to 'null'. Try removing the initializer • lib/screens/dashboard_screen.dart:27:13 • avoid_init_to_null
16 info • Redundant initialization to 'null'. Try removing the initializer • lib/screens/dashboard_screen.dart:28:13 • avoid_init_to_null
17 warning • The value of the local variable 'isSelected' isn't used. Try removing the variable or using it • lib/screens/dashboard_screen.dart:86:23 • unused_local_variable
18 info • 'groupValue' is deprecated and shouldn't be used. Use a RadioGroup ancestor to manage group value instead. This feature was deprecated after v3.32.0-0.0.pre. Try replacing the use of the deprecated member
with the replacement • lib/screens/dashboard_screen.dart:90:19 • deprecated_member_use
19 info • 'onChanged' is deprecated and shouldn't be used. Use RadioGroup to handle value change instead. This feature was deprecated after v3.32.0-0.0.pre. Try replacing the use of the deprecated member with the
replacement • lib/screens/dashboard_screen.dart:91:19 • deprecated_member_use
20 info • Unnecessary use of 'toList' in a spread. Try removing the invocation of 'toList' • lib/screens/dashboard_screen.dart:110:18 • unnecessary_to_list_in_spreads
21 warning • The value of the local variable 'allUsers' isn't used. Try removing the variable or using it • lib/screens/dashboard_screen.dart:688:19 • unused_local_variable
22 info • The parameter name 'sum' matches a visible type name. Try adding a name for the parameter or changing the parameter name to not match an existing type • lib/screens/dashboard_screen.dart:1147:46 •
avoid_types_as_parameter_names
23 info • Don't use 'BuildContext's across async gaps. Try rewriting the code to not use the 'BuildContext', or guard the use with a 'mounted' check • lib/screens/district_chat_screen.dart:55:52 •
use_build_context_synchronously
24 warning • The left operand can't be null, so the right operand is never executed. Try removing the operator and the right operand • lib/screens/district_chat_screen.dart:355:69 • dead_null_aware_expression
25 info • 'value' is deprecated and shouldn't be used. Use initialValue instead. This will set the initial value for the form field. This feature was deprecated after v3.33.0-1.0.pre. Try replacing the use of the
deprecated member with the replacement • lib/screens/edit_report_screen.dart:323:17 • deprecated_member_use
26 warning • The value of the local variable 'textTheme' isn't used. Try removing the variable or using it • lib/screens/heatmap_screen.dart:81:11 • unused_local_variable
27 warning • The value of the local variable 'title' isn't used. Try removing the variable or using it • lib/screens/heatmap_screen.dart:234:13 • unused_local_variable
```

Resultado de Analisis

```
Run tests 11s

1 ▶ Run flutter test
7
8 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests fromMap should create Report from map
9 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests toMap should create map from Report
10 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/report_model_test.dart: Report Model Tests copyWith should create copy with updated fields
11 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests fromMap should create UserModel from map
12 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests fromMap should default role to user if not provided
13 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests toMap should create map from UserModel
14 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests isAdmin should return true for admin role
15 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/models/user_model_test.dart: UserModel Tests isAdmin should return false for user role
42
43 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Report Model Tests fromMap should create Report from map
44 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Report Model Tests toMap should create map from Report
45 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: Report Model Tests copyWith should create copy with updated fields
46 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: UserModel Tests fromMap should create UserModel from map
47 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: UserModel Tests fromMap should default role to user if not provided
48 ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: UserModel Tests toMap should create map from UserModel
49 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: UserModel Tests isAdmin should return true for admin role
50 ▶ ✓ /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3/test/main_test.dart: UserModel Tests isAdmin should return false for user role
76 🎉 16 tests passed.

Post Set up Flutter 0s

1 Post job cleanup.

Post Run actions/checkout@v3 0s

1 Node 20 is being deprecated. This workflow is running with Node 24 by default. If you need to temporarily use Node 20, you can set the ACTIONS_ALLOW_USE_UNSECURE_NODE_VERSION=true environment variable. For more
information see: https://github.blog/changelog/2025-09-19-deprecation-of-node-20-on-github-actions-runners/
2 Post job cleanup.
3 (node:3812) [DEP0040] DeprecationWarning: The 'punycode' module is deprecated. Please use a userland alternative instead.
4 (Use 'node --trace-deprecation ...' to show where the warning was created)
5 /usr/bin/git version
6 git version 2.54.0
7 Temporarily overriding HOME='/home/runner/work/_temp/9613da2e-8a2d-4100-96dd-fb39eacffa3' before making global git config changes
8 Adding repository directory to the temporary git global config as a safe directory
9 /usr/bin/git config --global --add safe.directory /home/runner/work/SM2_ExamenUnidad3/SM2_ExamenUnidad3
```