

1. Inicialización del repositorio vacío:

```
C:\Users\jesus\Documents\ETS_T3_Git>git init
Initialized empty Git repository in C:/Users/jesus/Documents/ETS_T3_Git/.git/
```

2. Creación de varios ficheros y posteriores commits:

```
C:\Users\jesus\Documents\ETS_T3_Git>echo "Hello World" > readme.md
C:\Users\jesus\Documents\ETS_T3_Git>echo "Papas, pollo, lechuga, tomate, huevos, azucar..." > lista-compras.txt
C:\Users\jesus\Documents\ETS_T3_Git>echo "No sé que poner aquí" > mi-libro.txt
C:\Users\jesus\Documents\ETS_T3_Git>git add .
C:\Users\jesus\Documents\ETS_T3_Git>git commit
Aborting commit due to empty commit message.
C:\Users\jesus\Documents\ETS_T3_Git>git commit -m "Commit inicial"
[master (root-commit) 0169bda] Commit inicial
3 files changed, 3 insertions(+)
create mode 100644 lista-compras.txt
create mode 100644 mi-libro.txt
create mode 100644 readme.md
```

```
C:\Users\jesus\Documents\ETS_T3_Git>echo "Bueno, ya compré todo :)" > lista-compras.txt
C:\Users\jesus\Documents\ETS_T3_Git>echo "Goodbye World" > readme.md
C:\Users\jesus\Documents\ETS_T3_Git>echo "Ya sé qué poner aquí" > mi-libro.txt
C:\Users\jesus\Documents\ETS_T3_Git>git add .
C:\Users\jesus\Documents\ETS_T3_Git>git commit
Aborting commit due to empty commit message.
C:\Users\jesus\Documents\ETS_T3_Git>git commit -m "Segundo commit"
[master 1afbddd] Segundo commit
3 files changed, 3 insertions(+), 3 deletions(-)
```

```
C:\Users\jesus\Documents\ETS_T3_Git>echo "No, la verdad que no supe que poner" > mi-libro.txt
C:\Users\jesus\Documents\ETS_T3_Git>git add .
C:\Users\jesus\Documents\ETS_T3_Git>git commit -m "Último commit"
[master 21cabf6] Último commit
1 file changed, 1 insertion(+), 1 deletion(-)
```

3. Creación de una versión con todos los commits:

```
C:\Users\jesus\Documents\ETS_T3_Git>git tag v1.0
```

4. Clonado de repositorio remoto:

```
C:\Users\jesus\Documents\ETS_T3_Git>git clone https://github.com/JesusLugo2002/Hello-World.git
Cloning into 'Hello-World'...
remote: Enumerating objects: 116, done.
remote: Counting objects: 100% (116/116), done.
remote: Compressing objects: 100% (112/112), done.
Receiving objects: 41% (48/116)used 3 (delta 1), pack-reused 0
Receiving objects: 100% (116/116), 22.92 KiB | 1.09 MiB/s, done.
Resolving deltas: 100% (80/80), done.
```

5. Muestra de información basada en la versión creada:

```
C:\Users\jesus\Documents\ETS_T3_Git>git show v1.0
commit 21cabf6578b042e6915c6d5ce51b4bafa3a9e7e8 (HEAD -> master, tag: v1.0)
Author: Jesús <jesusdlugo02@gmail.com>
Date: Sat Nov 18 20:30:42 2023 +0100

    Último commit

diff --git a/mi-libro.txt b/mi-libro.txt
index 11164ab..1847fb7 100644
--- a/mi-libro.txt
+++ b/mi-libro.txt
@@ -1,1 +1,1 @@
-"Ya s<82> qu<82> poner aqu<A1>"
+"No, la verdad que no supe que poner"
```