

# Theoretical physics, Machine Learning and Bioinformatics

Jesús Urtasun Elizari

Milan, March 2021



UNIVERSITÀ  
DEGLI STUDI  
DI MILANO



This project has received funding from the European Union's Horizon 2020 research and innovation program under grant agreement No 740006.

# Outline

## ① QCD in a nutshell

- The Standard Model and fundamental interactions
- Exploring matter at the small scales
- Hadronic physics and the LHC

## ② Machine Learning for particle physics

- Machine Learning algorithms
- Building precise prediction

## ③ Bioinformatics



- Applying data sciences to life sciences

## ④ Summary

## Quantum Chromodynamics in a nutshell

# QCD in a nutshell

## The Standard Model



Quantum Field Theory describing physics at the TeV scale → **less than a fermi!**

- 1 Fermions (quarks and leptons) composing matter
- 2 Bosons mediating interactions
- 3 Scalar Higgs field generating mass

**Quantum Chromodynamics is the theory describing the strong interactions**

# QCD in a nutshell

Explore the strong interactions

How to explore proton's inner structure?




- Smash the two objects  $\rightarrow$  Hadronic physics
- Large Hadron Collider (LHC) physics

"A way to analyze high energy collisions is to consider any hadron as a composition of point-like constituents  $\rightarrow$  **partons**" R.Feynman, 1969

# QCD in a nutshell

## Parton Distribution Functions



- Hadrons made of constantly interacting partons  $\longrightarrow$  non perturbative physics
- Parton distribution functions (PDFs) are required for the precision era of the LHC
- PDFs can not be predicted yet not measured  $\longrightarrow$  extracted from data via Machine Learning algorithms

## Machine Learning for particle physics

# Machine learning

## What is Machine Learning?

- 1 Machine Learning algorithms are a subset of Artificial Intelligence (AI) algorithms
- 2 Used to solve *complex* tasks like classification, regression and pattern recognition
- 3 Rely on comparison with data → Learning





# The N3PDF project

## Machine Learning for PDFs

Parton Distribution Functions (PDFs) can not be predicted or measured  
PDFs need to be extracted from data!




- Use TensorFlow and Keras to determine the PDFs using neural networks
- Use Stochastic Gradient Descent **n3fit** replacing primitive fitting algorithms
- See paper by S.Carraza - J.Cruz-Martinez  
"Towards a new generation of parton densities with deep learning models",  
<https://arxiv.org/abs/1907.05075>
- c++ Operator Implementation in TF - Urtasun-Elizari et al.  
"Towards hardware acceleration for parton densities estimation",  
<https://arxiv.org/abs/1909.10547>

# HTurbo

## Reducing theory uncertainties

Study the Higgs boson differential  $q_{\perp}$  distribution

$$h_1(p_1) + h_2(p_2) \longrightarrow F(M, q_{\perp}) + X$$



Exist already numerical codes computing these distribution  $\sigma(q_{\perp})$

**HqT** and **HRes** [Catani et al.]

Higher order accuracy require **high computation times**


Numerical code **HTurbo** [Ferrera, Urtasun-Elizari (in preparation)]

Fast and precise  $q_{\perp}$  distribution for Higgs boson production

- Old versions as **HqT** and **HRes** in Fortran
- c++ allows for optimization in the integration routines

# The HTurbo project

Comparison HRes and HqT - all orders



- Older codes (**HRes**, **HqT**) need 3 days to produce NNLL distribution
- 3 minutes with **HTurbo**! ✓
- Agreement up to NNLL → ready for N<sup>3</sup>LL

# Bioinformatics and data science for life sciences

# Bioinformatics

Data science for life sciences

- **NGS** data analysis
- Processing of FastQ files
- Statistics and data analysis with R
- c++ and computer sciences
  - [<https://github.com/JesusUrtasun/CppCourse>]
- Machine Learning
  - [<https://github.com/JesusUrtasun/MLcourse>]
- Data Frames (Numpy, Pandas) and R
  - [<https://github.com/JesusUrtasun/Bioinformatics>]

# Summary & Conclusions

- 1 Precise knowledge of sub-nuclear interactions are required towards the precision era of the LHC
- 2 Machine Learning models provide a robust way for PDFs determination optimized through [operator implementation in TF](#)
- 3 We develop a numerical code **HTurbo**, implementing  $q_{\perp}$  resummation for Higgs boson production, which is [faster than any of the existing codes](#)
- 4 Experience with Python and R for NGS data, and still looking to improve!


Thank you!



# Back up

## Hadronic collisions

Hadronic Physics  $h_1(p_1) + h_2(p_2) \rightarrow F + X$




Factorize process as **PDFs** and **partonic (hard) interaction**

$$\sigma^F(p_1, p_2) = \sum_{\alpha, \beta} \int_0^1 dx_1 dx_2 f_{\alpha/h_1}(x_1, \mu_F^2) * f_{\beta/h_2}(x_2, \mu_F^2) * \hat{\sigma}_{\alpha\beta}^F(x_1 p_1, x_2 p_2, \alpha_s(\mu_R^2), \mu_F^2)$$



# Back up


## Operator implementation in TF



- Build a NN model to compute  $\sigma_{pred}$  observables from a grid  $x_i$
- Perform  $\chi^2$  minimization comparing with data
- Update values of PDF  $\rightarrow$  Fit

# The N3PDF project

## Operator implementation in TF



- 1 TF relies in symbolic computation  $\rightarrow$  High memory usage
- 2 Implement c++ operator replacing the convolution
- 3 Further details in Urtasun-Elizari et al.


"Towards hardware acceleration for parton densities estimation",  
<https://arxiv.org/abs/1909.10547>

# HTurbo

All order  $q_{\perp}$  resummation

Study the differential  $q_{\perp}$  distribution

$$h_1(p_1) + h_2(p_2) \longrightarrow F(M, \mathbf{q}_{\perp}) + X$$



$$\int_0^{Q_{\perp}^2} dq_{\perp}^2 \frac{d\hat{\sigma}}{dq_{\perp}^2} \sim c_0 + \alpha_s (c_{12} L^2 + c_{11} L + c_{10}) + \dots, \quad \text{being} \quad L = \ln(q_{\perp}/M^2)$$

$\alpha_S L^2$	$\alpha_S L$	$\dots$	$\mathcal{O}(\alpha_S)$
$\alpha_S^2 L^4$	$\alpha_S^2 L^3$	$\dots$	$\mathcal{O}(\alpha_S^2)$
$\dots$	$\dots$	$\dots$	$\dots$
$\alpha_S^n L^{2n}$	$\alpha_S^n L^{2n-1}$	$\dots$	$\mathcal{O}(\alpha_S^n)$
dominant logs	$\dots$	$\dots$	$\dots$

Truncated fixed order predictions lead to **logarithmic enhancement**  $\alpha_s^n \ln^m(M^2/q_{\perp}^2)$

**All order resummation is needed**

# HTurbo

Starting point: DYTurbo

$q_{\perp}$  resummation implemented in numerical codes **HqT** and **HRes** [Catani et al.]  
Higher order accuracy require **high computation times**

Numerical code **DYTurbo** [Camarda et al. ATLAS collaboration, 1910.07049],  
fast and precise  $q_{\perp}$  resummation and several improvements for Drell-Yan  
( $h_1 + h_2 \rightarrow V + X \rightarrow l^+ l^- + X$ )

- **Goal:** set up a numerical code generalizing **DYTurbo** for Higgs boson production
- **Goal:** extend theoretical accuracy up to  $N^3\text{LL}+N^3\text{LO}$  and to other processes

Numerical code **HTurbo** [Ferrera, Urtasun-Elizari (in preparation)]  
Fast and precise  $q_{\perp}$  resummation and for Higgs boson production

- Old versions as **HqT** and **HRes** in Fortran
- c++ allows for optimization in the integration routines