

Name : Jeswanth SaravanaMuniyandi

Employee Id: 12568

Online Marketplace: This case study involves the design of an online marketplace that connects buyers and sellers for the exchange of goods and services. The system manages product listings, seller profiles, and transaction records. The database schema ensures secure and efficient management of marketplace activities.

GitHub Link: [sqlAssessment](#)

W3H Analysis:

Online Market Place	
WHAT?	HOW?
1. What are the Modules used in Online Market System? Ans: a) User Module c) Admin Module d) Customer Support Module	<i>Seller:</i> a) Login Methods of Seller? Module 1: Login Using Username and Password. Module 2: Login using Username and Password Along with 2 factor Authentication. Module 3: Login Using Social Accounts.
2. What are the Functionalities of buyer Module? Ans: a) Login b) View Product listing c) View products details d) View Product pricing e) View Seller Address f) Buy Products g) Rate products	b) Update Methods of Seller? Module 1: Update Details by Id Module 2: Update Details by Name. Module 3: Update Details to the Data Given by the User.
3. What are the Functionalities of Seller Module? Ans: a) Login b) Enter Product Details	c) Tracking Sales data: Module 1: Update Data Weekly. Module 2: Update Data Daily. Module 3: Update Data Monthly. d) Suggest Seller Name? Module 1: Suggest Seller by Name.

- c) Update product Stock
- d) Update Price
- e) list Products

Module 2: Suggest Seller by pricing.
Module 3: Suggest Seller by Rating.

e) Buyer History?

Module 1: Show All History.
Module 2: Show History by Months.
Module 3: Show daily Data.

f) Provide Coupons for Buyers?

Module 1: Provide Coupons for Loyal and New users.
Module 2: Provide Coupons for Nonregistered users.

g) Stock Update?

Module 1: Update Stock Monthly.
Module 2: Update Stocks Daily.
Module 3: Update Stocks Weekly.

Buyers:

a) Customer Login Modules?

Module 1: Login using mobile one-time password.
Module 2: Login using username and password
Module 3: Login using Social Accounts.

b) Show Buyers History?

Module 1: Show only Daily Data.
Module 2: Show only Weekly Data.
Module 3: Show All Purchase Data.

c) Payment Option Menu?

Module 1: Card Payment.
Module 2: UPI Payment.
Module 3: Application Wallet.

d) Raise Issue Tickets?

Module 1: Raise tickets by calling toll-free Number.

Module 2: Raise ticket by Chat feature in the Application.

Module 3: Raise tickets by sending SMS.

Seller:

a) Login Methods of Seller?

Module 2: Login using Username and Password Along with 2 factor Authentication.

(This login Method Increases the Authenticity on the login Module and two Factor Authentication Provides another layer of protection from Unauthorized Access.)

b) Update Methods of Seller?

Module 1: Update details by Product Id.

(By Updating the product details like Stocks, Prices, description etc, by id is the most efficient method and the respective user could be easily retrieved from the database by calling because the id is set as the primary that will always be unique that make the Dbms to easily find and retrieve data.)

c) Tracking Sales data:

Module 2: Update Data Daily.

(The Sales data should be Monitored daily to have a proper analysis on the sales and the seller will get an idea about the market).

Seller:

a) Login Methods of Seller?

(The other Methods have some Authenticity Issues, and the Social Account login is not much need in the Online Market Place)

b) Update Methods of Seller?

(The other Update methods does not give an accurate data for analysis and gives confusion to the sellers)

c) View History?

(The other Type of Views in History of the customer has less effectiveness and Thats might be complex to the viewer to understand)

d) Suggest Seller?

Module 3: Suggest Seller by Rating.

(The seller Should be suggested based on the rating because the seller with higher rating will be preferred by the Buyers)

f) View Seller History?

Module 3: Show All Product Data.

(The seller should be able to view all the product history for their reference and future needs).

g) Provide Coupons for Customers?

Module 1: Provide Coupons for Loyal and New users.

(The most Priority is given to the loyal and new Customer to the Fitness Tracker the user gets satisfied when they receive a coupon)

Customer:

a) Customer Login Modules?

Module 1: Login using mobile one-time password.

(The customer feels easy to Login using the otp that have been sent to the registered mobile number)

b) View Buyer History?

Module 3: Show All Purchase Data.

(The Buyer should be able to view all the purchase history for their reference and future needs).

c) Payment Option Menu?

Module 3: Application Wallet.

(It is easy to access the in-app Wallet and the failure rate in very Minimum)

d) Suggest Seller?

(The other methods of suggesting the seller are not effective and these methods has its own cons, so we do not prefer these methods)

f) View Seller History?

(The other methods of Showing seller history are not effective and those methods will not improve Customer satisfaction)

d) Provide Coupons for Customers?

(Providing the Coupons in Other method don't seem to Increase the customer satisfaction so that the coupons are provided to the new users and the loyal customers)

Customer:

a) Customer Login Modules?

(The other methods have some difficulties in login for the customers, like they could forget the username and password of the application)

b) View Buyer History?

(The other methods of Showing Buyer history are not effective and those methods will not improve Customer satisfaction)

b) Seller Suggestion?

d) Raise Issue Tickets? Module 2: Raise ticket by Chat feature in the Application. (This method of Raising Ticket is efficient and User friendly for the customers to solve their queries by the chat feature)	(The other methods Could not give the relevant suggestion to the buyers) c) Payment Option Menu? (The other methods are not convenient and could also lead to failure in the payment that could probably cause inconvenience to customers) d) Raise Issue Tickets? (The other methods of Raising Ticket are inefficient and not User friendly for the customers to solve their queries)
WHY?	WHY NOT?

Sql Queries:

```
SELECT * FROM sqlassessment.seller; use sqlassessment;
```

```
insert into seller(seller_id,seller_name,seller_number,seller_address) values
(100,'Jeswanth','1111111111','Madurai'); insert into
seller(seller_id,seller_name,seller_number,seller_address) values
(101,'Balaji','2222222222','Theni'); insert into
seller(seller_id,seller_name,seller_number,seller_address) values
(102,'Vishwa','3333333333','Madurai'); insert into
seller(seller_id,seller_name,seller_number,seller_address) values
(103,'Aashik','4444444444','Nagarcoil'); insert into
seller(seller_id,seller_name,seller_number,seller_address) values
(104,'Mukesh','5555555555','Madurai'); insert into
```

```
seller(seller_id,seller_name,seller_number,seller_address) values
(105,'Madhavan','6666666666','Chennai'); insert into
seller(seller_id,seller_name,seller_number,seller_address) values
(106,'Rajesh','7777777777','Nagarcoil');
```

```
insert into product (product_id,product_name,product_price,product_category,seller_id)
values (1,'pen',20,'Education',100), (2,'pencil',10,'Education',100),(3,'Engine
oil',1100,'AutoMobile',101),(4,'tyre',3500,'AutoMobile',102),(5,'Laptop',40000,'Tech',102),
(6,'Earphone',500,'Tech',103),(7,'Watch',1700,'Gadget',104); select * from product;
```

```
update product set product_price=30 where product_id=1; delete from product where
product_id=7;
```

```
create table buyer( buyer_id int primary key, buyer_name varchar(25), buyer_number
varchar(12));
```

```
insert into buyer(buyer_id,buyer_name,buyer_number) values
(1000,'Bangaru','88888888888'),(1001,'Nitish','9999999999'), (1003,'Ranjith','9090909090');
select * from buyer;
```

```
select
seller.seller_id,seller.seller_name,product.product_id,product.product_name ,product.pr
oduct_price from seller join product on seller.seller_id=product.seller_id;
```

```
select * from seller,product,buyer;
```

```
alter table product add constraint product_price check (product_price>0); insert into
product (product_id,product_name,product_price,product_category,seller_id) values
(8,'phone',0,'tech',100);
```

```
create table payment( payment_id int primary key, buyer_id int, product_id int,
payment_date date, foreign key(buyer_id) references buyer(buyer_id) on delete cascade,
foreign key(product_id) references product(product_id) on delete cascade);
```

```
insert into payment(payment_id,buyer_id,product_id,payment_date) values
(1,1000,1,'2025-05-03'),(2,1001,2,'2025-05-03'),(3,1003,3,'2025-05-03'); select*from
payment;
```

```
select  
payment.payment_id,buyer.buyer_name,product.product_id,product.product_name,pay  
ment.payment_date from payment join buyer on payment.buyer_id=buyer.buyer_id join  
product on payment.product_id=product.product_id;
```

Truncate payment;

drop table payment;

```
select * from product where product_price=(select max(product_price) from product);
```

```
select sum(product_price) from product;
```

```
select avg(product_price) from product;
```

```
select count(product_price) from product;
```

Outputs:

Create:

seller

Limit to 1000 rows

```
1 SELECT * FROM sqlassessment.seller;
```

2

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

seller_id	seller_name	seller_number	seller_address
NULL	NULL	NULL	NULL

```
mysql> create database sqlassessment
-> ;
Query OK, 1 row affected (0.02 sec)

mysql> use sqlassessment
Database changed
mysql> create table seller(
-> seller_id int primary key,
-> seller_name varchar(25),
-> seller_number varchar(12),
-> seller_address varchar(50));
Query OK, 0 rows affected (0.02 sec)
```

seller

Limit to 1000 rows

```
1 SELECT * FROM sqlassessment.seller;
2 use sqlassessment;
3
4 insert into seller(seller_id,seller_name,seller_number,seller_address) values (100,'Jeswanth','1111111111','Madurai');
5 insert into seller(seller_id,seller_name,seller_number,seller_address) values (101,'Balaji','2222222222','Theni');
6 insert into seller(seller_id,seller_name,seller_number,seller_address) values (102,'Vishwa','3333333333','Madurai');
7 insert into seller(seller_id,seller_name,seller_number,seller_address) values (103,'Aashik','4444444444','Nagarcoil');
8 insert into seller(seller_id,seller_name,seller_number,seller_address) values (104,'Mukesh','5555555555','Madurai');
9 insert into seller(seller_id,seller_name,seller_number,seller_address) values (105,'Madhavan','6666666666','Chennai');
10 insert into seller(seller_id,seller_name,seller_number,seller_address) values (106,'Rajesh','7777777777','Nagarcoil');
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

seller_id	seller_name	seller_number	seller_address
100	Jeswanth	1111111111	Madurai
101	Balaji	2222222222	Theni
102	Vishwa	3333333333	Madurai
103	Aashik	4444444444	Nagarcoil
104	Mukesh	5555555555	Madurai
105	Madhavan	6666666666	Chennai
106	Rajesh	7777777777	Nagarcoil

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	15:19:58	insert into seller(seller_id,seller_name,seller_number,seller_address) values (102,'Vishwa','3333333333','Madurai');	1 row(s) affected	0.000 sec
8	15:20:31	insert into seller(seller_id,seller_name,seller_number,seller_address) values (103,'Aashik','4444444444','Nagarcoil');	1 row(s) affected	0.015 sec
9	15:20:58	insert into seller(seller_id,seller_name,seller_number,seller_address) values (104,'Mukesh','5555555555','Madurai');	1 row(s) affected	0.016 sec
10	15:21:26	insert into seller(seller_id,seller_name,seller_number,seller_address) values (105,'Madhavan','6666666666','Chennai');	1 row(s) affected	0.015 sec
11	15:22:07	insert into seller(seller_id,seller_name,seller_number,seller_address) values (106,'Rajesh','7777777777','Nagarcoil');	1 row(s) affected	0.015 sec
12	15:22:11	SELECT * FROM sqlassessment.seller LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec


```
mysql> show tables;
```

```
+-----+  
| Tables_in_sqlassessment |  
+-----+  
| seller                   |  
+-----+  
1 row in set (0.01 sec)
```

```
mysql> create table product(  
  -> product_id int primary key,  
  -> product_name varchar(25),  
  -> product_price int,  
  -> product_category varchar(25),  
  -> seller_id int,  
  -> foreign key(seller_id) references seller(seller_id));  
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> show tables;
```

```
+-----+  
| Tables_in_sqlassessment |  
+-----+  
| product                 |  
| seller                   |  
+-----+  
2 rows in set (0.00 sec)
```

```
mysql> select * from product;  
Empty set (0.00 sec)
```

```
mysql> describe product;
```

```
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| product_id     | int           | NO   | PRI | NULL    |       |  
| product_name   | varchar(25)   | YES  |     | NULL    |       |  
| product_price  | int           | YES  |     | NULL    |       |  
| product_category | varchar(25)   | YES  |     | NULL    |       |  
| seller_id      | int           | YES  | MUL | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
5 rows in set (0.00 sec)
```

```
mysql>
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```

11
12 • insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Education',100),
13 (2,'pencil',10,'Education',100),(3,'Engine oil',1100,'AutoMobile',101),(4,'tyre',3500,'AutoMobile',102),(5,'Laptop',40000,'Tech'
14 (6,'Earphone',500,'Tech',103),(7,'Watch',1700,'Gadget',104);
15 • select * from product;
16
17
18
19
20

```

product_id	product_name	product_price	product_category	seller_id
1	pen	20	Education	100
2	pencil	10	Education	100
3	Engine oil	1100	AutoMobile	101
4	tyre	3500	AutoMobile	102
5	Laptop	40000	Tech	102
6	Earphone	500	Tech	103
7	Watch	1700	Gadget	104
NULL	NULL	NULL	NULL	NULL

product 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	15:20:58	insert into seller(seller_id,seller_name,seller_number,seller_address) values (104,'Mukesh','5555555555','Madurai')	1 row(s) affected	0.016 sec
10	15:21:26	insert into seller(seller_id,seller_name,seller_number,seller_address) values (105,'Madhavan','6666666666','Che...	1 row(s) affected	0.015 sec
11	15:22:07	insert into seller(seller_id,seller_name,seller_number,seller_address) values (106,'Rajesh','7777777777','Nagarc...	1 row(s) affected	0.015 sec
12	15:22:11	SELECT * FROM sqlassessment.seller LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec
13	15:35:33	insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Edu...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0	0.000 sec
14	15:35:48	select * from product LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec

```

11
12 • insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Education',100),
13 (2,'pencil',10,'Education',100),(3,'Engine oil',1100,'AutoMobile',101),(4,'tyre',3500,'AutoMobile',102),(5,'Laptop',40000,'Tech'
14 (6,'Earphone',500,'Tech',103),(7,'Watch',1700,'Gadget',104);
15 • select * from product;
16
17 • update product set product_price=30 where product_id=1;
18
19
20

```

product_id	product_name	product_price	product_category	seller_id
1	pen	30	Education	100
2	pencil	10	Education	100
3	Engine oil	1100	AutoMobile	101
4	tyre	3500	AutoMobile	102
5	Laptop	40000	Tech	102
6	Earphone	500	Tech	103
7	Watch	1700	Gadget	104
NULL	NULL	NULL	NULL	NULL

product 5 x

Output

Action Output

#	Time	Action	Message
11	15:22:07	insert into seller(seller_id,seller_name,seller_number,seller_address) values (106,'Rajesh','7777777777','Nagarc...	1 row(s) affected
12	15:22:11	SELECT * FROM sqlassessment.seller LIMIT 0, 1000	7 row(s) returned
13	15:35:33	insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Edu...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0
14	15:35:48	select * from product LIMIT 0, 1000	7 row(s) returned
15	15:38:21	update product set product_price=30 where product_id=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
16	15:38:25	select * from product LIMIT 0, 1000	7 row(s) returned

seller

Limit to 1000 rows

```

11 -----
12 • insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Education',100),
13 (2,'pencil',10,'Education',100),(3,'Engine oil',1100,'AutoMobile',101),(4,'tyre',3500,'AutoMobile',102),(5,'Laptop',40000,'Tech'
14 (6,'Earphone',500,'Tech',103),(7,'Watch',1700,'Gadget',104);
15 • select * from product;
16
17 • update product set product_price=30 where product_id=1;
18 • delete from product where product_id=7;
19
20

```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	product_id	product_name	product_price	product_category	seller_id
▶	1	pen	30	Education	100
	2	pencil	10	Education	100
	3	Engine oil	1100	AutoMobile	101
	4	tyre	3500	AutoMobile	102
	5	Laptop	40000	Tech	102
	6	Earphone	500	Tech	103
•	NULL	NULL	NULL	NULL	NULL

Result Grid

Form Editor

product 6

Apply

Revert

Output

Action Output

#	Time	Action	Message
✓ 13	15:35:33	insert into product (product_id,product_name,product_price,product_category,seller_id) values (1,'pen',20,'Edu...	7 row(s) affected Records: 7 Duplicates: 0 Warnings: 0
✓ 14	15:35:48	select * from product LIMIT 0, 1000	7 row(s) returned
✓ 15	15:38:21	update product set product_price=30 where product_id=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0
✓ 16	15:38:25	select * from product LIMIT 0, 1000	7 row(s) returned
✓ 17	15:40:55	delete from product where product_id=7	1 row(s) affected
✓ 18	15:40:59	select * from product LIMIT 0, 1000	6 row(s) returned


```

35
36 • alter table product add constraint product_price check (product_price>0);
37 • insert into product (product_id,product_name,product_price,product_category,seller_id) values (8,'phone',0,'tech',100);
38
39

```

Output			
Action Output			
#	Time	Action	Message
✖ 34	16:10:35	select avg(product_price) LIMIT 0, 1000	Error Code: 1054. Unknown column 'product_price' in field list'
✔ 35	16:11:52	select seller.seller_id,seller.seller_name,product.product_id,product.product_name ,product.product_price from seller jo...	6 row(s) returned
✔ 36	16:35:58	select * from seller,product,buyer LIMIT 0, 1000	126 row(s) returned
✔ 37	17:00:16	alter table product add constraint product_price check (product_price>0)	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0
✖ 38	17:00:29	alter table product add constraint product_price check (product_price>0)	Error Code: 3822. Duplicate check constraint name 'product_price'.
✖ 39	17:01:48	insert into product (product_id,product_name,product_price,product_category,seller_id) values (8,'phone',0,'tech',100)	Error Code: 3819. Check constraint 'product_price' is violated.

Constraints

37 • `insert into product (product_id,product_name,product_price,product_category,seller_id) values (8,'phone',10000,'tech',100);`
 38 • `select*from product;`
 39

Result Grid

product_id	product_name	product_price	product_category	seller_id
1	pen	30	Education	100
2	pencil	10	Education	100
3	Engine oil	1100	AutoMobile	101
4	tyre	3500	AutoMobile	102
5	Laptop	40000	Tech	102
6	Earphone	500	Tech	103
8	phone	10000	tech	100
NULL	NULL	NULL	NULL	NULL

product 13 × Apply Revert

Output

Action Output

#	Time	Action	Message
✓ 36	16:35:58	<code>select * from seller.product.buyer LIMIT 0, 1000</code>	126 row(s) returned
✓ 37	17:00:16	<code>alter table product add constraint product_price check (product_price>0)</code>	6 row(s) affected Records: 6 Duplicates: 0 Warnings: 0
✓ 38	17:00:29	<code>alter table product add constraint product_price check (product_price>0)</code>	Error Code: 3822. Duplicate check constraint name 'product_price'.
✗ 39	17:01:48	<code>insert into product (product_id,product_name,product_price,product_category,seller_id) values (8,'phone',0,'tech',1...</code>	Error Code: 3819. Check constraint 'product_price' is violated.
✓ 40	17:09:19	<code>insert into product (product_id,product_name,product_price,product_category,seller_id) values (8,'phone',10000,1...</code>	1 row(s) affected
✓ 41	17:09:36	<code>select*from product LIMIT 0, 1000</code>	7 row(s) returned

seller ×

Limit to 1000 rows

44 `payment_date date,`
 45 `foreign key(buyer_id) references buyer(buyer_id) on delete cascade,`
 46 `foreign key(product_id) references product(product_id) on delete cascade);`
 47
 48 • `insert into payment(payment_id,buyer_id,product_id,payment_date) values (1,1000,1,'2025-05-03'),(2,1001,2,'2025-05-03'),(3,1003,3,'2025-05-03');`
 49 `select*from payment;`
 50
 51 • `select payment.payment_id,buyer.buyer_name,product.product_id,product.product_name,payment.payment_date from payment`
 52 `join buyer on payment.buyer_id=buyer.buyer_id join product on payment.product_id=product.product_id;`
 53

Result Grid

payment_id	buyer_name	product_id	product_name	payment_date
1	Bangaru	1	pen	2025-05-03
2	Nitish	2	pencil	2025-05-03
3	Ranjith	3	Engine oil	2025-05-03

payment 16 Result 17 × Read Only

Output

Action Output

#	Time	Action	Message
✓ 45	17:14:10	<code>select payment.payment_id,buyer.buyer_name,product.product_id,product.product_name,payment.payment_date ...</code>	3 row(s) returned
✓ 46	17:15:15	<code>drop table payment</code>	0 row(s) affected
✓ 47	17:15:35	<code>create table payment(payment_id int primary key, buyer_id int, product_id int, payment_date date, foreign key(buy...</code>	0 row(s) affected
✓ 48	17:15:35	<code>insert into payment(payment_id,buyer_id,product_id,payment_date) values (1,1000,1,'2025-05-03'),(2,1001,2,'2025...</code>	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 49	17:15:35	<code>select*from payment LIMIT 0, 1000</code>	3 row(s) returned
✓ 50	17:15:35	<code>select payment.payment_id,buyer.buyer_name,product.product_id,product.product_name,payment.payment_date ...</code>	3 row(s) returned

drop:

```

54 • drop table payment;
55 • select * from payment;
56

```

Output

#	Time	Action	Message
47	17:15:35	create table payment(payment_id int primary key, buyer_id int, product_id int, payment_date date, foreign key(buy...	0 row(s) affected
48	17:15:35	insert into payment(payment_id,buyer_id,product_id,payment_date) values (1,1000,1,'2025-05-03'),(2,1001,2,'2025...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
49	17:15:35	select * from payment LIMIT 0, 1000	3 row(s) returned
50	17:15:35	select payment.payment_id,buyer,buyer_name,product,product_id,product,product_name,payment,payment_date ...	3 row(s) returned
51	17:17:31	drop table payment	0 row(s) affected
52	17:17:47	select * from payment LIMIT 0, 1000	Error Code: 1146. Table 'sqlassessment.payment' doesn't exist

Sum of prices:

```

57 • select sum(product_price) from product;
58

```

<

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

sum(product_price)
55140

Product details of product of maximum price:

```

57
58 • select * from product where product_price=(select max(product_price) from product);
59

```

<

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content: |

	product_id	product_name	product_price	product_category	seller_id
▶	5	Laptop	40000	Tech	102
*	NULL	NULL	NULL	NULL	NULL

Product count:

```

61 • select count(product_price) from product;

```


<

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

count(product_price)
7

ER diagram:

ER Diagram For Online Market Place



Schema Diagram:

Schema Diagram

