GAT ANDRES BONIFACIO HIGH SCHOOL

Troubleshooting Decision Tree

Symptom, likely cause, safe next action, and escalation boundary

Evidence edition
Instructions match application snapshot 211483f07b901299b48ae42eda318c7448f1cbfd. Production credentials and school records are not included.

Decision rule

Read before retrying
Capture the exact command, service, timestamp, visible message, and request ID. Retry a write only after you understand whether the first attempt committed.

Symptom	Likely cause	Next safe action
docker command not found	Docker is not installed or the terminal is stale.	Install/start Docker Desktop or Engine; reopen the terminal; run docker version.
Compose validation fails	Missing/invalid .env value.	Read the exact variable name; compare with .env.compose.example; never guess a secret from another environment.
Container exited	Startup or dependency failure.	Run docker compose ps --all, then docker compose logs --tail=200 SERVICE.
Ollama still starting	First model downloads are incomplete.	Keep internet connected; run docker compose logs -f ollama; wait for all three model messages.
Backend readiness 503	Database, Redis, AI, model, or storage is not ready.	Inspect the readiness body and corresponding service logs; repair that dependency first.
Web opens but API fails	Wrong API URL, backend unavailable, or browser origin mismatch.	Check backend readiness and the configured API origin; rebuild frontend after build-time URL changes.
Login rejected	Wrong credentials, inactive account, role/lifecycle state, or stale session.	Use an authorized synthetic account; read the exact message; clear only that session and retry once.
Mobile cannot connect	EXPO_PUBLIC_API_URL is unreachable from the device.	Use a reachable HTTPS address; 10.0.2.2 works only for Android emulator to host.
APK will not install	Unknown apps disabled, old signature conflict, corruption, or unsupported device.	Verify SHA-256; allow this file manager/browser; remove only an explicitly approved conflicting test install.
Restore refuses target	The script detected an existing/unsafe database name or checksum mismatch.	Stop. Create a new *_restore_test name and re-verify the backup; do not bypass the guard.

Escalate when

- Authorization, data scope, grade/history integrity, backup validity, or rollback safety is uncertain.
- The same corrected step fails twice, a production-only change is requested, or evidence would need to be deleted to continue.