GAT ANDRES BONIFACIO HIGH SCHOOL

Windows Quick Start

Docker Desktop and PowerShell setup for a first-year IT operator

Evidence edition
Instructions match application snapshot 211483f07b901299b48ae42eda318c7448f1cbfd. Production credentials and school records are not included.

Before you begin

- 64-bit Windows 10/11 with virtualization enabled, administrator rights for installation, and at least 25 GB free local disk space.
- Install Git, Docker Desktop with WSL 2, Node.js 20.9 or newer, and a modern browser.
- Connect to the internet for the first build and Ollama model downloads.

Use a local folder
Copy the package to C:\Nexora-Handoff or another short writable path. Do not run Docker from the external drive.

1. Extract the locked source

```
Expand-Archive -Path .\03-SOURCE\nexora-source-211483f.zip -DestinationPath C:\Nexora-Source
Set-Location C:\Nexora-Source
```

2. Prepare configuration

```
Copy-Item .env.compose.example .env
notepad .env
```

- Replace every CHANGE_ME value with a unique value. Keep BACKEND_DATABASE_URL and AI_DATABASE_URL passwords aligned with POSTGRES_PASSWORD.
- Do not add secrets to NEXT_PUBLIC_* or EXPO_PUBLIC_* values.

3. Validate and start

```
docker compose config --quiet
docker compose up -d
```

- The first start may take several minutes because three AI models are downloaded. Watch progress with docker compose logs -f ollama.

4. Prove readiness

```
docker compose ps
docker compose logs --tail=100
Invoke-WebRequest http://localhost:3000/api/health/ready
Start-Process http://localhost:3001
```

Done when
All six core services are running or healthy, backend readiness succeeds, and the Nexora web page opens at http://localhost:3001.

5. Stop without losing data

```
docker compose down
```

- This keeps named volumes. Never add --volumes unless the environment is disposable and deletion was explicitly approved.