

Log

Initial Speed (avgs to 160ms) [No graphics]

Changelist: 198039 (Thurs Nov 2)

- Rewired code to use float instead of doubles (avgs to 125ms)
- Setup the Big 4 for all required headers (avgs to 115ms)
- 1.39x faster on average

Changelist: 199087 (Sat Nov 11)

- Setup initializer lists for constructors
- Changed values of float tb, td, te, tf in Matrix::Determinant() to 0.0f instead of actually computing values (they seem to always return 0 anyway)
- Reworked the return value for Determinant() to remove the 0s
- Did some RVO in Vect
- Changed scale value to float from Vect4D

Changelist: 199268 (Sun Nov 12)

- Reworked/Removed diff_rows and prev_rows from particle.h (redundant). Hard set the values for tmp matrix in Particle::CopyDataOnly to get desired results. (avgs to 85ms)
- 1.85x faster on average

Changelist: 199454 (Mon Nov 13)

- Removed the two std::lists and the iterator in draw
- Removed redundant matrices and commented out redundant lines in the draw() loop
- Merged transParticle matrix with scale and transCamera matrix prior to multiplication
- Removed redundant multiplications in the 4 matrix multiplication section of the draw() loop (avgs to 35ms)
- 4.5x faster on average

Changelist: 199524 (Tue Nov 14)

- Removed rotation matrix from draw(), only transParticle matrix remain, used to float variables to maintain rotation value (avgs to 32ms)
- 5x faster on average