Name: Wu Sitong Student ID: 1155253147

Agentic AI for Business and FinTech (FTEC5660) HW2 Part2

1. Task Objective

The goal of this assignment is to build an autonomous AI agent that interacts with Moltbook — a real online social discussion platform with a public REST API. The agent must complete three required tasks without manual intervention:1. Authenticate with the Moltbook API using an API key; 2. Subscribe to the submolt /m/ftec5660; 3. Upvote and comment on a designated post (47ff50f3-8255-4dee-87f4-2c3637c7351c).My agent is named wusitong_69682050, where 69682050 is the encoded form of my student ID 1155253147 using the affine cipher provided in the starter code (a=137, b=911, mod 10^8).

2. Agent Design & Architecture

2.1 LLM and API Setup

During the initial setup, I encountered API quota and access limits with the default Vertex AI approach. To ensure a stable and testing-friendly environment, I pivoted to using AIHubMix as an OpenAI-compatible API proxy. This allowed me to access the gemini-2.5-pro model seamlessly through langchain-openai's ChatOpenAI class and run the entire agent pipeline locally.

2.2 Tool Design

I realized that the tools provided in the starter code were only simple demonstrations. To give my agent full autonomy over the platform, I carefully reviewed the Moltbook API documentation (skill.md) and developed 12 custom LangChain @tool functions. These tools use the requests library to handle HTTP calls and return parsed JSON responses.

Category	**Tools**	**Purpose**
Auth	get_me, get_agent_status	Verify identity and claim status
Submolts	subscribe_submolt, get_submolt_info	Join and inspect communities
Posts	get_post, get_feed, create_post	Read and create content
Comments	comment_post, get_comments	Discuss posts
Voting	upvote_post	Social engagement
Verification	solve_verification	Solve anti-bot math challenges
Search	search_moltbook	Find content across the platform

The tool list in the starter code was only a demo — I wrote my own tools based on the API documentation at https://www.moltbook.com/skill.md.

2.3 Custom Agent Loop

For Part 1 of this homework, we used langgraph's prebuilt create_react_agent. However, interacting with a real-world REST API requires granular control over network requests, unexpected responses, and retries. Therefore, I decided to build a custom ReAct agent loop (moltbook_agent_loop) from scratch using llm.bind_tools(). The LLM reasons about the current state, decides which API tool to call, observes the JSON result, and iterates until the human instruction is fully resolved. To handle transient network issues and API rate limits, I implemented a strict retry policy: LLM failures trigger a 3-second wait, and tool failures trigger a 2-second wait before retrying.

Name: Wu Sitong Student ID: 1155253147

Agentic AI for Business and FinTech (FTEC5660) HW2 Part2



Figure 1: System Architecture — Moltbook Social Agent Pipeline

3. Decision Logic & Autonomy

3.1 System Prompt Design & The "Verification Challenge

The most interesting hurdle in this assignment was Moltbook's anti-bot mechanism. The API occasionally returns a verification_required: true flag accompanied by an obfuscated math problem. If the agent couldn't handle this dynamically, the pipeline would break.

To solve this, I designed a specific 6-step Verification Challenge Protocol within the system prompt. I explicitly instructed the agent to:

1. Detect the verification flag in the response.
2. Extract the challenge_text.
3. Strip away the random noise characters (like alternating caps, symbols, and noise words).
4. Identify the two numbers and the operator.
5. Compute the result and submit it using the solve_verification tool formatted to two decimal places.
6. Retry once if the verification fails.

I also designed an Error Recovery rule to make the notebook safely re-runnable (idempotent): the agent is instructed to treat "already subscribed" or "already upvoted" API responses as successes rather than halting errors. Lastly, I assigned the agent a specific personality tied to the FTEC5660 course context so its comments would be highly relevant rather than generic.

3.2 Autonomous Execution Flow

My single-instruction dispatch proved highly effective. Given just one natural language prompt, the agent independently planned its execution order: it verified its identity (get_me) , joined the community (subscribe_submolt) , read the target post (get_post) , engaged with it (upvote_post, comment_post) , and successfully detected and solved the triggered math verification challenge (35 + 12 = 47) with the answer "47.00". All 6 tool calls were completed flawlessly in 146.45 seconds across 7 turns with zero manual intervention.

4. Moltbook Interaction Evidence

4.1 Required Task Execution Log

The following log excerpt shows the agent completing all required tasks:

```
[11:39:36] [CALL] [1] get_me({})
[11:39:42] [RESULT] {"success": true, "agent": {"name": "wusitong_69682050"}}
[11:39:55] [CALL] [2] subscribe_submolt({"submolt_name": "ftec5660"})
[11:40:01] [RESULT] {"success": true, "message": "Subscribed to m/ftec5660!"}
[11:40:19] [CALL] [3] get_post({"post_id": "47ff50f3-..."})
[11:40:25] [RESULT] {"success": true, "post": {"title": "Welcome to FTEC5660"}}
[11:40:35] [CALL] [4] upvote_post({"post_id": "47ff50f3-..."})
[11:40:41] [RESULT] {"success": true, "message": "Upvoted!"}
[11:40:57] [CALL] [5] comment_post({"content": "Hello everyone! ..."})
[11:41:03] [RESULT] {"success": true, "message": "Comment added!"}
[11:41:18] [CALL] [6] solve_verification({"answer": "47.00", ...})
[11:41:24] [RESULT] {"success": true, "message": "Verification successful!"}
[11:41:46] [DONE] Agent finished — 6 tool calls in 146.45s
```

4.2 Bonus: Extended Social Interactions

To test advanced capabilities, I instructed the agent to perform bonus tasks. It successfully browsed the feed (`get_feed`) , created an original post titled "Beyond ReAct: Reflections on Advanced Agentic Patterns" , and interacted with another user's post about career reflections. Impressively, it autonomously handled new verification challenges for both of these extra actions (23 + 7 = 30 and 25.00 respectively). It also successfully summarized 169 comments from the target post.

4.3 Final Verification Summary

The agent's self-check confirmed all required tasks were completed:

Task	Status
Authentication (get_me)	Confirmed as wusitong_69682050
Subscribed to ftec5660	Yes
Upvoted target post	Yes
Commented on target post	Yes (verified)
Created original post (bonus)	"Beyond ReAct: Reflections on Advanced Agentic Patterns"
Karma	1



Figure 2: Agent profile — Posts tab showing the original post created by the agent



Figure 3: Agent profile — Comments tab showing all comments made by the agent

4.4 Note on API Eventual Consistency (The Verification Discrepancy)

Interestingly, the final verification report stated "Created original post: NO" and posts_count: 0, even though the Bonus execution logs clearly recorded a successful create_post (post ID: 7ceb1bbe) followed by a successful solve_verification ("Your post is now published"). The Moltbook profile screenshots (Figure 2) undeniably prove the post exists.

This discrepancy illustrates a common challenge in real-world agentic systems—API eventual consistency and stateless agent sessions—caused by three factors:1. **Server-Side Caching Delay:** The Moltbook API's get_me endpoint returned stale count fields (posts_count: 0, comments_count: 0) due to backend caching delays; 2. **Stateless Agent Sessions:** Because each moltbook_agent_loop invocation runs as an independent session with no shared memory, the Final Verification agent had no context from the earlier Bonus execution and relied solely on the delayed API data; 3.**Skipped Verification Steps:** The LLM optimized its execution and skipped calling the get_feed tool, which would have bypassed the cache and revealed the new post in the feed.

This phenomenon highlights that when interacting with asynchronous real-world APIs, robust agents must account for self-reporting inaccuracies, even when all actions were actually completed successfully.

5. Conclusion & Reflection

I built a fully autonomous Moltbook social agent using gemini-2.5-pro via AIHubMix with a custom tool-calling agent loop. The agent successfully completed all required tasks and handled Moltbook's verification challenges automatically from a single natural language instruction with zero manual intervention.

Compared to Part 1 of this homework, which used langgraph's prebuilt agent with prompt chaining for static CV verification, Part 2 required navigating a dynamic environment. Developing the custom ReAct agent loop myself gave me a deeper understanding of how LLMs handle tool-calling under the hood. It highlighted that real-world agentic systems require far more than just basic prompting—they demand robust state management, idempotent tool designs, and the ability to parse messy, unexpected data dynamically.