



Quality Leadership System

CRAIOVA Plant *V769 ROLLER, DEFECTIVE wo CAL

Generated: 04:51:13 09 May 2025 *** **Printed:** 05:40:00 09 May 2025

By: GABRIEL CIRLOGEA





	CY		Month							Week S		Day								
Actual Unit Concern /1000	13.1	7.077	4.577	7.409	9.834	5.706	5.953	4.013	4.873	2.907	8.608	5.178	7.226	3.434	10.92	8	2.793	5.39	2.564	2.994
Sample Size	82693	32782	6991	7153	8643	9113	6551	1495	2257	2064	2091	1738	1107	1456	366	375	358	371	390	334
Actual Unit Concern /1000	13.1	7.077	4.577	7.409	9.834	5.706	5.953	4.013	4.873	2.907	8.608	5.178	7.226	3.434	10.92	8	2.793	5.39	2.564	2.994
FTT Not-OK Units Count	274	73	6	22	24	16	9	3	4	2	6	2	0	3	0	0	1	1	1	0
First Run %	98.71	99.31	99.54	99.27	99.05	99.45	99.42	99.6	99.51	99.71	99.14	99.48	99.28	99.66	98.91	99.2	99.72	99.46	99.74	99.7
Actual Unit Concern Count	1084	232	32	53	85	52	39	6	11	6	18	9	8	5	4	3	1	2	1	1
Undefined Unit Concern /1000	0	3.813	0	0	0	0.109	0.305	78.92	0	0	0.478	0.575	3.613	78.29	0	0	55.86	97.03	79.48	74.85

•																			
	Actual Unit Concern,/1000																		
	CY	Month						Week Starting						Day					
								23	23 30 6		13 27 4			29	30	5	6	7	8
	2024 2025	Dec	Jan	Feb	Mar	Apr	May	Mar	Mar	Apr	Apr	Apr	May	Apr	Apr	May	May	May	May
Roller LOOSE	5.272 2.623	1.144	1.817	4.049	1.975	2.747	1.337	1.329	1.938	5.26	1.726	1.806	0.686	0	2.666	0	0	0	2.994
LEFT REAR SCREW	3.265 1.433	0.286	0.559	2.545	0.877	1.679	1.337	1.329	0.969	2.869	1.15	1.806	0.686	0	2.666	0	0	0	2.994
Roller IMPROPER ASSEMBLY	6.07 3.813	3.433	2.796	5.553	3.621	3.205	2.675	3.544	0.969	3.347	3.452	5.42	2.747	10.92	5.333	2.793	5.39	2.564	0
Roller DAMAGED	0.024 0.061	0	0.139	0	0.109	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEFT CENTER	0 0.03	0	0	0	0.109	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roller NOISY	0.108 0.549	0	2.516	0.231	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RIGHT CENTER	0 0.091	0	0.419	0.115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEFT UPPER	0.072 0.122	0	0.559	0.115	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roller IMPROPER FUNCTION	1.632 0.03	0	0.139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEFT TOP	0 0.03	0	0.139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
															ı	Pareto Po	pulation	Percent	100%