


Quality Leadership System

CRAIOVA Plant *V769 SLIDING DOOR DENT

G_S Generated: 05:00:21 09 May 2025 Printed: 05:22:12 09 May 2025

By: GABRIEL CIRLOGEA





	C	CY	Month						Week Starting							Day					
Actual Unit Concern /1000	6.929	9.272	7.152	10.34	14.23	5.376	7.632	6.666	6.202	5.814	5.738	9.206	9.033	6.844	0	13.33	13.96	5.39	5.128	0	
Sample Size	82693	32787	6991	7153	8643	9113	6551	1500	2257	2064	2091	1738	1107	1461	366	375	358	371	390	339	
Actual Unit Concern /1000	6.929	9.272	7.152	10.34	14.23	5.376	7.632	6.666	6.202	5.814	5.738	9.206	9.033	6.844	0	13.33	13.96	5.39	5.128	0	
FTT Not-OK Units Count	429	229	46	52	92	38	40	9	12	9	10	13	7	9	0	3	5	2	2	0	
First Run %	99.32	99.1	99.3	98.98	98.61	99.5	99.25	99.33	99.38	99.42	99.43	99.08	99.19	99.32	100	98.93	98.6	99.46	99.49	100	
Actual Unit Concern Count	573	304	50	74	123	49	50	10	14	12	12	16	10	10	0	5	5	2	2	0	
Undefined Unit Concern /1000	0	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

	Actual Unit Concern,/1000																			
	С	Y	Month						Week Starting											
									23	30	6	13	27	4	29	30	5	6	7	8
	2024	2025	Dec	Jan	Feb	Mar	Apr	May	Mar	Mar	Apr	Apr	Apr	May	Apr	Apr	May	May	May	May
SlidingDoor DENT	6.929	9.272	7.152	10.34	14.23	5.376	7.632	6.666	6.202	5.814	5.738	9.206	9.033	6.844	0	13.33	13.96	5.39	5.128	0
RIGHT C2 OUTER	1.003	1.677	1.573	1.957	2.198	1.316	1.221	1.333	1.329	0.969	0	2.301	1.806	1.368	0	0	0	2.695	2.564	0
LEFT D1 OUTER	0.399	0.366	0.143	0.419	0.115	0.329	0.457	1.333	0.443	0	0.478	0	1.806	1.368	0	2.666	0	0	2.564	0

Pareto Population Percent 0%