


Quality **CRAIOVA Plant** Leadership *V769 HOOD DENT System

G_S

Generated: 04:52:34 09 May 2025 Printed: 05:17:21 09 May 2025 By: GABRIEL CIRLOGEA



	CY		Month						Week Starting						Day						
Actual Unit Concern /1000	1.656	1.555	1.287	1.957	1.966	0.987	1.984	0.668	0.886	1.453	3.347	1.15	0.903	0.686	0	2.666	0	0	0	2.994	
Sample Size	82693	32782	6991	7153	8643	9113	6551	1495	2257	2064	2091	1738	1107	1456	366	375	358	371	390	334	
Actual Unit Concern /1000	1.656	1.555	1.287	1.957	1.966	0.987	1.984	0.668	0.886	1.453	3.347	1.15	0.903	0.686	0	2.666	0	0	0	2.994	
FTT Not-OK Units Count	97	36	6	11	15	4	9	0	0	3	4	2	0	0	0	0	0	0	0	0	
First Run %	99.84	99.84	99.87	99.8	99.8	99.9	99.8	99.93	99.91	99.85	99.67	99.88	99.91	99.93	100	99.73	100	100	100	99.7	
Actual Unit Concern Count	137	51	9	14	17	9	13	1	2	3	7	2	1	1	0	1	0	0	0	1	
Undefined Unit Concern /1000	0	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

		Actual Unit Concern,/1000																		
		C,	Υ			Мо	nth				Day									
		:							23 30	6 13		27 4		29	30)	5	6	7	8
	2	2024	2025	Dec	Jan	Feb	Mar	Apr May	Mar Mar	Apr	Apr	Apr	May	Apr	Ap	r	May	May	May	May
Hood DENT	0).979	0.64	0.286	0.699	0.694	0.548	0.763 0.668	0 0	1.913	0.575	0	0.686	0	0		0	0	0	2.994
E	1 0	0.012	0.03	0	0	0	0	0 0.668	0 0	0	0	0	0.686	0	0		0	0	0	2.994
Hood DISTORTED	0).677	0.915	1.001	1.258	1.272	0.438	1.221 0	0.886 1.453	1.434	0.575	0.903	0	0	2.66	66	0	0	0	0
Α	.1	0.12	0.244	0.429	0.419	0.231	0	0.61 0	0 0.969	0	0.575	0.903	0	0	2.66	36	0	0	0	0

Pareto Population Percent 100%