

Rajalakshmi Engineering College

Name: JEYAGURU M
Email: 241801108@rajalakshmi.edu.in
Roll no: 241801108
Phone: 8072274689
Branch: REC
Department: I AI & DS FB
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results



NeoColab_REC_CS2323I_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section I : Coding

I. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

10 20 30 40 50

Output: 10 20 30 40 50

Answer

```
#include <stdio.h>
#include <stdlib.h>
typedef struct node
{
    int data;
    struct node* next;
    struct node* prev;
}Node;
void insertAtend(Node** head,int data)
{
    Node* newNode = (Node*)malloc(sizeof(Node));
    newNode->data = data;
    newNode->next = NULL;
    newNode->prev = NULL;
    if(*head == NULL)
    {
        *head = newNode;
        return;
    }
    Node* temp = *head;
    while(temp->next != NULL)
    {
        temp = temp->next;
    }
}
```

```

    temp -> next = newNode;
    newNode -> prev = temp;
}
void Traverse(Node* head)
{
    Node* temp = head;
    while(temp != NULL)
    {
        printf("%d ",temp -> data);
        temp = temp -> next;
    }
}
int main()
{
    int n,e;
    Node* head = NULL;
    scanf("%d",&n);
    for(int i=0;i<n;i++)
    {
        scanf("%d",&e);
        insertAtend(&head,e);
    }
    Traverse(head);
}

```

Status : **Correct**

Marks : 10/10