# Exp No: 1 Downloading and installing Hadoop, Understanding different Hadoop modes, Startup scripts, Configuration files.

## $ nano ~/.bashrc

## $ nano $HADOOP_HOME/etc/hadoop/hadoop-env.sh



**$nano $HADOOP_HOME/etc/hadoop/core-site.xml**

```
File  Actions  Edit  View  Help
  GNU nano 7.2                                                    /home/hac
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->

<!-- Put site-specific property overrides in this file. -->

<configuration>
<property>
 <name>fs.defaultFS</name>
 <value>hdfs://localhost:9000</value>  </property>
 <property>
<name>hadoop.proxyuser.dataflair.groups</name> <value>*</value>
 </property>
 <property>
<name>hadoop.proxyuser.dataflair.hosts</name> <value>*</value>
 </property>
 <property>
<name>hadoop.proxyuser.server.hosts</name> <value>*</value>
 </property>
 <property>
<name>hadoop.proxyuser.server.groups</name> <value>*</value>
 </property>
</configuration>
```

**$nano $HADOOP_HOME/etc/hadoop/hdfs-site.xml**

```
hadoop@kali: ~
File  Actions  Edit  View  Help
  GNU nano 7.2                                    /home/hadoop/hadoop/etc/hadoo
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->

<!-- Put site-specific property overrides in this file. -->

<configuration>
 <property>
 <name>dfs.replication</name>
 <value>1</value>
 </property>
 <property>
 <name>dfs.name.dir</name>
 <value>file:///home/hadoop/hadoopdata/hdfs/namenode</value>
 </property>
 <property>
    <name>dfs.datanode.data.dir</name>
    <value>file:///home/hadoop/hadoopdata/hdfs/datanode</value>
 </property>
</configuration>
```

## $nano $HADOOP_HOME/etc/hadoop/mapred-site.xml

```
hadoop@kali: ~
File  Actions  Edit  View  Help
  GNU nano 7.2                                        /home/hadoop/hadoop/etc/hadoop/mapre

<?xml version="1.0"?>
<?xml-stylesheet type="text/xsl" href="configuration.xsl"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->

<!-- Put site-specific property overrides in this file. -->

<configuration>
 <property>
 <name>mapreduce.framework.name</name>  <value>yarn</value>
 </property>
 <property>
 <name>mapreduce.application.classpath</name>

<value>$HADOOP_MAPRED_HOME/share/hadoop/mapreduce/*:$HADOOP_MAPRED_HOME/share/hadoop/mapreduce/lib/*</value>
 </property>
</configuration>
```

## $nano $HADOOP_HOME/etc/hadoop/yarn-site.xml

```
hadoop@kali: ~
File  Actions  Edit  View  Help
  GNU nano 7.2                                        /home/hadoop/hadoop/etc/hadoop/yarn-site.xml
<?xml version="1.0"?>
<!--
  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License. See accompanying LICENSE file.
-->
<configuration>

<!-- Site specific YARN configuration properties -->
 <property>
 <name>yarn.nodemanager.aux-services</name>
 <value>mapreduce_shuffle</value>
 </property>
 <property>
 <name>yarn.nodemanager.env-whitelist</name>

<value>JAVA_HOME,HADOOP_COMMON_HOME,HADOOP_HDFS_HOME,HADOOP_CONF_DIR,CLASSPATH_PREP END_DISTCACHE,HADOOP_YARN_HOME,HADOOP_MAPRED_HOME</value>
 </property>
</configuration>
```

## $ start-all.sh

```
hadoop@kali: ~
File  Actions  Edit  View  Help

┌──(hadoop㉿kali)-[~]
└─$ start-all.sh
WARNING: Attempting to start all Apache Hadoop daemons as hadoop in 10 seconds.
WARNING: This is not a recommended production deployment configuration.
WARNING: Use CTRL-C to abort.
Starting namenodes on [localhost]
Starting datanodes
Starting secondary namenodes [kali]
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
2024-09-11 04:59:16,429 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Starting resourcemanager
Starting nodemanagers
```

## $ jps

```
┌──(hadoop㉿kali)-[~]
└─$ jps
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
14436 NodeManager
16772 Jps
13830 SecondaryNameNode
14311 ResourceManager
13597 DataNode
13471 NameNode

┌──(hadoop㉿kali)-[~]
└─$
```

## localhost:9870



**localhost:8088**