EXP NO: 5 **INSTALLATION OF HIVE**

$wget https://archive.apache.org/dist/hive/hive-3.1.2/apache-hive-3.1.2-bin.tar.gz



$tar xvzf apache-hive-3.1.2-bin.tar.gz



$mv apache-hive-3.1.2-bin hive

$nano ~/.bashrc

$source ~/.bashrc

$cd hive

$cp conf/hive-default.xml.template conf/hive-site.xml



$nano conf/hive-site.xml

$start-all.sh

```
hadoop@kali: ~
File  Actions  Edit  View  Help

┌──(hadoop㉿kali)-[~]
└─$ start-all.sh
WARNING: Attempting to start all Apache Hadoop daemons as hadoop in 10 seconds.
WARNING: This is not a recommended production deployment configuration.
WARNING: Use CTRL-C to abort.
Starting namenodes on [localhost]
Starting datanodes
Starting secondary namenodes [kali]
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
2024-09-11 04:59:16,429 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Starting resourcemanager
Starting nodemanagers
```

$ jps

```
┌──(hadoop㉿kali)-[~]
└─$ jps
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
14436 NodeManager
16772 Jps
13830 SecondaryNameNode
14311 ResourceManager
13597 DataNode
13471 NameNode
```

$hdfs dfs -mkdir /user

$hdfs dfs -mkdir /user/hive

$hdfs dfs -mkdir /user/hive/warehouse

$hdfs dfs -mkdir /user/tmp

$hdfs dfs -chmod g+w /user/tmp

$hdfs dfs -chmod g+w /user/hive/warehouse

```
┌──(hadoop㉿kali)-[~/hadoop/bin]
└─$ ./hdfs dfs -ls /user/
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
2024-09-10 01:04:28,163 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform...
Found 2 items
drwxr-xr-x   - hadoop supergroup          0 2024-09-09 23:31 /user/hive
drwxrwxr-x   - hadoop supergroup          0 2024-09-09 23:31 /user/tmp
```

$cd $HIVE_HOME/bin

$schematool -initSchema –dbType derby

```
kali-linux-2023.4-vmware-amd64 - VMware Workstation 17 Player (Non-commercial use only)
Player
hadoop@kali: ~/hive/bin
File  Actions  Edit  View  Help
Found 2 items
drwxr-xr-x   - hadoop supergroup          0 2024-08-29 18:44 /tmp/hadoop-yarn
drwx-wx-wx   - hadoop supergroup          0 2024-09-02 04:35 /tmp/hive

┌──(hadoop㉿kali)-[~/hadoop/bin]
└─$ ./hdfs dfs -ls /user/
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
2024-09-10 01:04:28,163 WARN util.NativeCodeLoader: Unable to load native-hadoop library for your platform... using builtin-java classes where applicable
Found 2 items
drwxr-xr-x   - hadoop supergroup          0 2024-09-09 23:31 /user/hive
drwxrwxr-x   - hadoop supergroup          0 2024-09-09 23:31 /user/tmp

┌──(hadoop㉿kali)-[~/hadoop/bin]
└─$ cd

┌──(hadoop㉿kali)-[~]
└─$ cd hive/bin

┌──(hadoop㉿kali)-[~/hive/bin]
└─$ schematool -initSchema -dbType derby
Picked up _JAVA_OPTIONS: -Dawt.useSystemAAFontSettings=on -Dswing.aatext=true
SLF4J: Class path contains multiple SLF4J bindings.
SLF4J: Found binding in [jar:file:/home/hadoop/hive/lib/log4j-slf4j-impl-2.10.0.jar!/org/slf4j/impl/StaticLoggerBinder.class]
SLF4J: Found binding in [jar:file:/home/hadoop/hadoop/share/hadoop/common/lib/slf4j-reload4j-1.7.36.jar!/org/slf4j/impl/StaticLoggerBinder.class]
SLF4J: See http://www.slf4j.org/codes.html#multiple_bindings for an explanation.
SLF4J: Actual binding is of type [org.apache.logging.slf4j.Log4jLoggerFactory]
Metastore connection URL:        jdbc:derby:;databaseName=metastore_db;create=true
Metastore Connection Driver :    org.apache.derby.jdbc.EmbeddedDriver
Metastore connection User:       APP
Starting metastore schema initialization to 3.1.0
Initialization script hive-schema-3.1.0.derby.sql
```



$hive

>show databases;



> CREATE DATABASE financials;

> use financials;



> CREATE TABLE finance_table(id INT, name STRING);



> INSERT INTO finance_tableVALUES (1, 'Alice'), (2, 'Bob'), (3, 'Charlie');



> CREATE VIEW myview AS SELECT name, id FROM finance_table;

```
hive> CREATE VIEW myview AS SELECT name, id FROM finance_table;
OK
Time taken: 0.82 seconds
```

> SELECT * FROM myview;

```
hive> SELECT * FROM myview;
OK
Alice   1
Bob     2
Charlie 3
Time taken: 0.716 seconds, Fetched: 3 row(s)
hive>
```

> DESCRIBE finance_table;

```
hive> DESCRIBE finance_table;
OK
id                      int
name                    string
Time taken: 0.348 seconds, Fetched: 2 row(s)
```

> ALTER TABLE finance_table ADD COLUMNS (age INT);

>quit;

```
hive> ALTER TABLE finance_table ADD COLUMNS (age INT);
OK
Time taken: 0.457 seconds
hive> quit;
```