Queensland University of Technology

BLACK SCHOLES MODEL

Extracted from C++ for Financial Engineers

Jeremiah Dufourq August 29, 2019 CONTENTS

Contents

1	Rationale:	2
2	Introduction	2
3	Black Scholes	2
4	Solving the Black Scholes PDE	6

1 Rationale:

The purpose of this document to to gain an insight into how the Black Scholes Model functions, and how a C++ model can be developed to price call and put options using the Black Scholes Method.

To give some context, this report will be adapted from the works of Daniel J. Duffy, in his book Introduction to C++ for Financial Engineers. The goal of this book was to introduce the reader to the C++ programming language and its applications to the field of quantitative finance. There are three main parts to the book, which are detailed below:

- 1. C++ syntax
- 2. C++ design patterns, data structures, and libraries
- 3. C++ quantitative finance applications

2 Introduction

3 Black Scholes

We can derive the Black Scholes PDE using the delta hedging argument.

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0 \tag{1}$$

The key assumptions of this model are as follows:

The price of a stock follows a geometric brownian motion

$$dS_t = \mu S_t dt + \sigma S_t dw_t \tag{2}$$

Whereby, $\mu \sigma$ are constants

The price of an option is a function of the following:

 $V = V(T - t, S_t; r, \sigma, k)$ Whereby,

T - t = Timetomaturity of option

 $S_t = Stockprice$

r = Risk free rate

 $\sigma = Volatility$

K = Strikeprice on option

Given that σ, r, K are constant, we can then rewrite;

$$V = V(T - t, S_t) \iff V_t \tag{3}$$

The value of a bank account amount has no stochastic property, and can therefore be written as:

$$dB = rBdt (4)$$

Whereby,

r = risk free rate.

B = Bankaccount.

Using the above assumptions, we can derive the Black Scholes PDE equation. We know through Ito's Lemma, the follow is true;

$$dV = \frac{\partial V}{\partial t}dt + \frac{\partial V}{\partial S}dS + \frac{1}{2}\frac{\partial^2 V}{\partial s^2}dS^2$$
 (5)

This asserts that the derivative of a stochastic function is equal to the above formula. We can use the above to substitute into Ito's Lemma Taking the 2nd order differential of dS with respect to time;

$$\frac{dS^2}{dt} = \frac{dS}{dt}[\mu S dt] + \frac{dS}{dt}[\sigma S dW]$$

we can then use the product rule,

$$\frac{dS}{dt} = \sigma^2 S^2 dt$$

We can then substitute into Ito's Lemma to get;

$$dV = \frac{\partial V}{\partial t}dt + \frac{\partial V}{\partial S}(\mu S dt + \sigma S dW) + \frac{1}{2}\frac{\partial^2 V}{\partial S^2}\sigma^2 S^2 dt$$
$$dV = (\frac{\partial V}{\partial t} + \mu S \frac{\partial V}{\partial S} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2})dt + \sigma S \frac{\partial V}{\partial S} dW$$

The Black Scholes model eliminates the stochastic component by using a delta hedging strategy. This is implemented by buying the underlying security to offset the stochastic

portion of the equation. We can model this by assuming that we take some position in the stock and some position in the bank (i.e riskless position in the bank).

We can model the position in the bank by the following equation.

$$\pi = \Delta S + \alpha B \tag{6}$$

Whereby;

 $\pi = position in bank$

 $\Delta = \% of stock position$

S = Stockposition

 $\alpha = \% of bank position$

B = Bank position

This portfolio will change with time, and therefore can be written as a differential equation;

$$d\pi = \Delta dS + \alpha dB \tag{7}$$

Recalling the following, whereby an asset is modeled by a stochastic Brownian motion process;

$$dS = \mu S dt + \sigma S dW$$

$$dB = rB dt$$

$$d\pi = \Delta(\mu S dt + \sigma S dW) + \alpha r B dt$$

$$\therefore d\pi = (\Delta \mu S + \alpha r B) dt + \Delta \sigma S dW$$

From above, we have set up two equations for the price of the option, and the price of the portfolio.

$$dV = \left(\frac{\partial V}{\partial t} + \mu S \frac{\partial V}{\partial S} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 V}{\partial S^2}\right) dt + \sigma S \frac{\partial V}{\partial S} dW \tag{8}$$

$$d\pi = (\Delta \mu S + \alpha r B)dt + \Delta \sigma S dW \tag{9}$$

Our aim is to eliminate the stochastic part of each term, i.e;

$$\Delta \sigma S + \sigma S \frac{\partial V}{\partial S} = 0$$

with manipulation, we find;

$$\Delta = -\frac{\partial V}{\partial S} \tag{10}$$

We can then combine the portfolio and option rates of change, along with Δ to get the following. Where dV is the change in the option rate and $d\pi$ is the change in the portfolio.

$$dV + d\pi = \left(\frac{\partial V}{\partial t} + \mu S \frac{\partial V}{\partial S} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} - \frac{\partial V}{\partial S}\mu S + \alpha r B\right) dt$$

$$d(V+\pi) = \left(\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + \alpha r B\right) dt \tag{11}$$

Recall the following, where Δ has been replaced by the known value of delta in (10);

$$\pi = -\frac{\partial V}{\partial S}S + \alpha B$$

The total portfolio has only a deterministic term, and hence must grow at the risk free rate to avoid arbitrage.

$$d(V + \pi) = (V + \pi)rdt$$

Substituting π into above.

$$d(V + \pi) = (V - \frac{\partial V}{\partial S}S + \alpha B)rdt \tag{12}$$

Letting equation (11) = (12).

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + \alpha r B = rV - r \frac{\partial V}{\partial S} S + \alpha r B$$

Rearranging for 0 on RHS, we get the Black Scholes PDE;

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0$$
 (13)

Jeremiah Dufourg Black Scholes Model

4 Solving the Black Scholes PDE

In this section, the Black Scholes PDE will be solved using the heat equation. To solve the Black Scholes PDE, we need to specify the terminal and bonding conditions. As defined in prior, the Black Scholes model PDE is defined in (13), which is also summarized below:

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0 \tag{14}$$

We will transform the variables to represent the terminal and current times. Let,

au = T - t[CurrentTime] au = 0[TerminalTime] $ilde{S}_{ au}[Stockpricecurrently]$ $ilde{S}_{0}[Stockpriceat maturity]$ $ilde{V}_{ au}[Optionpricecurrently]$ $ilde{V}_{0}[Optionpriceat maturity]$

We can find the median of the stock price at maturity using the following (solution can be found in the appendix).

$$S_T = e^{\ln S_T + (r - \frac{1}{2}\sigma^2)(T - t) + \sigma(W_T - W_t)}$$
(15)

We can ignore the stochastic term because of the PDE,

$$\tilde{S}_0 = e^{\ln \tilde{S}_\tau + (r - \frac{1}{2}\sigma^2)\tau}$$

Whereby,

$$\tau = T - t$$