

Chapter 1

TEST PLAN

Version 1.1
May 8, 2014

FOREWORD

FOR

Swords and Sorcery

Prepared for:
Software Engineering: CS 383
Dr. Jeffery

Prepared by:
Keith Drew, Ian Westrope, Jonathan Flake, Colin Clifford, David Klingenberg, Sean
Shepherd, Chris, Gabe, John, Wayne, Tao Zhang, Cameron Simon, Matthew Brown, Tyler
Jaszkowiak, Ian Westrope, ChiHsiang Wang,

University of Idaho
Moscow, ID 83844-1010

RECORD OF CHANGES (Change History)

[illegible]

A - ADDED M - MODIFIED D - DELETED

Swords and Sorcery Alpha 0.5

TABLE OF CONTENTS	
Section	Page

1	TEST PLAN	1
1	IDENTIFIER	1
2	REFERENCES	1
3	INTRODUCTION	2
4	TEST ITEMS	2
	4.1 Character	2
	4.2 Scenario	2
	4.3 Additional items to be tested.	3
5	SOFTWARE RISK ISSUES	3
6	FEATURES TO BE TESTED	4
	6.1 Scenario	4
	6.2 Movement	4
	6.3 Character, Spells	4
	6.4 Additional Features	5
7	FEATURES NOT TO BE TESTED	5
8	APPROACH	5
9	ITEM PASS/FAIL CRITERIA	5
10	SUSPENSION CRITERIA	6
11	TEST DELIVERABLES	6
12	REMAINING TEST TASKS	6
13	ENVIRONMENTAL NEEDS	6
14	RESPONSIBILITIES	6
15	SCHEDULE	6
16	PLANNING RISKS AND CONTINGENCIES	7
17	APPROVALS	7
18	GLOSSARY	7

1 TEST PLAN IDENTIFIER

TestPlan 1.5

2 REFERENCES

Use cases and UML diagrams are available on the class website, as well as game rules.

<http://www2.cs.uidaho.edu/~jeffery/courses/383/>

The code itself can be found at <https://github.com/cjeffery/sworsorc/tree/master/src>

The automated unit tests are located at <https://github.com/cjeffery/sworsorc/tree/master/src/test>

3 INTRODUCTION

Our plan is to integrate the working hud/game code and test that it works in tangent, as opposed to only working in discrete locations of the project. We will be using junit tests to evaluate discrete methods and manual tests to test the GUI and game logic. To plan and document manually test for GUI components as they are developed. As new code is integrated the unit tests will be rerun to ensure integration did not break any component. Manual tests will be rerun on a case-by-case basis. All tests will be run the day before the end of a sprint and before deliverable presentation.

4 TEST ITEMS

The army units will be tested for the proper member variable values as well as proper results from the member function of the Moveableunit and Armyunit classes. Variables will tested at creation and members variable will be tested for proper results when applicable. Some example tests will be that the location member variable is properly set during movement. Also another type of test that will be preformed is that conjured units are properly created and and placed in the proper place on the game board.

4.1 Character

- Class Interfaces
- Class Interactions
- Spells Implementation
- Character

4.2 Scenario

The data read by the Scenario test will be read from one of the simple scenario configuration files and then verified against expectations through the class's accessor methods. These data items include

- The scenario's name
- Number of players
- Game length
- The blue sun's initial position
- The names of armies in the scenario
- The controlling players of these armies
- The setup order of these armies
- The movement order of these armies
- Names of nations within these armies
- Names of the neutrals in the scenario
- The provinces controlled by a nation

- The characters within a nation
- The units within a player nation
- The units within a neutral nation
- The races of both neutrals and player nations
- The reinforcement and replacement description strings
- Data related to where a neutral is leaning toward
- Whether or not a neutral accepts human sacrifice

Unfortunately, the most complex functionality of the Scenario class cannot be tested by automated unit tests. The unit pool populator requires a manual check.

4.3 Additional items to be tested.

- GUI Tests
 - Hexes/Units tile ok, look ok
 - Mouse clicks work
 - Menu navigation
 - Game starting (networked, scenario)
 - General gameplay (to the extent it's implemented)
 - Unit movement
 - Other
- Other manual tests (game compiles and runs on different platforms)
- Auto tests - Junit
- Ensure all files under resources can be loaded (if feasible)
- The user can initiate connection and disconnection from the server.
- The user can... (Network stuff)

5 SOFTWARE RISK ISSUES

Software to be tested includes the following:

1. GUI - Doesn't load working map, can't support unit movement
2. JSON Library - Loads scenario incorrectly, if not at all
3. Incorporating Networking with GUI and game logic may be difficult
4. Undetected Logic Errors (ULEs)
5. Misinterpretation of Rules

6. Connection Failures: For whatever reason, we have no access to a server, or can't connect over user's network
7. Networking code is unable to connect with other code elements.
8. Networking code can be integrated, but is too complicated for anyone to work with.
9. Improper casting of units
10. Unit ID's interpreted incorrectly
11. Depends on Java's JSON reader and the programmer's understanding of it
12. Complex data structures such as a map of maps
13. Complex loops to iterate over data structures
14. Poor documentation surrounding some of these iterators
15. Poor documentation in general
16. 3rd party library's. Including json-simple-1.1.1 and controlsfx-8.0.5

6 FEATURES TO BE TESTED

6.1 Scenario

From the user's perspective, much of this data reading occurs under the hood. In all cases except for populating the unit pool, the Scenario class does not manipulate any pieces of the rest of the project. Other components read the data from the Scenario class. Therefore, while the solar configuration relies on a properly-working Scenario class, this is not apparent to the user because solar configuration is also handled by SolarConfig and HUDInitializer classes.

Therefore, the only visible component being tested by this plan is the placement of units and characters into the correct provinces of the map.

6.2 Movement

- conjured unit appear when casted
- units are properly represented on HUD
- movement location is correct on map
- moral status is properly updated after combat

6.3 Character, Spells

- Select character on GUI
- Select Spell
- Effects of Partial Spells
- Manna Costing

6.4 Additional Features

- 1 Complete Turn
- Movement
- Teleporting
- Network
- Loading
- Solar Display
- Diplomacy Display

7 FEATURES NOT TO BE TESTED

All data is verified, but testing the Scenario class alone cannot ensure that it reaches the HUD successfully. Integration tests are required outside of this plan for information such as solar configuration, move order, setup order, game length, and diplomacy.

What is not tested is the count of the units on the map that correspond to the scenario loaded. Also the type of unit is not test, this is assumed correct.

- Full game
- Everything in backlog

8 APPROACH

The plan is to use Junit tests and manual tests to ensure that our code follows the rules of the game and works itself. Junit tests are done according to the individuals who have developed the methods being tested, and those are not listed here. However, they should be able to be run together and work. The manual tests will work as though a mock player (tester) is running the game. They should be able to select a unit, move a unit, teleport a unit, advance and view the solar display, send chat messages, and view the diplomacy display. Functionalities of each display should also be tested. For example, a unit with a move allowance should only be viewed moving at or under their limit and a chat message should be sent from one user and be seen by all users.

9 ITEM PASS/FAIL CRITERIA

All tests should meet the specifications of the Swords and Sorcery board game rules manual, as well as follow logical design patterns and language rules/conventions. The manual tests of movement should fall within 20% of total movement possibilities the movement rules indicate.

10 SUSPENSION CRITERIA AND RESUMPTION REQUIREMENTS

- If the github project is broken or otherwise compromised, productive development and testing would be suspended for a time. To resume, fix whatever has been broken on github.
- If any component test fails, the larger dependent pieces are unable to be tested until the component is fixed. In such a case, fix the component and continue testing.

11 TEST DELIVERABLES

- Test plan document
- Test cases
- Relevant error logs or problem reports
- Possible solutions

12 REMAINING TEST TASKS

There are many remaining test tasks, as we have not achieved a working game yet. Remaining tests include full combat, spell casting, scenario loading, full gameplay, etc. We also anticipate unexpected integration requirements to be added to the test plan.

13 ENVIRONMENTAL NEEDS

In the final test, we'll need a remote machine to host the server code. Along with two computers connected over the internet too the server. Otherwise, we cannot test full networking capabilities and full gameplay as intended.

14 RESPONSIBILITIES

The hierarchy of "inchargeness" is as follows:

1. Dr. J
2. John Goettsche
3. Everyone else

15 SCHEDULE

Junit tests should be implemented and run as functionality is added to classes and packages. Manual testing will be done as the GUI is developed and functionality added, as well as when more aspects of other group's code are added. Test to be rerun before demonstration day.

16 PLANNING RISKS AND CONTINGENCIES

As the end of the semester is a fixed date, there are no contingencies for failure. Public beatings will be carried out as needed.

17 APPROVALS

The only person capable of fully approving any fixes/modifications is Dr. J.

18 GLOSSARY

Junit test is a discrete code test designed to be ran as part of an automated test sequence that tests all Junit tests.