

```

create database ecommerce;

show databases;

use ecommerce;

create table userr (user_id int primary key, name varchar(20), email varchar(30),
phone varchar(15), address text, doj date);

create table prodts (product_id int primary key, name varchar(20), category
varchar(30), price float, stock int, desrc text, added_date date);

create table ordered (order_id int primary key, user_id int, order_date date,
total_amount float, statue varchar(10), foreign key (user_id) references userr
(user_id));

create table itemss (item_id int primary key, order_id int, product_id int, quantity int,
price float, foreign key (order_id) references ordered (order_id), foreign key
(product_id) references prodts (product_id));

create table pay (payment_id int primary key, order_id int, payment_type varchar(10),
statue varchar(7), payment_date date, foreign key (order_id) references ordered
(order_id));

create table revives (review_id int primary key, user_id int, product_id int, rating int,
comt text, review_date date, foreign key (user_id) references userr (user_id), foreign
key (product_id) references prodts (product_id));

insert into userr values (1, 'Anjali Verma', 'anjali@gmail.com', '+919812345678',
'Delhi', '2024-05-01'),
(2, 'Rahul Sharma', 'rahul@gmail.com', '+919812312312', 'Bangalore', '2024-05-12'),
(3, 'Priya Reddy', 'priya.reddy@mail.com', '+919834567891', 'Hyderabad', '2024-06-
01'),
(4, 'Aman Khan', 'amankhan@xyz.com', '+919876543210', 'Mumbai', '2024-07-10'),
(5, 'Sneha Joshi', 'snehaj@gmail.com', '+919823456789', 'Pune', '2024-07-20');

select * from userr;

insert into prodts values (101, 'Samsung Galaxy A14', 'Electronics', 14999, 50,
'Budget smartphone', '2024-06-01'),
(102, 'Boat Earphones', 'Electronics', 499, 200, 'Wired earphones', '2024-06-05'),
(103, 'Office Chair', 'Furniture', 3500, 15, 'Ergonomic mesh chair', '2024-06-10'),
(104, 'Casual T-shirt', 'Clothing', 799, 100, 'Cotton T-shirt', '2024-06-15'),
(105, 'Laptop Backpack', 'Accessories', 1299, 30, 'Waterproof 15.6 bag', '2024-06-18');

select * from prodts;

```

```

insert into ordered values (1001, 1, '2024-07-01', 15998, 'Delivered'),
(1002, 2, '2024-07-03', 499, 'Delivered'),
(1003, 3, '2024-07-05', 21098, 'Shipped'),
(1004, 4, '2024-07-07', 799, 'Cancelled'),
(1005, 5, '2024-07-10', 1599, 'Delivered');
select * from ordered;
insert into itemss values (1, 1001, 101, 1, 14999),
(2, 1001, 105, 1, 999),
(3, 1002, 102, 1, 499),
(4, 1003, 101, 1, 14999),
(5, 1003, 103, 1, 5599);
select * from itemss;
insert into pay values (501, 1001, 'Card', 'Success', '2024-07-01'),
(502, 1002, 'UPI', 'Success', '2024-07-03'),
(503, 1003, 'Card', 'Success', '2024-07-05'),
(504, 1004, 'COD', 'Failed', '2024-07-07'),
(505, 1005, 'UPI', 'Success', '2024-07-10');
select * from pay;
insert into revives values (901, 1, 101, 5, 'Great phone!', '2024-07-05'),
(902, 2, 102, 4, 'Good for the price', '2024-07-06'),
(903, 5, 105, 5, 'Very comfortable bag', '2024-07-15'),
(904, 3, 103, 3, 'Not very sturdy', '2024-07-16'),
(905, 4, 104, 2, 'Color faded quickly', '2024-07-18');
select * from revives;
# queries
select * from userr where doj > '2024-07-01';
select * from ordered where user_id = 3;
select * from prodts where stock < 1000;
select statue from pay where statue = 'success';
select rating from revives where rating < 3;
select count(user_id) from userr group by user_id;
select sum(price * quantity) from itemss;
SELECT p.product_id, p.name
FROM prodts p

```

```
LEFT JOIN itemss i ON p.product_id = i.product_id
WHERE i.product_id IS NULL;
select payment_type from pay;
select payment_type from pay where payment_type <>'UPI';
SELECT u.user_id, u.name, o.order_id, o.order_date, o.total_amount
FROM userr u
INNER JOIN ordered o
ON u.user_id = o.user_id;
# left joints left side rows even it show does not match
SELECT u.user_id, u.name, o.order_id, o.total_amount
FROM userr u
LEFT JOIN ordered o ON u.user_id = o.user_id;
```

userr	
user_id 	int
name	varchar(20)
email	varchar(30)
phone	varchar(15)
address	text
doj	date

prodts	
product_id 	int
name	varchar(20)
category	varchar(30)
price	float
stock	int
desrc	text
added_date	date

ordered	
order_id 	int
user_id 	int
order_date	date
total_amount	float
statue	varchar(10)

itemss	
item_id 	int
order_id 	int
product_id 	int
quantity	int
price	float

pay	
payment_id 	int
order_id 	int
payment_type	varchar(10)
statue	varchar(7)
payment_date	date

revives	
review_id 	int
user_id 	int
product_id 	int
rating	int
comt	text
review_date	date

