

HTML — HANDWRITTEN-STYLE EXAM NOTES

Quick revision • Based on the uploaded HTML topic outline

1. HTML Basics

What is HTML?: HTML = HyperText Markup Language. It structures webpage content such as text, images, links, tables and forms.

Basic structure

```
<!DOCTYPE html>
<html>
  <head><title>My Page</title></head>
  <body><h1>Hello</h1></body>
</html>
```

Remember: HTML = structure • CSS = presentation • JavaScript = behaviour.

2. Tags, Elements & Attributes

Tags: Tags are written inside angle brackets. Most have opening and closing tags.

Example

```
<p>Hello</p>
```

Void elements: Some elements do not need closing tags:
, <hr>, .

Attributes: Attributes provide extra information about an element.

Example

```
<a href="https://example.com">Visit</a>
```

Common attributes: id, class, style, title, href, src, alt, name, value.

3. Comments

Syntax

```
<!-- This is a comment -->
```

Use: Comments are ignored by the browser and help developers explain or organize code.

4. Headings, Paragraphs & Text

Headings: Six heading levels are available: <h1> through <h6>.

Paragraph: <p>This is a paragraph.</p>

Line break:

Horizontal rule: <hr>

5. Text Formatting

Common tags: important • emphasis • bold • <i> italic • <u> underline • <mark> highlight • <small> smaller text.

6. Links

Anchor tag

Use <a> for hyperlinks. The href attribute gives the destination.

Example

```
<a href="page.html">Open Page</a>
```

7. Images

Image tag

Use to display an image.

Example

```

```

Key attributes: src = image location • alt = alternative text • width/height = dimensions.

8. Lists

Unordered list

```
<ul>
  <li>Apple</li>
</ul>
```

Ordered list

```
<ol>
  <li>Step 1</li>
</ol>
```

Key point: represents one list item.

9. Tables

Structure

<table> → <tr> row → <th> heading cell / <td> data cell

Example

```
<table>
  <tr><th>Name</th><th>Age</th></tr>
  <tr><td>A</td><td>20</td></tr>
</table>
```

10. Forms

Purpose: Forms collect user input.

Important elements: <form>, <input>, <label>, <textarea>, <select>, <option>, <button>.

Example

```
<form>
  <label>Name:</label>
  <input type="text" name="name">
  <button type="submit">Submit</button>
</form>
```

11. Block vs Inline

Block elements: Normally start on a new line and use the available width. Examples: <div>, <p>, <h1>.

Inline elements: Normally stay within the same line. Examples: , <a>, .

12. Semantic HTML5

Meaning: Semantic elements describe the role of their content.

Common tags: <header>, <nav>, <main>, <section>, <article>, <aside>, <footer>.

Why useful?: They improve structure, readability, accessibility and search-engine understanding.

13. Audio & Video

Audio

```
<audio controls>
  <source src="song.mp3" type="audio/mpeg">
</audio>
```

Video

```
<video controls width="400">
  <source src="movie.mp4" type="video/mp4">
</video>
```

14. Iframes

Definition: An <iframe> embeds another webpage or external document inside the current page.

Example

```
<iframe src="page.html"></iframe>
```

15. Graphics

SVG: SVG is used for scalable vector graphics.

Canvas: <canvas> provides a drawing area that can be controlled using scripting.

16. DOM

Document Object Model: The DOM represents an HTML document as a structured object/tree model. Scripts can access and modify page elements.

Example
`document.getElementById("demo").textContent = "Hello";`

17. HTML APIs

Examples: HTML-related web APIs include Geolocation, Drag and Drop, Web Storage, Web Workers and Server-Sent Events.

Exam tip: APIs extend what a webpage can do beyond basic document markup.

18. HTML5

Key idea: HTML5 introduced richer semantic structure, native multimedia and additional browser capabilities.

Examples: <audio>, <video>, <article>, <section>, <progress>, <meter>.

Viewport
`<meta name="viewport" content="width=device-width, initial-scale=1.0">`

19. HTML Entities

Purpose: Entities represent reserved or special characters.

Examples: < → < • > → > • & → &

20. MathML

Definition: MathML is markup designed for representing mathematical notation in web documents.

Exam point: HTML5 supports MathML integration for mathematical expressions.

21. Super-Quick Revision

Must remember: DOCTYPE → html → head → body

Core tags: h1-h6, p, a, img, ul/ol/li, table, form, div, span

HTML5: header, nav, main, section, article, aside, footer, audio, video

Attributes: id, class, href, src, alt, name, value

Golden rule: Tags structure the page; attributes describe/configure elements.