



1200x2400mm



1200x2400mm





1200x2400mm

The Complete & Perfect Tiling Solutions




Italian technology



Flexible body



Such an eccentric thickness makes varied applications possible. In our journey to become the most influential tile manufacturer ever, we have discovered many new characteristics of tiles including ASC products through extensive research. The tiles are exceptionally more durable. Lay them, shape up and customize a new world at your feet.





T H E
L A R G E S T
S I Z E
F O R
E V E R Y
S P A C E




MATT FINISH

MONOLITH BEIGE



01

MONOLITH CEMENTO



03

MONOLITH GRIS



05

MONOLITH TAUPE



07

HI-GLOSS FINISH

ANTIQUE CREMA



09

ARMANI CHOCO



11

BOTTOCHINO CLASSIC



13

BRECCIA BEIGE



15

CARMEL BROWN



17

CARMEL GREY



19

CRISTAL STATUARIO




21

ORIENTA BEIGE



23

ORIENTA MOCA



25

STATUARIO CARBON



27

VERSACE GOLD



29

WILLIUM GREY CLASSIC



31

BIANCO LUNENSIS



33

BOSCO GREY



35

ESPERDA BROWN



37

GOLDEN WAVE



39

PORTORO BLACK



41

SAINT LAURENT



43

GREY SPIDER




45

STATUARIO VENATO



47

TEXTURES CREMA




49

ARMANI BROWN



51

AZUL LINOSA A&B




53

SARREN COLLIN A&B



55

SCREPOLATO NERO



57

ESPERDA GREY



59

MULTI PURPOSE APPLICATION

INTERIOR WALL



INTERIOR FLOOR




DECORATIVE FURNITURE



EXTERIOR WALL



EXTERIOR FLOOR



COUNTER TOPS



RECEPTION TABLES




TABLE TOPS



WASHBASINS



1200X2400 MM



MONOLITH BEIGE

COLORBODY | MATT



FLEXIBLE BODY



ITALIAN TECHNOLOGY


1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



MONOLITH CEMENTO

COLORBODY | MATT




1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY




MONOLITH GRIS

COLORBODY | MATT



1200X2400 MM



MONOLITH TAUPE

COLORBODY | MATT

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



ANTIQUE CREMA

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



ARMANI CHOCO

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



BOTTOCHINO CLASSIC



FLEXIBLE BODY



ITALIAN TECHNOLOGY



1200X2400 MM



BRECCIA BEIGE

FLEXIBLE BODY

ITALIAN TECHNOLOGY




1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



CARMEL BROWN



1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



CARMEL GREY




1200X2400 MM

FLEXIBLE BODY

ITALIAN TECHNOLOGY



CRISTAL STATUARIO



1200X2400 MM



ORIENTA BEIGE



1200X2400 MM




ORIENTA MOCA

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



STATUARIO CARBON



1200X2400 MM



VERSACE GOLD



FLEXIBLE BODY

ITALIAN TECHNOLOGY

1200X2400 MM



WILLIUM GREY CLASSIC

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



BIANCO LUNENSIS



1200X2400 MM



BOSCO GREY

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



ESPERDA BROWN



1200X2400 MM



FLEXIBLE BODY




ITALIAN TECHNOLOGY



GOLDEN WAVE



1200X2400 MM




PORTORO BLACK



FLEXIBLE BODY

ITALIAN TECHNOLOGY

1200X2400 MM



SAINT LAURENT

FLEXIBLE BODY
ITALIAN TECHNOLOGY



1200X2400 MM



GREY SPIDER



FLEXIBLE BODY



ITALIAN TECHNOLOGY



1200X2400 MM



STATUARIO VENATO

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



TEXTURES CREMA



FLEXIBLE BODY

ITALIAN TECHNOLOGY

1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY



ARMANI BROWN



1200X2400 MM



FLEXIBLE BODY



ITALIAN TECHNOLOGY




AZUL LINOSA A & B

BOOK MATCH



1200X2400 MM




SARREN COLLIN A & B

BOOK MATCH

FLEXIBLE BODY

ITALIAN TECHNOLOGY



1200X2400 MM



SCREPOLATO NERO



SCREPOLATO NERO



ESPERDA GREY

1200X2400 MM



ESPERDA GREY

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	±0.5%	±0.2%	ISO - 10545-2
Deviation in Thickness	±5%	±5%	ISO - 10545-2
Straightness of Sides	±0.5%	±0.2%	ISO - 10545-2
Rectangularity	±0.5%	±0.2%	ISO - 10545-2
Surface Flatness	±0.5%	±0.2%	ISO - 10545-2
Colour Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
Structural Properties			
Water Absorption	≤0.05 %	≤0.05 %	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
Massive Mechanical Properties			
Modulus of Rupture	Min 35N/mm ²	Min 40N/mm ²	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
Thermo Hygrometric Properties			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max. 9.0×10^{-6}	Max. 6.5×10^{-6}	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min. 10 Cycle	ISO - 10545-11
Chemical Properties			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

DIMENSION (mm)	SLAB	SQUARE METRE	SQUARE FEET	WEIGHT (APPROX)
1200 x 2400mm	1	2.88	31.00	59 Kgs