



STA. LUCIA TENANT MANAGEMENT SYSTEM

POS API Requirements



Purpose of this Guide

- Show how our **Sale Consolidator API** works.
- Explain the **API functions** needed to log in, submit sales, and log out.
- Show all **technical parameters and formats** so your integration team knows exactly what to send and receive.
- Ensure a smooth integration so sales data is submitted **automatically and accurately** from your POS to our system.





...

WHAT IS THE SALE CONSOLIDATOR API?



What is the Sale Consolidator API?



An API (Application Programming Interface) is like a **digital bridge** between your POS system and our Tenant Management System.

It allows:

- **Authentication** – securely logging in to the system.
- **Sales Submission** – sending your tenant's daily sales automatically.
- **Session Management** – logging out after operations.

This ensures sales data is **centralized, accurate, and timely**.



...
LOGIN API



Login API



Endpoint: {domain}/api/login

Example: sta-lucia-malls.com/api/login

Purpose: Allows the POS system to log in using the tenant's email and password.

Method: POST – sends login details securely.

Parameters:

Name	Type	Required?	Description
email	string	yes	Email linked to the tenant account
password	string	yes	Password for the tenant account

... Login API

Example Request:

```
1 {  
2   "email": "user@example.com",  
3   "password": "user123"  
4 }
```



... LOGIN API RESPONSE



Login API Response

If successful, the system will return:

Status – **1** = active, **0** = inactive

role – admin, biller, collector, tenant, leaseadmin

token – Bearer Token for authentication

user – basic tenant details



... Login API Response



Parameter	Data Type	Value
status	boolean	Representation if account is (active-1/true) or (inactive-0/false)
role	string	Representation of user roles: 'admin', 'biller', 'collector', 'operator', 'tenant', 'leaseadmin'
token	string	API bearer token for basic authorization
user	array	User basic details will be shown in response
owner_token	string	Tenants custom token for identification



Login API Response

Example Response:

```
1  {
2    "status": 1,
3    "role": "tenant",
4    "token": "ehywdhysgcydsjhcdsjhj1jdsd...",
5    "owner_token": "xclkvbnjaoshjfasd",
6    "user": {
7      "id": 101,
8      "name": "John Doe",
9      "email": "user@example.com",
10     "status": 1
11   }
12 }
```



...
LOGOUT API



Logout API

Endpoint: {domain}/api/logout

Example: sta-lucia-malls.com/api/logout

Purpose: Ends the current POS session in the Tenant Management System.

Method: POST

Required Parameter: Must include the **Bearer Token** from the login step.





...
SALES API

... Sales API



Endpoint: {domain}/api/get-sales

Example: sta-lucia-malls.com/api/get-sales

Purpose: Submits the tenant's daily sales report from the POS system to our database.

Method: POST

Required Headers:

- **Authorization:** Bearer Token (from login)
- **X-CUSTOM-TOKEN:** owner_token (identifies the tenant/store)



... SALES API PARAMETERS



Sales API Parameters



Name	Type	Required?	Description
credit	double	Yes	Total credit amount. Must be a positive number (int/float/double).
debit	double	No	Total debit amount. Optional, but if present must be a positive number.
gross_sales	double	Yes	Gross sales before discounts and taxes.
date_time	string	Yes	Date and time of the sales record.
total_discounts	string	Yes	Discount expressed as a string percentage (e.g., "10%", "15%").
vat_exempt_sales	double	Yes	Sales amount exempted from VAT.
vat_sales	double	Yes	Sales subject to VAT.
non_vat_sales	double	Yes	Sales not covered by VAT.
vat_amount	double	Yes	VAT amount calculated from VAT sales.
other_taxes	double	Yes	Other applicable taxes.
net_sales	double	Yes	Net sales after discounts and taxes.
number_of_transactions	int	Yes	Transaction count for sales

... Sales API Parameters



Example Request:

```
1 fetch("https://sta-lucia-malls.com/api/get-sales", {
2   method: "POST",
3   headers: {
4     "Authorization": "Bearer YOUR_JWT_ACCESS_TOKEN_HERE",
5     "X-CUSTOM-TOKEN": "OWNER_TOKEN_HERE",
6     "Content-Type": "application/json"
7   },
8   body: JSON.stringify({
9     credit: 1500.00,
10    debit: 200.00,
11    gross_sales: 1700.00,
12    date_time: "2025-09-24 14:30:00",
13    total_discounts: "10%", // percentage discount
14    vat_exempt_sales: 100.00,
15    vat_sales: 900.00,
16    non_vat_sales: 200.00,
17    vat_amount: 108.00,
18    other_taxes: 20.00,
19    net_sales: 1070.00
20  })
21 })
22 .then(response => response.json())
23 .then(data => console.log(data))
24 .catch(error => console.error("Error:", error));
```



Get All Transactions API



Example Request:

```
1 fetch("https://sta-lucia-sys.com/api/get-transactions", {
2   method: "GET",
3   headers: {
4     "Content-Type": "application/json",
5     "Accept": "application/json",
6     "Authorization": Bearer ${token}, // bearer token
7     "X-CUSTOM-TOKEN": ${owner_token} // the owner_token
8   }
9 })
10 .then(response => {
11   if (!response.ok) {
12     throw new Error(HTTP error! status: ${response.status});
13   }
14   return response.json();
15 })
16 .then(data => {
17   if (data.success) {
18     console.log("Transactions retrieved successfully:");
19     console.log("Totals:", data.data);
20     console.log("Individual Sales:", data.data.individual_sales);
21   } else {
22     console.error("API returned an error:", data.message);
23   }
24 })
25 .catch(error => {
26   console.error("Fetch error:", error.message);
27 });
```




... INTEGRATIONS FLOW



Integrations Flow



1. **POS Logs In** – Send credentials via Login API → Receive token.
2. **POS Sends Sales Data** – Use token + owner_token to submit sales via Sales API.
3. **POS Gets Transactions** – Use token + owner_token to call Get Transactions API and retrieve the number of sales transactions (with totals and details).
4. **POS Logs Out** – End the session via Logout API.



Integrations Flow



Key Points for POS Providers:

- Token is **valid for the session** and must be included in each request.
- Sales data must be sent in the correct format and with required parameters.
- Each store must use its **unique owner_token**.



● ● ● BENEFITS FOR POS PROVIDERS



Benefits for POS Providers

1. **Automation** – No manual encoding of sales data.
2. **Accuracy** – Eliminates human error in sales reporting.
3. **Real-time Sync** – Sales appear instantly in the Tenant Management System.
4. **Security** – Uses secure authentication and token-based access.





... KEY TAKEAWAYS



Key Takeaways

1. **Login API** – Authenticates your POS with our system.
2. **Sales API** – Sends daily sales directly to our system.
3. **Logout API** – Ends the session securely.
4. Keep your **Bearer Token** and **owner_token** safe – they are your access keys.



End of Presentation

Thank you!

This presentation is the property of MediaOne Software Solutions. Unauthorized use, reproduction, or distribution of any part of this material is strictly prohibited without prior written consent.



Copyright © 2025 MediaOne Software Solutions