

PROJECT TITLE

501st LEGION | PHILIPPINE GARRISSON

Online Inventory System

FINAL PROJECT FOR ITEL 203 | WEB SYSTEMS AND TECHNOLOGIES

GROUP MEMBERS

Alcazar, Jermaine Ashley Cornejo, Andrea Megan Liu, Josef Gabriel Lincuran, Junalyn Patacsil, James Michael

SUBMITTED TO

Mr. Justin Alexcsander Ravago

TABLE OF CONTENTS

i.	Table of Contents	
ii.	Purpose of the Website	
	a. The 501st Legion	3
	b. The Philippine Garrison	3
	c. The Client and the Website's Main Purpose	4
iii.	General Information of the Website	
	a. Type of Website	5
	b. Who Can Access the System	5
	c. What the System Can and Cannot Do	5
iv.	The Website's Target	6
٧.	In-Depth Look at the Back-End	
	a. The Database	6
	b. The PHP Version Used	6
	c. The Programming and Markup Languages	7
	d. Links to the IDE and Plugin used	9
	e. GitHub & YouTube Presentation Links	10
	f. Complete Directory List	10
vi.	Images of the Inventory System	12
vii.	Project Code	18

PURPOSE OF THE WEBSITE

The 501st Legion

To understand the purpose of the website, the organization and movement behind it must be explained.



The 501st Legion is an international fan-driven movement and costuming organization for Star Wars fans. In the organization, people help each other create Star Wars costumes in many ways, and even do charity work, often using the phrase "bad guys doing good."

It is not sponsored by LucasFilm or any other major Star Wars-related companies, and is purely driven by fans who love Star Wars and making or wearing costumes. The 501st is devoted to raising funds for children's charities all over the world.

The Philippine Garrison

The organization is split into different garrisons around the world, split between countries and states.



The Philippine Garrison is a unit of the 501st Legion, and have appeared across many events and conventions to spread the love of Star Wars and costuming, and continue to raise funds for charities and more.

The Client and the Website's Main Purpose

The organization that requested the creation of the website is none other than the Philippine Garrison of the 501st Legion. Costuming had always been a hard task when it comes to Star Wars, especially when you are looking to create screen-accurate costumes and suits.

People always have the option to create their own costumes from scratch, but at times, people also order them from other costume creators or buy them from retailers of the official costumes sold around the world.

The Philippine Garrison is looking to help the Philippine costume enthusiasts by selling their own retail or custom-made items in an orderly fashion, which is where the online inventory system comes into play.

All the selling will happen through online transactions via different means in the Philippines such as:

- Paypal
- GCash
- Maya
- Local Banks
- And more...

As such, the main purpose of the online inventory system is to help keep track of all the stocked products, sales, and transactions that will happen amongst the garrison and its customers.

GENERAL INFORMATION OF THE WEBSITE

Type of Website

As mentioned earlier, the website is an online inventory system that runs on PHP scripts and a database.

It is a simple website created on the foundation of HTML and CSS design, along with JavaScript, Bootstrap, and Ajax to achieve all the functions and overall calm feel and theme of the website.

With this website, the owner is able to monitor the stock that they buy, and the transactions and amount of sales they are able to get.

Who Can Access the System

The 501st Legion's Philippine Garrison will have access to the system. Specifically, the person in the garrison who will be managing all the sales, stock, and transactions that will occur. The credentials will stay confidential among their group, and will only be known to those who handle their online store.

What the System Can and Cannot Do

The system can;

- Allow the owner to login and logout of the system.
- Can have other accounts if desired by the owner and discussed with the developers.
- Display the overall information of the sales and stock such as:
 - o The number of product categories there are.
 - o The number of products in total there are.
 - o The number of sales that have been made.
- Manage, add, and delete Product Categories.
- Manage, add, and delete Product stock and their information.
- Manage, add, and delete Sales and Transaction records.
- Calculate profits and display sales, specifically;
 - Daily Sales
 - o Monthly Sales
 - o And sales between two dates specified by the user.

The system cannot;

- Be used as the shop itself, as it is only an inventory system, not a marketplace.
- Directly print to a printer in a specific format. Must print with a browser's functions or printscreen. The sales report function using two different dates is designed to generate a page that works well with any modern browser's print function.

THE WEBSITE'S TARGET

The targets, in retrospect to the previous sections of the documentations, are actually the customers who would be doing business with the owners of the system, since the system is made to help ease the logging and tracking of stock and transactions for every customer.

However, the owners are technically still the only ones who would be seeing and using the website.

IN-DEPTH LOOK AT THE BACK-END

The Database


The website runs on the relational database management system 'MySQL'. Specifically, MySQL 5.7.36 included with WampServer. The database is named 'swlegion' and includes six tables in it.



The PHP Version Used

Due to some limitations, the initial PHP 7.4.26 was switched to PHP 5.6.40 middevelopment to get the website working without problems.

Additionally, we also had to switch from PHPMyAdmin 5.1.1 to PHPMyAdmin 4.9.7 because PHP 5.6.40 is incompatible with PHPMyAdmin 4.9.7 as of now.



THE PROGRAMMING AND MARKUP LANGUAGES

HTML and CSS being used is a given fact, especially when making websites such as these. Other languages and frameworks, however, were utilized as well. These include;

- Scripting and Programming languages like;
 - o PHP
 - JavaScript
- Frameworks and techniques like;
 - Bootstrap
 - o jQuery AJAX

The developers made the website with Visual Studio Code using the PHP Intelephense plugin to enable PHP code intelligence. Comments are laid out throughout the project as well for easier understanding of the code.

Here are images of the scripts and code of the website;

PHP Examples

index.php

This is what loads up first when opening the inventory system. It utilizes 'includes'.

```
··· 🦬 index.php •
> SEARCH

√ 501ST LEGION PH

 > includes
                                      require_once('includes/load.php');
if($session->isUserLoggedIn(true)) { redirect('home.php', false);}
 > libs

∨ uploads

 add_sale.php
 e auth.php
                                    😭 categorie.php
                                       </div>

</pre
 m delete_product.php
 edelete_sale.php
                                           edit_sale.php
                                             <label for="Password" class="lbl">PASSWORD</label>
<input_type="password" ""</pre>
                                                 <input type="password" name= "password" class="form-control" placeholder="Password">
 n logout.php
                                            <div class="form-group":
 📅 product.php
                                                      <button type="submit" class="button" style="border-radius:0%">Login</button>
 sale_report_process.php
 💏 sales.php
                                     <?php include_once('layouts/footer.php'); ?>
> OUTLINE
> TIMELINE
```

- config.php

This declares the name of the host, along with its username and password, and also the name of the database to be used, which is 'SWLegion'.

Additionally, this is also where the timezone of the PHP scripts is set. As you can see, it is set to Asia/Manila.

JavaScript Examples

- functions.js

Most of the JavaScript functions are kept in a single .js file in the 'libs/js/..' directory and from an external link that will be shown below.

```
JS functions.is •
libs > js > JS functions.js > ...
  4 v function suggestion() {
           $('#sug_input').keyup(function(e) {
                var formData = {
                if(formData['product_name'].length >= 1){
                $.ajax({
                      type
                               : 'POSI',
: 'ajax.php',
                                  : formData,
                      dataType : 'json',
encode : true
                       .done(function(data) {
                         $('#result').html(data).fadeIn();
                          $('#result li').click(function() {
                            $('#result').fadeOut(500);
                          $("#sug_input").blur(function(){
                            $("#result").fadeOut(500);
```

Bootstrap, JavaScript and jQuery AJAX files used (files not in the local space)

These are the third-party files used throughout the development.

- https://ajax.googleapis.com/ajax/libs/jquery/1.11.2/jquery.min.js
- https://maxcdn.bootstrapcdn.com/bootstrap/3.3.4/js/bootstrap.min.js
- //cdnjs.cloudflare.com/ajax/libs/bootstrap-datepicker/1.3.0/js/bootstrapdatepicker.min.js
- //cdnjs.cloudflare.com/ajax/libs/bootstrapdatepicker/1.3.0/css/datepicker3.min.css
- https://maxcdn.bootstrapcdn.com/bootstrap/3.3.4/css/bootstrap.min.css

LINKS TO THE IDE AND PLUGIN USED



IDE

Name: Visual Studio Code

Description: Code editing. Redefined. Free. Built on open source. Runs everywhere.

Version: 1.69

Developer: Microsoft

Download Link: Visual Studio Code - Code Editing. Redefined



PLUGIN

Name: PHP Intelephense

Description: PHP code intelligence for Visual Studio Code

Version: 1.8.2

Publisher: Ben Mewburn **VS Marketplace Link**:

https://marketplace.visualstudio.com/items?itemName=bmewburn.vscode-intelephonse client

GitHub & YouTube Presentation Links

GitHub: https://github.com/JheyemLSPU/itel203-finalproject

YouTube Presentation: https://youtu.be/Fa85N5V7D98

Complete Directory List

FOLDER: 501st Legion/..

99	add_product.php	7/23/2022 4:46 PM	PHP Source File	5 KB
99	add_sale.php	7/23/2022 5:19 PM	PHP Source File	3 KB
99	admin.php	7/23/2022 9:33 PM	PHP Source File	6 KB
99	ajax.php	7/23/2022 12:12 PM	PHP Source File	3 KB
99	auth.php	7/23/2022 3:31 PM	PHP Source File	1 KB
98	categorie.php	7/23/2022 6:26 PM	PHP Source File	4 KB
99	daily_sales.php	7/23/2022 4:41 PM	PHP Source File	2 KB
98	delete_categorie.php	7/23/2022 10:27 PM	PHP Source File	1 KB
98	delete_product.php	7/22/2022 9:44 PM	PHP Source File	1 KB
99	delete_sale.php	7/22/2022 9:44 PM	PHP Source File	1 KB
99	edit_categorie.php	7/23/2022 9:56 PM	PHP Source File	2 KB
99	edit_product.php	7/23/2022 9:48 PM	PHP Source File	6 KB
99	edit_sale.php	7/23/2022 10:42 AM	PHP Source File	4 KB
99	home.php	7/23/2022 8:25 PM	PHP Source File	1 KB
99	index.php	7/24/2022 12:34 PM	PHP Source File	2 KB
99	logout.php	1/13/2017 2:31 PM	PHP Source File	1 KB
98	monthly_sales.php	7/23/2022 4:41 PM	PHP Source File	2 KB
99	product.php	7/23/2022 10:56 AM	PHP Source File	3 KB
99	sale_report_process.php	7/23/2022 6:39 PM	PHP Source File	5 KB
98	sales.php	7/23/2022 4:42 PM	PHP Source File	3 KB
59	sales_report.php	7/22/2022 9:45 PM	PHP Source File	2 KB

FOLDER: 501st Legion/includes/..

config.php	7/24/2022 12:20 PM	PHP Source File	1 KB
database.php	7/23/2022 9:51 AM	PHP Source File	2 KB
functions.php	7/23/2022 9:23 PM	PHP Source File	3 KB
💀 load.php	7/23/2022 9:49 AM	PHP Source File	1 KB
session.php	1/13/2017 2:31 PM	PHP Source File	2 KB
💀 sql.php	7/23/2022 9:57 AM	PHP Source File	8 KB
upload.php	7/23/2022 10:06 AM	PHP Source File	3 KB

FOLDER: 501st Legion/layouts/..

admin_menu.php	7/22/2022 10:25 PM	PHP Source File	2 KB
footer.php	7/23/2022 10:08 AM	PHP Source File	1 KB
neader.php	7/23/2022 6:20 PM	PHP Source File	4 KB
header_login.php	7/23/2022 12:49 PM	PHP Source File	3 KB

FOLDER: 501st Legion/layouts/..

css	7/23/2022 2:39 AM	File folder
images	7/23/2022 5:36 PM	File folder
js	7/22/2022 9:36 PM	File folder

FOLDER: 501st Legion/layouts/css/..

login.css	7/23/2022 3:04 AM	Cascading Style S	10 KB
main.css	7/23/2022 6:24 PM	Cascading Style S	8 KB

FOLDER: 501st Legion/layouts/images/..

Background.jpg	7/22/2022 9:00 AM	JPG File	1,168 KB
🕟 banner.webp	7/23/2022 3:36 PM	Microsoft Edge H	137 KB
ds.png	7/23/2022 3:53 PM	PNG File	11 KB
dv.png	7/23/2022 4:32 PM	PNG File	24 KB
Flag.png	7/23/2022 1:20 PM	PNG File	6 KB
🔳 Logo.png	7/22/2022 7:57 AM	PNG File	104 KB
Logo_2.png	7/23/2022 5:36 PM	PNG File	65 KB
s.png	7/23/2022 3:53 PM	PNG File	11 KB
st.png	7/23/2022 4:40 PM	PNG File	9 KB
🖹 tf.png	7/23/2022 3:57 PM	PNG File	8 KB

FOLDER: 501st Legion/layouts/js/..

🌋 functions.js	7/24/2022 12:34 PM	JavaScript File	3 KB

FOLDER: 501st Legion/uploads/..

products	7/22/2022 9:36 PM	File folder
users	7/23/2022 10:13 AM	File folder

FOLDER: 501st Legion/uploads/products/..

no_image.png	1/13/2017 2:31 PM	PNG File	10 KB
--------------	-------------------	----------	-------

FOLDER: 501st Legion/uploads/users/..


🔳 no_image.png	7/23/2022 10:13 AM	PNG File	53 KB
----------------	--------------------	----------	-------

IMAGES OF THE INVENTORY SYSTEM


LOGIN SCREEN




HOME PAGE




DASHBOARD




CATEGORIES




PRODUCTS




ADD PRODUCTS




SALES




ADD SALES




DAILY SALES



MONTHLY SALES



GENERATE SALES REPORT



GENERATED SALES REPORT

501st Legion - PH Garrisson | Sales Report

FROM 2022-07-21 UP TO 2022-07-25

DATE	ITEM NAME	BUY PRICE	SELL PRICE	QUANTITY	TOTAL
2022-07-23	CC-3636 - Commander Wolffe Armor Sticker Set	19.00	39.00	20	780.00
2022-07-23	Clonetrooper - Phase 2 (Full Kit)	899.00	1099.00	1	1099.00
2022-07-23	Darth Vader - ROTJ (Helmet)	189.00	289.00	2	578.00
2022-07-23	Darth Vader - ROTS Suit	799.00	999.00	2	1998.00
2022-07-21	Anakin Skywalker's Lightsaber	99.00	199.00	2	398.00
					\$ 4,853.00
					\$1,400.00

PROJECT CODE

add_product.php

```
<?php
 $page title = 'Add Product';
 require once('includes/load.php');
  $all_categories = find_all('categories');
<?php
if(isset($ POST['add product'])){
   $req fields = array('product-title','product-categorie','product-
quantity','buying-price', 'saleing-price' );
   validate fields($req fields);
   if(empty($errors)){
    $p name = remove junk($db->escape($ POST['product-title']));
    $p_cat = remove_junk($db->escape($_POST['product-categorie']));
    $p_qty = remove_junk($db->escape($_POST['product-quantity']));
    $p buy = remove junk($db->escape($ POST['buying-price']));
    $p_sale = remove_junk($db->escape($_POST['saleing-price']));
    $date = make date();
    $query = "INSERT INTO products (";
    $query .=" name,quantity,buy_price,sale_price,categorie_id,date";
    $query .=") VALUES (";
    $query .=" '{$p_name}', '{$p_qty}', '{$p_buy}', '{$p_sale}', '{$p_cat}',
'{$date}'";
    $query .=")";
    $query .=" ON DUPLICATE KEY UPDATE name='{$p name}'";
    if($db->query($query)){
      $session->msg('s',"Product added ");
       redirect('add_product.php', false);
    } else {
      $session->msg('d',' Sorry failed to added!');
       redirect('product.php', false);
   } else{
    $session->msg("d", $errors);
    redirect('add_product.php',false);
<?php include_once('layouts/header.php'); ?>
<div class="row">
```

```
<div class="col-md-12">
    <?php echo display msg($msg); ?>
  </div>
</div>
  <div class="row">
  <div class="col-md-8">
      <div class="panel panel-default">
        <div class="panel-heading">
          <strong>
            <span><img src="libs/images/st.png" width="30">&nbsp;</span>
            <span>Add New Product</span>
         </strong>
        </div>
        <div class="panel-body">
         <div class="col-md-12">
          <form method="post" action="add product.php" class="clearfix">
              <div class="form-group">
                <div class="input-group">
                  <span class="input-group-addon">
                   <i class="glyphicon glyphicon-th-large"></i></i>
                  </span>
                  <input type="text" class="form-control" name="product-title"</pre>
placeholder="Item Name / Product Title">
               </div>
              </div>
              <div class="form-group">
                <div class="row">
                  <div class="col-md-6">
                    <select class="form-control" name="product-categorie">
                      <option value="">Select Category for Product</option>
                    <?php foreach ($all categories as $cat): ?>
                      <option value="<?php echo (int)$cat['id'] ?>">
                        <?php echo $cat['name'] ?></option>
                    <?php endforeach; ?>
                    </select>
                  </div>
                </div>
              </div>
              <div class="form-group">
               <div class="row">
                 <div class="col-md-4">
                   <div class="input-group">
                     <span class="input-group-addon">
                      <i class="glyphicon glyphicon-shopping-cart"></i>
```

```
</span>
                      <input type="number" class="form-control" name="product-</pre>
quantity" placeholder="Quantity">
                  </div>
                 </div>
                 <div class="col-md-4">
                   <div class="input-group">
                      <span class="input-group-addon">
                        <i class="glyphicon glyphicon-usd"></i></i>
                      <input type="number" class="form-control" name="buying-</pre>
price" placeholder="Buy Price">
                      <span class="input-group-addon">.00</span>
                  </div>
                 </div>
                  <div class="col-md-4">
                    <div class="input-group">
                       <span class="input-group-addon">
                         <i class="glyphicon glyphicon-usd"></i></i>
                       <input type="number" class="form-control" name="saleing-</pre>
price" placeholder="Sell Price">
                       <span class="input-group-addon">.00</span>
                   </div>
                  </div>
               </div>
              </div>
              <button type="submit" name="add_product" class="btn btn-danger">ADD
PRODUCT</button>
          </form>
         </div>
        </div>
      </div>
    </div>
  </div>
<?php include_once('layouts/footer.php'); ?>
```

add_sale.php

```
<?php
 $page title = 'Add Sale';
  require once('includes/load.php');
<?php
  if(isset($_POST['add_sale'])){
    $req_fields = array('s_id', 'quantity', 'price', 'total', 'date');
    validate_fields($req_fields);
        if(empty($errors)){
                   = $db->escape((int)$ POST['s id']);
         $p id
         $s qty
                   = $db->escape((int)$_POST['quantity']);
         $s_total = $db->escape($_POST['total']);
                  = $db->escape($_POST['date']);
         $date
         $s date = make date();
         $sql = "INSERT INTO sales (";
         $sql .= " product_id,qty,price,date";
         $sql .= ") VALUES (";
         $sql .= "'{$p_id}','{$s_qty}','{$s_total}','{$s_date}'";
         $sql .= ")";
               if($db->query($sql)){
                  update_product_qty($s_qty,$p_id);
                  $session->msg('s', "Sale added. ");
                  redirect('add_sale.php', false);
                } else {
                  $session->msg('d',' Sorry failed to add!');
                  redirect('add_sale.php', false);
                }
        } else {
          $session->msg("d", $errors);
          redirect('add sale.php',false);
<?php include once('layouts/header.php'); ?>
<div class="row">
  <div class="col-md-6">
    <?php echo display_msg($msg); ?>
    <form method="post" action="ajax.php" autocomplete="off" id="sug-form">
       <div class="form-group">
         <div class="input-group">
```

```
<span class="input-group-btn">
           <button type="submit" class="btn btn-primary">Add Item
          </span>
          <input type="text" id="sug input" class="form-control"</pre>
name="title" placeholder="Search for product name">
       </div>
       <div id="result" class="list-group"></div>
   </form>
 </div>
</div>
<div class="row">
 <div class="col-md-12">
   <div class="panel panel-default">
     <div class="panel-heading clearfix">
        <span><img src="libs/images/st.png" width="30">&nbsp;</span>
        <span>ADD SALE
     </strong>
     </div>
     <div class="panel-body">
      <form method="post" action="add sale.php">
       <thead>
          ITEM NAME 
           PRICE 
           QUANTITY 
           TOTAL PRICE 
           DATE
           ACTIONS
         </thead>

       </form>
     </div>
   </div>
 </div>
</div>
<?php include_once('layouts/footer.php'); ?>
```

admin.php

```
<?php
  $page_title = 'Admin Home Page';
  require once('includes/load.php');
<?php
$c categorie
               = count by id('categories');
               = count_by_id('products');
$c product
               = count_by_id('sales');
 $c sale
 $products_sold = find_higest_saleing_product('10');
$recent products = find recent product added('5');
$recent sales = find recent sale added('5')
<?php include once('layouts/header.php'); ?>
<div class="row">
  <div class="col-md-6">
    <?php echo display_msg($msg); ?>
  </div>
</div>
  <div class="row">
  <a href="categorie.php" style="color:black;">
   <div class="col-md-4">
      <div class="panel panel-box clearfix">
        <div class="panel-icon pull-left" style="background-color:#4f3c5e">
         <i class="glyphicon glyphicon-th-list"></i>
       </div>
       <div class="panel-value pull-right">
         <h2 class="margin-top"> <?php echo $c_categorie['total']; ?> </h2>
         Item Categories
       </div>
      </div>
   </div>
  </a>
  <a href="product.php" style="color:black;">
   <div class="col-md-4">
      <div class="panel panel-box clearfix">
        <div class="panel-icon pull-left" style="background-color:#674e7b">
         <i class="glyphicon glyphicon-shopping-cart"></i></i>
       </div>
       <div class="panel-value pull-right">
         <h2 class="margin-top"> <?php echo $c product['total']; ?> </h2>
         Products
```

```
</div>
      </div>
   </div>
 </a>
 <a href="sales.php" style="color:black;">
   <div class="col-md-4">
      <div class="panel panel-box clearfix">
       <div class="panel-icon pull-left" style="background-color:#0A72BD">
        <i class="glyphicon glyphicon-usd"></i></i>
      </div>
      <div class="panel-value pull-right">
        <h2 class="margin-top"> <?php echo $c_sale['total']; ?></h2>
        Total No. of Sales
      </div>
     </div>
   </div>
 </a>
</div>
<hr class="divider">
 <div class="row">
  <div class="col-md-4">
    <div class="panel panel-default">
      <div class="panel-heading">
       <strong>
         <span><img src="libs/images/ls.png" width="20">&nbsp;</span>
         <span>Bestselling Products
       </strong>
      </div>
      <div class="panel-body">
       <thead>
         Title
           Sold
           Quantity
         </thead>
        <?php foreach ($products_sold as $product_sold): ?>
           >
             <?php echo
remove_junk(first_character($product_sold['name'])); ?>
```

```
<?php echo (int)$product_sold['totalSold']; ?>
           <?php echo (int)$product sold['totalQty']; ?>
         <?php endforeach; ?>
      </div>
   </div>
  </div>
  <div class="col-md-4">
    <div class="panel panel-default">
     <div class="panel-heading">
      <strong>
        <span><img src="libs/images/ds.png" width="20">&nbsp;</span>
        <span>RECENT SALES</span>
      </strong>
     </div>
     <div class="panel-body">
      <thead>
      >
       #
       Product Name
       Date
       Total
      </thead>
    <?php foreach ($recent sales as $recent sale): ?>
       <?php echo count_id();?>
        <a href="edit sale.php?id=<?php echo (int)$recent sale['id']; ?>">
        <?php echo remove junk(first character($recent sale['name'])); ?>
       </a>
       <?php echo remove_junk(ucfirst($recent_sale['date'])); ?>
       $<?php echo
<?php endforeach; ?>
    </div>
```

```
</div>
  </div>
  <div class="col-md-4">
    <div class="panel panel-default">
      <div class="panel-heading">
        <strong>
          <span><img src="libs/images/tf.png" width="20">&nbsp;</span>
          <span>Newly Added Products</span>
        </strong>
      </div>
      <div class="panel-body">
        <div class="list-group">
      <?php foreach ($recent products as $recent product): ?>
            <a class="list-group-item clearfix" href="edit_product.php?id=<?php</pre>
echo
        (int)$recent_product['id'];?>">
                <h4 class="list-group-item-heading">
                <?php echo str_repeat('&nbsp;', 1);?>
                <?php echo
remove_junk(first_character($recent_product['name']));?>
                  <span class="label pull-left" style="background-color:#0A72BD">
                 $<?php echo (int)$recent_product['sale_price']; ?>
                  </span>
                </h4>
                <span class="list-group-item-text pull-right">
                <?php echo
remove_junk(first_character($recent_product['categorie'])); ?>
              </span>
          </a>
      <?php endforeach; ?>
    </div>
  </div>
</div>
</div>
 </div>
 <div class="row">
  </div>
<?php include_once('layouts/footer.php'); ?>
```

ajax.php

```
<?php
 require_once('includes/load.php');
 if (!$session->isUserLoggedIn(true)) { redirect('index.php', false);}
<?php
// This lists all autosuggestions (like in Add Product)
   $html = '';
  if(isset($_POST['product_name']) && strlen($_POST['product_name']))
    $products = find_product_by_title($_POST['product_name']);
    if($products){
       foreach ($products as $product):
         $html .= "";
         $html .= $product['name'];
         $html .= "";
       endforeach;
     } else {
       $html .= '
item\">';
       $html .= 'Not found';
       $html .= "";
     echo json_encode($html);
<?php
// This lists all the product info per title
 if(isset($ POST['p name']) && strlen($ POST['p name']))
   $product title = remove junk($db->escape($ POST['p name']));
   if($results = find_all_product_info_by_title($product_title)){
       foreach ($results as $result) {
        $html .= "";
        $html .= "".$result['name']."";";
        $html .= "<input type=\"hidden\" name=\"s id\"</pre>
value=\"{$result['id']}\">";
        $html .= "";
```

```
$html .= "<input type=\"text\" class=\"form-control\" name=\"price\"</pre>
value=\"{$result['sale price']}\">";
         $html .= "";
         $html .= "";
         $html .= "<input type=\"text\" class=\"form-control\" name=\"quantity\"</pre>
value=\"1\">";
         $html .= "";
         $html .= ">";
         $html .= "<input type=\"text\" class=\"form-control\" name=\"total\"</pre>
value=\"{$result['sale_price']}\">";
         $html .= "";
         $html .= "";
         $html .= "<input type=\"date\" class=\"form-control datePicker\"</pre>
name=\"date\" data-date data-date-format=\"yyyy-mm-dd\">";
         $html .= "";
         $html .= ">";
         $html .= "<button type=\"submit\" name=\"add_sale\" class=\"btn btn-</pre>
primary\">Add sale</button>";
         $html .= "";
         $html .= "";
   } else {
       $html ='product name not resgister in database';
   echo json_encode($html);
```

auth.php

```
<?php include_once('includes/load.php'); ?>
<?php
$req_fields = array('username','password' );
validate_fields($req_fields);
$username = remove_junk($_POST['username']);
$password = remove_junk($_POST['password']);

if(empty($errors)){
    $user_id = authenticate($username, $password);
    if($user_id){
        $session->login($user_id);
        updateLastLogIn($user_id);
}
```

```
$session->msg("s", "Glory to the 501st Legion!");
    redirect('home.php',false);
} else {
    $session->msg("d", "Invalid Credentials. Please Try Again.");
    redirect('index.php',false);
}
} else {
    $session->msg("d", $errors);
    redirect('index.php',false);
}
```

categorie.php

```
<?php
  $page_title = 'All categories';
  require_once('includes/load.php');
 $all categories = find all('categories')
<?php
if(isset($_POST['add_cat'])){
   $req_field = array('categorie-name');
  validate fields($req field);
  $cat_name = remove_junk($db->escape($_POST['categorie-name']));
   if(empty($errors)){
      $sql = "INSERT INTO categories (name)";
      $sql .= " VALUES ('{$cat name}')";
      if($db->query($sql)){
        $session->msg("s", "Successfully Added New Category");
        redirect('categorie.php',false);
      } else {
        $session->msg("d", "Sorry Failed to insert.");
        redirect('categorie.php',false);
   } else {
     $session->msg("d", $errors);
     redirect('categorie.php',false);
}
```

```
<?php include_once('layouts/header.php'); ?>
 <div class="row">
    <div class="col-md-12">
      <?php echo display_msg($msg); ?>
    </div>
 </div>
  <div class="row">
   <div class="col-md-5">
     <div class="panel panel-default">
      <div class="panel-heading">
        <strong>
          <span><img src="libs/images/st.png" width="30">&nbsp;</span>
          <span>Add New Category</span>
       </strong>
      </div>
      <div class="panel-body">
        <form method="post" action="categorie.php">
          <div class="form-group">
             <input type="text" class="form-control" name="categorie-name"</pre>
placeholder="Category Name">
          </div>
          <button type="submit" name="add_cat" class="btn btn-primary">Add
Category</button>
      </form>
      </div>
     </div>
   </div>
   <div class="col-md-7">
   <div class="panel panel-default">
     <div class="panel-heading">
      <strong>
        <span><img src="libs/images/st.png" width="30">&nbsp;</span>
        <span>All Categories</span>
      </strong>
     </div>
      <div class="panel-body">
        <thead>
             #
                 Categories
                 Actions
             </thead>
```

```
<?php foreach ($all categories as $cat):?>
              <?php echo count id();?>
                 <?php echo remove_junk(ucfirst($cat['name'])); ?>
                 <div class="btn-group">
                     <a href="edit_categorie.php?id=<?php echo</pre>
(int)$cat['id'];?>" class="btn btn-xs btn-warning" data-toggle="tooltip"
title="Edit">
                      <span class="glyphicon glyphicon-edit"></span>
                     </a>
                     <a href="delete_categorie.php?id=<?php echo
(int)$cat['id'];?>"
                  class="btn btn-xs btn-danger" data-toggle="tooltip"
title="Remove">
                      <span class="glyphicon glyphicon-trash"></span>
                   </div>
                 <?php endforeach; ?>
          </div>
   </div>
   </div>
  </div>
 </div>
 <?php include_once('layouts/footer.php'); ?>
```

daily_sales.php

```
<?php
    $page_title = 'Daily Sales';
    require_once('includes/load.php');
?>

<?php
    $year = date('Y');
    $month = date('m');
    $sales = dailySales($year,$month);
?>
<?php include_once('layouts/header.php'); ?>
```

```
<div class="row">
 <div class="col-md-6">
  <?php echo display_msg($msg); ?>
 </div>
</div>
 <div class="row">
  <div class="col-md-12">
   <div class="panel panel-default">
     <div class="panel-heading clearfix">
      <strong>
       <span><img src="libs/images/st.png" width="30">&nbsp;</span>
       <span>Sales for this day</span>
      </strong>
     </div>
     <div class="panel-body">
      <thead>
         >
          #
           Product name 
           Quantity sold
           Total 
           Date 
        </thead>
       <?php foreach ($sales as $sale):?>
        >
         <?php echo count id();?>
         <?php echo remove_junk($sale['name']); ?>
         <?php echo (int)$sale['qty']; ?>
         <?php echo
remove junk($sale['total saleing price']); ?>
         <?php echo $sale['date']; ?>
        <?php endforeach;?>
       </div>
   </div>
  </div>
 </div>
<?php include_once('layouts/footer.php'); ?>
```

delete_categorie.php

delete product.php

```
??php
  require_once('includes/load.php');

?>
<?php
  $product = find_by_id('products',(int)$_GET['id']);
  if(!$product){
    $session->msg("d","Missing Product id.");
    redirect('product.php');
  }

?>
<?php
  $delete_id = delete_by_id('products',(int)$product['id']);
  if($delete_id){
    $session->msg("s","Products deleted.");
    redirect('product.php');
  } else {
    $session->msg("d","Products deletion failed.");
    redirect('product.php');
  }
}

?>
```

delete_sale.php

```
??php
require_once('includes/load.php');
?>
<?php
$d_sale = find_by_id('sales',(int)$_GET['id']);
if(!$d_sale){
    $session->msg("d","Missing sale id.");
    redirect('sales.php');
}
?>
<?php
$delete_id = delete_by_id('sales',(int)$d_sale['id']);
if($delete_id){
    $session->msg("s","sale deleted.");
    redirect('sales.php');
} else {
    $session->msg("d","sale deletion failed.");
    redirect('sales.php');
}
?>
```

edit_categorie.php

```
<?php
 $page_title = 'Edit category';
  require once('includes/load.php');
<?php
 // This will display all categories.
 $categorie = find by id('categories',(int)$ GET['id']);
 if(!$categorie){
   $session->msg("d","Missing category id.");
   redirect('categorie.php');
 }
<?php
if(isset($_POST['edit_cat'])){
 $req_field = array('categorie-name');
 validate fields($req field);
 $cat_name = remove_junk($db->escape($_POST['categorie-name']));
 if(empty($errors)){
```

```
$sql = "UPDATE categories SET name='{$cat name}'";
       $sql .= " WHERE id='{$categorie['id']}'";
     $result = $db->query($sql);
     if($result && $db->affected rows() === 1) {
       $session->msg("s", "Successfully updated category");
       redirect('categorie.php',false);
     } else {
       $session->msg("d", "Sorry! Failed to Update");
       redirect('categorie.php',false);
  } else {
    $session->msg("d", $errors);
    redirect('categorie.php',false);
<?php include_once('layouts/header.php'); ?>
<div class="row">
   <div class="col-md-12">
     <?php echo display_msg($msg); ?>
  </div>
   <div class="col-md-5">
     <div class="panel panel-default">
       <div class="panel-heading">
         <strong>
           <span class="glyphicon glyphicon-th"></span>
           <span>Editing <?php echo</pre>
remove junk(ucfirst($categorie['name']));?></span>
        </strong>
       </div>
       <div class="panel-body">
         <form method="post" action="edit categorie.php?id=<?php echo</pre>
(int)$categorie['id'];?>">
           <div class="form-group">
               <input type="text" class="form-control" name="categorie-name"</pre>
value="<?php echo remove_junk(ucfirst($categorie['name']));?>">
           <button type="submit" name="edit_cat" class="btn btn-primary">UPDATE
CATEGORY</button>
       </form>
       </div>
     </div>
   </div>
</div>
```

```
<?php include_once('layouts/footer.php'); ?>
```

edit product.php

```
<?php
  $page title = 'Edit product';
  require once('includes/load.php');
<?php
$product = find by id('products',(int)$ GET['id']);
$all_categories = find_all('categories');
$all photo = find all('media');
if(!$product){
  $session->msg("d","Missing product id.");
  redirect('product.php');
<?php
if(isset($_POST['product'])){
    $req_fields = array('product-title','product-categorie','product-
quantity','buying-price', 'saleing-price');
    validate fields($req fields);
   if(empty($errors)){
       $p name = remove junk($db->escape($ POST['product-title']));
               = (int)$_POST['product-categorie'];
       $p_cat
       $p qty
               = remove junk($db->escape($ POST['product-quantity']));
       $p_buy = remove_junk($db->escape($_POST['buying-price']));
       $p_sale = remove_junk($db->escape($_POST['saleing-price']));
       $query = "UPDATE products SET";
       $query .=" name ='{$p_name}', quantity ='{$p_qty}',";
       $query .=" buy price ='{$p buy}', sale price ='{$p sale}', categorie id
='{$p_cat}'";
       $query .=" WHERE id ='{$product['id']}'";
       $result = $db->query($query);
               if($result && $db->affected_rows() === 1){
                 $session->msg('s',"Product updated ");
                 redirect('product.php', false);
               } else {
                 $session->msg('d',' Sorry failed to updated!');
                 redirect('edit_product.php?id='.$product['id'], false);
```

```
} else{
       $session->msg("d", $errors);
       redirect('edit_product.php?id='.$product['id'], false);
<?php include_once('layouts/header.php'); ?>
<div class="row">
  <div class="col-md-12">
    <?php echo display msg($msg); ?>
  </div>
</div>
  <div class="row">
      <div class="panel panel-default">
        <div class="panel-heading">
          <strong>
            <span class="glyphicon glyphicon-th"></span>
            <span>Edit Product</span>
         </strong>
        </div>
        <div class="panel-body">
         <div class="col-md-7">
           <form method="post" action="edit_product.php?id=<?php echo</pre>
(int)$product['id'] ?>">
              <div class="form-group">
                <div class="input-group">
                  <span class="input-group-addon">
                   <i class="glyphicon glyphicon-th-large"></i></i>
                  </span>
                  <input type="text" class="form-control" name="product-title"</pre>
value="<?php echo remove junk($product['name']);?>">
               </div>
              </div>
              <div class="form-group">
                <div class="row">
                  <div class="col-md-6">
                    <select class="form-control" name="product-categorie">
                    <option value=""> Select a categorie</option>
                   <?php foreach ($all categories as $cat): ?>
                     <option value="<?php echo (int)$cat['id']; ?>" <?php</pre>
if($product['categorie_id'] === $cat['id']): echo "selected"; endif; ?> >
```

```
<?php echo remove_junk($cat['name']); ?></option>
                   <?php endforeach; ?>
                 </select>
                  </div>
                </div>
              </div>
              <div class="form-group">
               <div class="row">
                 <div class="col-md-4">
                  <div class="form-group">
                    <label for="qty">Quantity</label>
                    <div class="input-group">
                       <span class="input-group-addon">
                        <i class="glyphicon glyphicon-shopping-cart"></i></i>
                      </span>
                       <input type="number" class="form-control" name="product-</pre>
quantity" value="<?php echo remove_junk($product['quantity']); ?>">
                   </div>
                  </div>
                 </div>
                 <div class="col-md-4">
                  <div class="form-group">
                    <label for="qty">Buying price</label>
                    <div class="input-group">
                      <span class="input-group-addon">
                         <i class="glyphicon glyphicon-usd"></i></i>
                       </span>
                       <input type="number" class="form-control" name="buying-</pre>
price" value="<?php echo remove_junk($product['buy_price']);?>">
                       <span class="input-group-addon">.00</span>
                   </div>
                  </div>
                 </div>
                  <div class="col-md-4">
                   <div class="form-group">
                      <label for="qty">Selling price</label>
                      <div class="input-group">
                        <span class="input-group-addon">
                          <i class="glyphicon glyphicon-usd"></i></i>
                        </span>
                        <input type="number" class="form-control" name="saleing-</pre>
price" value="<?php echo remove_junk($product['sale_price']);?>">
                        <span class="input-group-addon">.00</span>
                    </div>
```

edit_sale.php

```
<?php
  $page title = 'Edit sale';
  require_once('includes/load.php');
$sale = find_by_id('sales',(int)$_GET['id']);
if(!$sale){
 $session->msg("d","Missing Product ID.");
  redirect('sales.php');
<?php $product = find_by_id('products',$sale['product_id']); ?>
<?php
 if(isset($ POST['update sale'])){
    $req_fields = array('title','quantity','price','total', 'date' );
   validate_fields($req_fields);
        if(empty($errors)){
         $p id
                  = $db->escape((int)$product['id']);
                  = $db->escape((int)$_POST['quantity']);
         $s qty
         $s_total = $db->escape($_POST['total']);
         $date
                  = $db->escape($_POST['date']);
         $s_date = date("Y-m-d", strtotime($date));
         $sql = "UPDATE sales SET";
         $sql .= " product_id=
'{$p_id}',qty={$s_qty},price='{$s_total}',date='{$s_date}'";
         $sql .= " WHERE id ='{$sale['id']}'";
```

```
$result = $db->query($sq1);
        if( $result && $db->affected rows() === 1){
                  update_product_qty($s_qty,$p_id);
                  $session->msg('s', "Sale updated.");
                  redirect('edit_sale.php?id='.$sale['id'], false);
                } else {
                  $session->msg('d',' Sorry failed to updated!');
                  redirect('sales.php', false);
       } else {
         $session->msg("d", $errors);
         redirect('edit sale.php?id='.(int)$sale['id'],false);
<?php include_once('layouts/header.php'); ?>
<div class="row">
 <div class="col-md-6">
   <?php echo display_msg($msg); ?>
 </div>
</div>
<div class="row">
 <div class="col-md-12">
 <div class="panel">
   <div class="panel-heading clearfix">
       <span class="glyphicon glyphicon-th"></span>
       <span>All Sales
    </strong>
    <div class="pull-right">
      <a href="sales.php" class="btn btn-primary">Show all sales</a>
    </div>
   </div>
   <div class="panel-body">
       Product title 
         Qty 
          Price 
          Total 
          Date
          Action
```

```
</thead>
         <form method="post" action="edit sale.php?id=<?php echo</pre>
(int)$sale['id']; ?>">
              <input type="text" class="form-control" id="sug input"</pre>
name="title" value="<?php echo remove_junk($product['name']); ?>">
               <div id="result" class="list-group"></div>
              <input type="text" class="form-control" name="quantity"</pre>
value="<?php echo (int)$sale['qty']; ?>">
              <input type="text" class="form-control" name="price"</pre>
value="<?php echo remove_junk($product['sale_price']); ?>" >
              <input type="text" class="form-control" name="total"</pre>
value="<?php echo remove_junk($sale['price']); ?>">
              <input type="date" class="form-control datepicker" name="date"</pre>
data-date-format="" value="<?php echo remove_junk($sale['date']); ?>">
              <button type="submit" name="update_sale" class="btn btn-</pre>
primary">Update sale
              </form>
            </div>
 </div>
 </div>
</div>
<?php include_once('layouts/footer.php'); ?>
```

home.php

```
<?php
 $page_title = 'Home Page';
  require once('includes/load.php');
 if (!$session->isUserLoggedIn(true)) { redirect('index.php', false);}
<?php include once('layouts/header.php'); ?>
<div class="row">
  <div class="col-md-12">
    <?php echo display_msg($msg); ?>
 </div>
 <div class="col-md-12">
   <div>
      <div class="jumbotron text-center" style="background-color:#3c2c49;";>
         <img src="libs/images/banner.webp" class="banner">
         <h2 class="txth"><img src="libs/images/Logo_2.png" width="40px"> <b>|
501st Legion - PH Garrisson</b><br/>br>Official Inventory System</h2>
        <hr class="introline">
         You are using the official inventory system of the
501st Legion's Philippine Garrisson.
          <br>>The leading Star Wars costuming organization in the Philippines.
          <hr class="introline">
          <h3 style="color: white;"><b>May the Force be with You</b></h3>
     </div>
    </div>
</div>
</div>
<?php include_once('layouts/footer.php'); ?>
```

index.php

```
<?php
  ob_start();
  require_once('includes/load.php');
  if($session->isUserLoggedIn(true)) { redirect('home.php', false);}
?>
<!-- This is to include the header for this page. This specific header, however,
is for the login page only. -->
<?php include_once('layouts/header_login.php'); ?>
<!-- The background and other non-Boobstrap and jQuery styles are in the
login.css file,
which this file connects to through the 'header_login.php' file. -->
```

```
<img class="logo" src="libs/images/Logo.png">
<div class="login-page">
    <div class="text-center">
    </div>
     <?php echo display msg($msg); ?>
      <form method="post" action="auth.php" class="clearfix">
        <div class="form-group">
              <label for="username" class="lb1">USERNAME</label>
              <input type="name" class="form-control" name="username"</pre>
placeholder="Username">
        </div>
        <div class="form-group">
            <label for="Password" class="lbl">PASSWORD</label>
            <input type="password" name= "password" class="form-control"</pre>
placeholder="Password">
        </div>
        <div class="form-group">
                <button type="submit" class="button" style="border-</pre>
radius:0%">Login</button>
        </div>
    </form>
</div>
</center>
<!-- This is to include the footer for this page. This will appear in almost
every main PHP file in the project -->
<?php include once('layouts/footer.php'); ?>
logout.php
<?php
  require once('includes/load.php');
  if(!$session->logout()) {redirect("index.php");}
```

monthly_sales.php

```
<?php
    $page_title = 'Monthly Sales';
    require_once('includes/load.php');
?>
```

```
<?php
$year = date('Y');
$sales = monthlySales($year);
<?php include_once('layouts/header.php'); ?>
<div class="row">
 <div class="col-md-6">
  <?php echo display_msg($msg); ?>
 </div>
</div>
 <div class="row">
  <div class="col-md-12">
   <div class="panel panel-default">
     <div class="panel-heading clearfix">
      <strong>
       <span><img src="libs/images/st.png" width="30">&nbsp;</span>
       <span>Sales for this month
      </strong>
     </div>
     <div class="panel-body">
      <thead>
         #
           Product name 
           Quantity sold
           Total 
           Date 
        </thead>
       <?php foreach ($sales as $sale):?>
         <?php echo count id();?>
         <?php echo remove_junk($sale['name']); ?>
         <?php echo (int)$sale['qty']; ?>
         <?php echo
remove junk($sale['total saleing price']); ?>
         <?php echo $sale['date']; ?>
        <?php endforeach;?>
       </div>
   </div>
```

```
</div>
</div>

<pre
```

product.php

```
<?php
 $page_title = 'All Product';
 require once('includes/load.php');
 $products = join product table();
<?php include_once('layouts/header.php'); ?>
 <div class="row">
   <div class="col-md-12">
    <?php echo display_msg($msg); ?>
   </div>
  <div class="col-md-12">
   <div class="panel panel-default">
    <div class="panel-heading clearfix">
     <div class="pull-right">
      <a href="add_product.php" class="btn btn-primary">Add New</a>
     </div>
    </div>
    <div class="panel-body">
      <thead>
        #
          ITEM NAME 
          CATEGORY 
          STOCK 
          BUY PRICE 
          SELL PRICE 
          DATE ADDED 
          ACTIONS 
        </thead>
       <?php foreach ($products as $product):?>
         <?php echo count_id();?>
          <?php echo remove junk($product['name']); ?>
```

```
 <?php echo
remove_junk($product['categorie']); ?>
              <?php echo
remove_junk($product['quantity']); ?>
              <?php echo
remove_junk($product['buy_price']); ?>
              <?php echo
remove_junk($product['sale_price']); ?>
              <?php echo
read_date($product['date']); ?>
            <div class="btn-group">
                <a href="edit_product.php?id=<?php echo</pre>
(int)$product['id'];?>" class="btn btn-info btn-xs" title="Edit" data-
toggle="tooltip">
                 <span class="glyphicon glyphicon-edit"></span>
                <a href="delete_product.php?id=<?php echo</pre>
(int)$product['id'];?>" class="btn btn-danger btn-xs" title="Delete" data-
toggle="tooltip">
                 <span class="glyphicon glyphicon-trash"></span>
                </a>
              </div>
             <?php endforeach; ?>
         </tabel>
      </div>
    </div>
   </div>
 </div>
 <?php include_once('layouts/footer.php'); ?>
```

sale_report_process.php

```
<?php
$page_title = 'Sales Report';
$results = '';
   require_once('includes/load.php');
?>
<?php
   if(isset($_POST['submit'])){
        $req_dates = array('start-date','end-date');
}</pre>
```

```
validate_fields($req_dates);
    if(empty($errors)):
      $start date = remove junk($db->escape($ POST['start-date']));
                  = remove_junk($db->escape($_POST['end-date']));
      $end date
      $results
                  = find_sale_by_dates($start_date,$end_date);
   else:
      $session->msg("d", $errors);
      redirect('sales_report.php', false);
   endif;
  } else {
   $session->msg("d", "Select dates");
   redirect('sales_report.php', false);
  }
<!doctype html>
<html lang="en-US">
<head>
   <meta http-equiv="Content-Type" content="text/html; charset=utf-8">
   <title>Default Page Title</title>
     <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.4/css/bootstrap.min.css"/>
  <style>
  @media print {
     html,body{
       font-size: 9.5pt;
       margin: 0;
        padding: 0;
     .page-break {
       page-break-before:always;
      width: auto;
      margin: auto;
    .page-break{
     width: 980px;
      margin: 0 auto;
    .sale-head{
       margin: 40px 0;
```

```
text-align: center;
     .sale-head h1,.sale-head strong{
       padding: 10px 20px;
      display: block;
     .sale-head h1{
      margin: 0;
      border-bottom: 1px solid #212121;
     .table>thead:first-child>tr:first-child>th{
       border-top: 1px solid #000;
     table thead tr th {
      text-align: center;
      border: 1px solid #ededed;
     table tbody tr td{
       vertical-align: middle;
     .sale-head,table.table thead tr th,table tbody tr td,table tfoot tr td{
       border: 1px solid #212121;
      white-space: nowrap;
     .sale-head h1,table thead tr th,table tfoot tr td{
      background-color: #f8f8f8;
    tfoot{
       color:#000;
       text-transform: uppercase;
      font-weight: 500;
   </style>
</head>
<body>
 <?php if($results): ?>
 <div class="page-break">
```

```
<div class="sale-head">
      <h1><b>501st Legion - PH Garrisson | Sales Report</b></h1>
      <strong>FROM <?php if(isset($start_date)){ echo $start_date;}?> UP TO
<?php if(isset($end date)){echo $end date;}?> </strong>
    </div>
   <thead>
      DATE
        ITEM NAME
        BUY PRICE
        SELL PRICE
        QUANTITY
        TOTAL
      </thead>
     <?php foreach($results as $result): ?>
      <?php echo remove_junk($result['date']);?>
        <h6><?php echo remove_junk(ucfirst($result['name']));?></h6>
        <?php echo
remove_junk($result['buy_price']);?>
        <?php echo
<?php echo
remove junk($result['total sales']);?>
        <?php echo
remove junk($result['total saleing price']);?>
     <?php endforeach; ?>
     <tfoot>
     <b>GRAND TOTAL</b>
       $
      <?php echo number_format(total_price($results)[0], 2);?>
      <b>PROFIT</b>
```

sales_report.php

```
<?php
$page_title = 'Sale Report';
  require_once('includes/load.php');
<?php include once('layouts/header.php'); ?>
<div class="row">
  <div class="col-md-6">
    <?php echo display_msg($msg); ?>
  </div>
</div>
<div class="row">
  <div class="col-md-6">
    <div class="panel">
      <div class="panel-heading">
      </div>
      <div class="panel-body">
          <form class="clearfix" method="post" action="sale_report_process.php">
            <div class="form-group">
              <label class="form-label">Date Range</label>
                <div class="input-group">
                  <input type="text" class="datepicker form-control" name="start-</pre>
date" placeholder="From">
                  <span class="input-group-addon"><i class="glyphicon glyphicon-</pre>
menu-right"></i></span>
                  <input type="text" class="datepicker form-control" name="end-</pre>
date" placeholder="To">
```

sales.php

```
<?php
 $page_title = 'All sale';
 require_once('includes/load.php');
<?php
$sales = find_all_sale();
<?php include_once('layouts/header.php'); ?>
<div class="row">
 <div class="col-md-6">
   <?php echo display_msg($msg); ?>
 </div>
</div>
 <div class="row">
   <div class="col-md-12">
     <div class="panel panel-default">
       <div class="panel-heading clearfix">
         <strong>
           <span><img src="libs/images/st.png" width="30">&nbsp;</span>
           <span>All Sales</span>
         </strong>
         <div class="pull-right">
           <a href="add_sale.php" class="btn btn-primary">Add sale</a>
         </div>
       </div>
       <div class="panel-body">
```

```
<thead>
        #
           ITEM NAME 
           QUANTITY
           TOTAL 
           DATE 
           ACTIONS 
        </thead>
      <?php foreach ($sales as $sale):?>
         <?php echo count id();?>
         <?php echo remove_junk($sale['name']); ?>
         <?php echo (int)$sale['qty']; ?>
         <?php echo
remove_junk($sale['price']); ?>
         <?php echo $sale['date']; ?>
         <div class="btn-group">
             <a href="edit_sale.php?id=<?php echo (int)$sale['id'];?>"
class="btn btn-warning btn-xs" title="Edit" data-toggle="tooltip">
              <span class="glyphicon glyphicon-edit"></span>
             <a href="delete sale.php?id=<?php echo (int)$sale['id'];?>"
class="btn btn-danger btn-xs" title="Delete" data-toggle="tooltip">
              <span class="glyphicon glyphicon-trash"></span>
             </a>
           </div>
         <?php endforeach;?>
      </div>
   </div>
  </div>
 </div>
<?php include_once('layouts/footer.php'); ?>
```

config.php

```
// This declares the name of the host along with its username and password, and
also the name of the database to be accessed.

define( 'DB_HOST', 'localhost' );

define( 'DB_USER', 'root' );

define( 'DB_PASS', '' );

define( 'DB_NAME', 'SWLegion' );

// This will allow ALL of the scripts to run with the Manila timezone.

date_default_timezone_set('Asia/Manila');

?>
```

database.php

```
<?php
require_once(LIB_PATH_INC.DS."config.php");
class MySqli DB {
   private $con;
   public $query_id;
    function __construct() {
      $this->db_connect();
/* This is just to open the connection to the database */
public function db_connect()
 $this->con = mysqli connect(DB HOST,DB USER,DB PASS);
 if(!$this->con)
           die(" Database connection failed:". mysqli_connect_error());
         } else {
           $select db = $this->con->select db(DB NAME);
             if(!$select_db)
               die("Failed to Select Database". mysqli_connect_error());
}
```

```
/* This is to close the connection. */
public function db disconnect()
  if(isset($this->con))
   mysqli_close($this->con);
   unset($this->con);
/* Query Function for MySQL */
public function query($sql)
   {
      if (trim($sql != "")) {
         $this->query_id = $this->con->query($sql);
      if (!$this->query_id)
             die("Error on this Query : " . $sql ."");
       return $this->query_id;
/* Function for Query Helper */
public function fetch_array($statement)
  return mysqli_fetch_array($statement);
public function fetch_object($statement)
  return mysqli_fetch_object($statement);
public function fetch assoc($statement)
  return mysqli_fetch_assoc($statement);
public function num_rows($statement)
  return mysqli_num_rows($statement);
public function insert_id()
  return mysqli insert id($this->con);
```

```
public function affected_rows()
{
    return mysqli_affected_rows($this->con);
}

public function escape($str){
    return $this->con->real_escape_string($str);
}

/* While loop for fetching results */
public function while_loop($loop){
    global $db;
    $results = array();
    while ($result = $this->fetch_array($loop)) {
        $results[] = $result;
    }
    return $results;
}

return $results;
}

$db = new MySqli_DB();

?>
```

functions.php

```
<!php
$errors = array();

function real_escape($str){
  global $con;
  $escape = mysqli_real_escape_string($con,$str);
  return $escape;
}

/* This removes the HTML characters */
function remove_junk($str){
  $str = nl2br($str);
  $str = htmlspecialchars(strip_tags($str, ENT_QUOTES));
  return $str;
}
</pre>
```

```
/* This enables the first character to be set to upper-case */
function first character($str){
 $val = str_replace('-'," ",$str);
 $val = ucfirst($val);
 return $val;
/* This checks for whitespaces in input fields. Will return a warning if field is
empty */
function validate_fields($var){
 global $errors;
 foreach ($var as $field) {
   $val = remove_junk($_POST[$field]);
   if(isset($val) && $val==''){
      $errors = $field ." can't be blank.";
     return $errors;
function display_msg($msg =''){
   $output = array();
  if(!empty($msg)) {
      foreach ($msg as $key => $value) {
         $output = "<div class=\"alert alert-{$key}\">";
         $output .= "<a href=\"#\" class=\"close\" data-</pre>
dismiss=\"alert\">×</a>";
         $output .= remove_junk(first_character($value));
         $output .= "</div>";
     return $output;
   } else {
    return "";
/* For redirecting to other pages */
function redirect($url, $permanent = false)
   if (headers_sent() === false)
      header('Location: ' . $url, true, ($permanent === true) ? 301 : 302);
   exit();
```

```
function total price($totals){
  sum = 0;
  sub = 0;
  foreach($totals as $total ){
     $sum += $total['total_saleing_price'];
    $sub += $total['total_buying_price'];
    $profit = $sum - $sub;
  return array($sum,$profit);
/* Reads the date */
function read_date($str){
    if($str)
     return date('F j, Y, g:i:s a', strtotime($str));
    else
     return null;
function make date(){
  return strftime("%Y-%m-%d %H:%M:%S", time());
function count id(){
 static $count = 1;
 return $count++;
/* Function for Creting random string */
function randString($length = 5)
 $str='';
 $cha = "0123456789abcdefghijklmnopqrstuvwxyz";
 for($x=0; $x<$length; $x++)
  $str .= $cha[mt_rand(0,strlen($cha))];
  return $str;
```

?>

load.php

```
<?php
define("URL_SEPARATOR", '/');

define("DS", DIRECTORY_SEPARATOR);

defined('SITE_ROOT')? null: define('SITE_ROOT', realpath(dirname(__FILE__)));

define("LIB_PATH_INC", SITE_ROOT.DS);

require_once(LIB_PATH_INC.'config.php');
require_once(LIB_PATH_INC.'functions.php');
require_once(LIB_PATH_INC.'session.php');
require_once(LIB_PATH_INC.'upload.php');
require_once(LIB_PATH_INC.'database.php');
require_once(LIB_PATH_INC.'sql.php');

require_once(LIB_PATH_INC.'sql.php');
</pre>
```

session.php

```
<?php
session_start();

class Session {

public $msg;
private $user_is_logged_in = false;

function __construct(){
   $this->flash_msg();
   $this->userLoginSetup();
}

public function isUserLoggedIn(){
   return $this->user_is_logged_in;
}

public function login($user_id){
   $_SESSION['user_id'] = $user_id;}
```

```
private function userLoginSetup()
   if(isset($ SESSION['user id']))
     $this->user_is_logged_in = true;
    } else {
     $this->user_is_logged_in = false;
 public function logout(){
   unset($_SESSION['user_id']);
 public function msg($type ='', $msg =''){
    if(!empty($msg)){
       if(strlen(trim($type)) == 1){
        $type = str_replace( array('d', 'i', 'w','s'), array('danger', 'info',
'warning','success'), $type );
      $_SESSION['msg'][$type] = $msg;
    } else {
      return $this->msg;
 private function flash_msg(){
   if(isset($_SESSION['msg'])) {
      $this->msg = $_SESSION['msg'];
      unset($_SESSION['msg']);
    } else {
      $this->msg;
$session = new Session();
$msg = $session->msg();
```

sql.php

```
<?php
  require_once('includes/load.php');
function find all($table) {
   global $db;
  if(tableExists($table))
     return find_by_sql("SELECT * FROM ".$db->escape($table));
/* This is to perform SQL Queries */
function find_by_sql($sql)
 global $db;
 $result = $db->query($sq1);
 $result set = $db->while loop($result);
return $result_set;
}
/* To find data through ID search */
function find by id($table,$id)
 global $db;
 $id = (int)$id;
   if(tableExists($table)){
          $sql = $db->query("SELECT * FROM {$db->escape($table)} WHERE id='{$db-
>escape($id)}' LIMIT 1");
          if($result = $db->fetch assoc($sql))
            return $result;
          else
            return null;
/* Delete from table through ID search */
function delete by id($table,$id)
 global $db;
 if(tableExists($table))
   $sql = "DELETE FROM ".$db->escape($table);
   $sql .= " WHERE id=". $db->escape($id);
```

```
$sql .= " LIMIT 1";
   $db->query($sq1);
    return ($db->affected_rows() === 1) ? true : false;
function count by id($table){
 global $db;
 if(tableExists($table))
           = "SELECT COUNT(id) AS total FROM ".$db->escape($table);
   $result = $db->query($sql);
     return($db->fetch assoc($result));
/* Checks if tables exist */
function tableExists($table){
  global $db;
  $table_exit = $db->query('SHOW TABLES FROM '.DB_NAME.' LIKE "'.$db-
>escape($table).'"');
     if($table exit) {
        if($db->num_rows($table_exit) > 0)
              return true;
        else
              return false;
  function authenticate($username='', $password='') {
   global $db;
    $username = $db->escape($username);
    $password = $db->escape($password);
    $sql = sprintf("SELECT id,username,password,user level FROM users WHERE
username ='%s' LIMIT 1", $username);
    $result = $db->query($sql);
    if($db->num_rows($result)){
      $user = $db->fetch assoc($result);
      $password request = sha1($password);
      if($password_request === $user['password'] ){
        return $user['id'];
```

```
return false;
   function authenticate v2($username='', $password='') {
     global $db;
     $username = $db->escape($username);
     $password = $db->escape($password);
     $sql = sprintf("SELECT id,username,password,user_level FROM users WHERE
username ='%s' LIMIT 1", $username);
     $result = $db->query($sq1);
     if($db->num rows($result)){
       $user = $db->fetch assoc($result);
       $password_request = sha1($password);
       if($password request === $user['password'] ){
         return $user;
   return false;
  /* Checks current login users */
  function current user(){
      static $current user;
     global $db;
      if(!$current user){
         if(isset($ SESSION['user id'])):
             $user id = intval($ SESSION['user id']);
             $current_user = find_by_id('users',$user_id);
        endif;
   return $current user;
 /* Updates login log */
 function updateLastLogIn($user_id)
    global $db;
   $date = make date();
   $sql = "UPDATE users SET last_login='{$date}' WHERE id ='{$user_id}' LIMIT
1";
   $result = $db->query($sq1);
   return ($result && $db->affected_rows() === 1 ? true : false);
```

```
/* This joins the products and displays them all */
  function join product table(){
    global $db;
    $sql =" SELECT
p.id,p.name,p.quantity,p.buy_price,p.sale_price,p.media_id,p.date,c.name";
    $sql .=" AS categorie, m.file name AS image";
    $sql .=" FROM products p";
    $sql .=" LEFT JOIN categories c ON c.id = p.categorie id";
   $sql .=" LEFT JOIN media m ON m.id = p.media id";
   $sql .=" ORDER BY p.id ASC";
   return find by sql($sql);
  /* This displays product per title */
  function find product by title($product name){
    global $db;
    $p name = remove junk($db->escape($product name));
    $sq1 = "SELECT name FROM products WHERE name like '%$p name%' LIMIT 5";
    $result = find_by_sql($sql);
    return $result;
  /* This, instead, displays product info per title */
  function find all product info by title($title){
   global $db;
   $sql = "SELECT * FROM products ";
   $sql .= " WHERE name ='{$title}'";
   $sql .=" LIMIT 1";
   return find by sql($sql);
  /* Function for Update product quantity */
  function update product qty($qty,$p id){
    global $db;
   qty = (int) qty;
   id = (int) p id;
   $sql = "UPDATE products SET quantity=quantity -'{$qty}' WHERE id = '{$id}'";
   $result = $db->query($sq1);
   return($db->affected rows() === 1 ? true : false);
 /* This is to display recently added products */
 function find recent product added($limit){
```

```
global $db;
   $sql = " SELECT p.id,p.name,p.sale price,p.media id,c.name AS categorie,";
  $sql .= "m.file name AS image FROM products p";
  $sql .= " LEFT JOIN categories c ON c.id = p.categorie id";
   $sql .= " LEFT JOIN media m ON m.id = p.media_id";
  $sql .= " ORDER BY p.id DESC LIMIT ".$db->escape((int)$limit);
  return find by sql($sql);
/* To get the highest selling product */
 function find higest saleing product($limit){
   global $db;
  $sql = "SELECT p.name, COUNT(s.product id) AS totalSold, SUM(s.qty) AS
totalQty";
   $sql .= " FROM sales s";
  $sql .= " LEFT JOIN products p ON p.id = s.product id ";
  $sql .= " GROUP BY s.product id";
  $sql .= " ORDER BY SUM(s.qty) DESC LIMIT ".$db->escape((int)$limit);
  return $db->query($sql);
 /* This returns all the sales so far */
 function find all sale(){
  global $db;
  $sql = "SELECT s.id,s.qty,s.price,s.date,p.name";
  $sql .= " FROM sales s";
  $sql .= " LEFT JOIN products p ON s.product_id = p.id";
  $sql .= " ORDER BY s.date DESC";
  return find by sql($sql);
 /* Function for Display Recent sale */
function find recent sale added($limit){
 global $db;
 $sql = "SELECT s.id,s.qty,s.price,s.date,p.name";
 $sql .= " FROM sales s";
 $sql .= " LEFT JOIN products p ON s.product id = p.id";
 $sql .= " ORDER BY s.date DESC LIMIT ".$db->escape((int)$limit);
 return find_by_sql($sql);
/* This is for the start-date to end-date displaying of sales */
function find_sale_by_dates($start_date,$end_date){
  global $db;
 $start_date = date("Y-m-d", strtotime($start_date));
```

```
$end date = date("Y-m-d", strtotime($end date));
  $sql = "SELECT s.date, p.name,p.sale price,p.buy price,";
 $sql .= "COUNT(s.product id) AS total records,";
  $sql .= "SUM(s.qty) AS total sales,";
 $sql .= "SUM(p.sale_price * s.qty) AS total_saleing_price,";
 $sql .= "SUM(p.buy_price * s.qty) AS total_buying_price ";
 $sql .= "FROM sales s ";
 $sql .= "LEFT JOIN products p ON s.product_id = p.id";
 $sql .= " WHERE s.date BETWEEN '{$start date}' AND '{$end date}'";
 $sql .= " GROUP BY DATE(s.date),p.name";
 $sql .= " ORDER BY DATE(s.date) DESC";
 return $db->query($sq1);
/* Gets the sales for the current day */
function dailySales($year,$month){
 global $db;
 $sql = "SELECT s.qty,";
 $sql .= " DATE FORMAT(s.date, '%Y-%m-%e') AS date,p.name,";
 $sql .= "SUM(p.sale price * s.qty) AS total saleing price";
 $sql .= " FROM sales s";
 $sql .= " LEFT JOIN products p ON s.product_id = p.id";
 $sql .= " WHERE DATE_FORMAT(s.date, '%Y-%m' ) = '{$year}-{$month}'";
 $sql .= " GROUP BY DATE FORMAT( s.date, '%e' ),s.product id";
 return find by sql($sql);
/* Gets the sales for the month */
function monthlySales($year){
 global $db;
 $sql = "SELECT s.qty,";
  $sql .= " DATE_FORMAT(s.date, '%Y-%m-%e') AS date,p.name,";
 $sql .= "SUM(p.sale price * s.qty) AS total saleing price";
 $sql .= " FROM sales s";
 $sql .= " LEFT JOIN products p ON s.product_id = p.id";
 $sql .= " WHERE DATE_FORMAT(s.date, '%Y' ) = '{$year}'";
 $sql .= " GROUP BY DATE_FORMAT( s.date, '%c' ),s.product id";
 $sql .= " ORDER BY date format(s.date, '%c' ) ASC";
 return find_by_sql($sql);
```

upload.php

```
<?php
class Media {
  public $imageInfo;
  public $fileName;
  public $fileType;
  public $fileTempPath;
  public $userPath = SITE_ROOT.DS.'..'.DS.'uploads/users';
  public $productPath = SITE ROOT.DS.'..'.DS.'uploads/products';
  public $errors = array();
  public $upload errors = array(
    0 => 'There is no error, the file uploaded with success',
    1 => 'The uploaded file exceeds the upload max filesize directive in
php.ini',
    2 => 'The uploaded file exceeds the MAX FILE SIZE directive that was
specified in the HTML form',
    3 => 'The uploaded file was only partially uploaded',
   4 => 'No file was uploaded',
   6 => 'Missing a temporary folder',
   7 => 'Failed to write file to disk.',
   8 => 'A PHP extension stopped the file upload.'
  );
  public$upload extensions = array(
  'gif',
   'jpg',
  'jpeg',
   'png',
  );
  public function file ext($filename)
     $ext = strtolower(substr( $filename, strrpos( $filename, '.' ) + 1 ) );
    if(in_array($ext, $this->upload_extensions)){
       return true;
  public function upload($file)
    if(!$file || empty($file) || !is array($file)):
      $this->errors[] = "No file was uploaded.";
```

```
return false;
  elseif($file['error'] != 0):
     $this->errors[] = $this->upload_errors[$file['error']];
     return false;
   elseif(!$this->file_ext($file['name'])):
     $this->errors[] = 'File not right format ';
     return false;
  else:
     $this->imageInfo = getimagesize($file['tmp name']);
     $this->fileName = basename($file['name']);
     $this->fileType = $this->imageInfo['mime'];
     $this->fileTempPath = $file['tmp name'];
   return true;
  endif;
public function process()
  if(!empty($this->errors)):
     return false;
   elseif(empty($this->fileName) || empty($this->fileTempPath)):
     $this->errors[] = "The file location was not available.";
     return false;
   elseif(!is writable($this->productPath)):
     $this->errors[] = $this->productPath." Must be writable!!!.";
     return false;
   elseif(file exists($this->productPath."/".$this->fileName)):
     $this->errors[] = "The file {$this->fileName} already exists.";
    return false;
  else:
   return true;
  endif;
```

admin_menu.php

```
<a href="admin.php">
```

```
<i class="glyphicon glyphicon-home"></i>
    <span>Dashboard
   </a>
 <1i>>
   <a href="categorie.php" >
    <i class="glyphicon glyphicon-indent-left"></i></i>
    <span>Categories</span>
   </a>
 <1i>>
   <a href="#" class="submenu-toggle">
    <i class="glyphicon glyphicon-th-large"></i></i>
    <span>Products</span>
   </a>
   <a href="product.php">Manage Products</a> 
     <a href="add_product.php">Add Products</a> 
  <1i>>
   <a href="#" class="submenu-toggle">
    <i class="glyphicon glyphicon-credit-card"></i></i>
     <span>Sales</span>
    </a>
    <a href="sales.php">Manage Sales</a> 
       <a href="add_sale.php">Add Sale</a> 
    <1i>>
   <a href="#" class="submenu-toggle">
    <i class="glyphicon glyphicon-duplicate"></i>
     <span>Sales Report</span>
    </a>
    <a href="sales_report.php">Sales by dates </a>
      <a href="monthly_sales.php">Monthly sales</a>
      <a href="daily_sales.php">Daily sales</a>
```

footer.php

header_login.php

```
<!-- This is ONLY for the login page. -->
<!-- This is to let the page know the currently logged in user -->
<?php $user = current_user(); ?>
<!DOCTYPE html>
  <html lang="en">
    <head>
    <meta charset="UTF-8">
    <title>
      <?php if (!empty($page_title))</pre>
           echo remove_junk($page_title);
            elseif(!empty($user))
           echo ucfirst($user['name']);
            else echo "501st - Inventory System";
    </title>
    <!-- This is for the local CSS. Instead of the main CSS file, this connects
to the other CSS file strictly used only by the login page. -->
    <link rel="stylesheet" href="libs/css/login.css" />
```

```
<!-- This is for the 3rd Party CSS files using AJAX and Bootstrap -->
   <link rel="stylesheet" href="//cdnjs.cloudflare.com/ajax/libs/bootstrap-</pre>
datepicker/1.3.0/css/datepicker3.min.css" />
   <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.4/css/bootstrap.min.css"/>
 </head>
 <body>
 <?php if ($session->isUserLoggedIn(true)): ?>
   <header id="header">
     <div class="logo pull-left"> 501st - PH Inventory</div>
     <div class="header-content">
     <!-- This is to get the date that shows up on the header. -->
     <div class="header-date pull-left">
       <strong><?php echo date("F j, Y, g:i a");?></strong>
     </div>
     <div class="pull-right clearfix">
       <a href="#" data-toggle="dropdown" class="toggle" aria-</pre>
expanded="false">
             <img src="uploads/users/<?php echo $user['image'];?>" alt="user-
image" class="img-circle img-inline">
             <span><?php echo remove junk(ucfirst($user['name'])); ?> <i</pre>
class="caret"></i></span>
           </a>
           <a href="logout.php">
                   <i class="glyphicon glyphicon-off"></i></i>
                   Logout
               </a>
            </div>
    </div>
   </header>
   <div class="sidebar">
     <?php if($user['user_level'] === '1'): ?>
       <!-- This is the main window you get put into after logging in -->
     <?php include_once('admin_menu.php');?>
```

```
<?php endif;?>
</div>
<?php endif;?>
```

header.php

```
<!-- This entire header goes to almost all of the main PHP files that aren't just
used for 'includes' and are generally the main pages. -->
<!-- This is to let the page know the currently logged in user -->
<?php $user = current_user(); ?>
<!DOCTYPE html>
  <html lang="en">
    <head>
    <meta charset="UTF-8">
    <title>
      <?php if (!empty($page_title))</pre>
           echo remove_junk($page_title);
            elseif(!empty($user))
           echo ucfirst($user['name']);
            else echo "501st - Inventory System";
    </title>
    <!-- This is for the local CSS. Here, it connects to the main CSS file and
not the initial CSS that was used for the login. -->
    <link rel="stylesheet" href="libs/css/main.css" />
    <!-- This is for the 3rd Party CSS files using AJAX and Bootstrap -->
    <link rel="stylesheet" href="//cdnjs.cloudflare.com/ajax/libs/bootstrap-</pre>
datepicker/1.3.0/css/datepicker3.min.css" />
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.4/css/bootstrap.min.css"/>
  </head>
  <body style="background-color:#152238">
  <?php if ($session->isUserLoggedIn(true)): ?>
    <header id="header">
      <!-- This is the top-left portion of the page, the left portion of the
header that shows the logo and name of the organization. -->
```

```
<div class="logo pull-left">501-st <img src="libs/images/Logo.png"</pre>
width="40px"> Legion</div>
     <div class="header-content">
     <!-- This is to get the date and text that displays on the header. -->
     <div class="header-date pull-left">
       <strong>
         <img src="libs/images/Flag.png" width="25px">
         <?php echo str repeat('&nbsp;', 2);?>
         <?php echo "PH Garrisson ";?>
         <?php echo str_repeat('&nbsp;', 7);?>
         <?php echo "|";?>
         <?php echo str_repeat('&nbsp;', 7);?>
         <?php echo "Online Inventory System ";?>
         <?php echo str_repeat('&nbsp;', 7);?>
         <?php echo "|";?>
         <?php echo str_repeat('&nbsp;', 7);?>
         <?php echo "Date & Time: ";?>
         <?php echo date("F j, Y, g:i a");?>
       </strong>
     </div>
     <div class="pull-right clearfix">
     <!-- This has the the rest of the header, including the user's Name
display. -->
       <a href="#" data-toggle="dropdown" class="toggle" aria-</pre>
expanded="false">
             <img src="uploads/users/<?php echo $user['image'];?>" alt="user-
image" class="img-circle img-inline">
             <span>
               <?php echo str_repeat('&nbsp;', 1);?>
               <?php echo remove junk(ucfirst($user['name'])); ?> <i</pre>
class="caret"></i>
               <?php echo str_repeat('&nbsp;', 1);?>
             </span>
           </a>
           class="last">
                <a href="home.php">
                    <i class="glyphicon glyphicon-home"></i>
                   Home
                </a>
```

```
class="last">
                <a href="logout.php">
                    <i class="glyphicon glyphicon-off"></i></i>
                </a>
            </div>
    </div>
   </header>
   <div class="sidebar">
     <?php if($user['user_level'] === '1'): ?>
     <!-- This is the main window you get put into after logging in -->
     <?php include_once('admin_menu.php');?>
     <?php endif;?>
   </div>
<?php endif;?>
<div class="page">
  <div class="container-fluid">
```

login.css

```
body{
    font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
    font-weight: 400;
    overflow-x: hidden;
    overflow-y: auto;
    background-image: url(../images/Background.jpg);
background-repeat: no-repeat;
background-size: cover;
    height: 100%;
    width: 100%;
}

a{
    color: #777;
    text-decoration: none;
}
```

```
.button {
 width: 160px;
 height: 30px;
 top: 90px;
 border-style: none;
 font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
 font-size: 16px;
 background-color: #3b3363;
 color: #ffffff;
 opacity: 0.8;
 transition: all 0.4s ease;
.button:hover {
  cursor: pointer;
 background-color: #69447e;
 border-style: solid;
 border-color: white;
 color: #ffffff;
 width: 185px;
 opacity: 1;
 transition: all 0.4s ease;
.logo {
 position: relative;
 top: 50px;
 width: 20%;
 opacity: 0.7;
 transition: all 0.5s ease;
.logo:hover {
 opacity: 1;
 transition: all 0.5s ease;
.padding-top{
 padding-top: 20px;
.login-page{
 position: relative;
 top: 90px;
```

```
width: 350px;
 /* margin: 5% 47% 6% auto; */
 padding: 0 20px;
 border: 1px solid #f2f2f2;
 border-radius: 20px;
 opacity: 0.8;
 transition: all 0.5s ease;
.login-page .text-center{
 margin-bottom: 10px;
.login-page:hover{
 opacity: 1;
 transition: all 0.5s ease;
 border-radius: 10px;
.1b1{
 font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
 font-size: 16px;
 color: #eaeded;
.box{
 padding: 20px;
 background-color: #f9f9f9;
 border: 1px solid #f2f2f2;
.page{
 position: relative;
 display: block;
 top: 50px;
 left: 0;
 padding: 35px 15px 20px 270px;
.page-lgn{
 position: relative;
 display: block;
 top: 50px;
 left: 0;
 padding: 35px 15px 20px 270px;
```

```
.bg-green{
 background-color: #A3C86D;
.bg-blue{
 background-color: #7ACBEE;
.bg-yellow{
 background-color: #FDD761;
.bg-red{
 background-color: #FF7857;
.bg-secondary1{
    background-color: #b17897;
.bg-blue2{
    background-color: #7a83ee;
.panel-default >.panel-heading{
  background-color: #f5f5f5;
 border-bottom: 2px solid #3498DB;
 font-size: 15px;
 text-transform: uppercase;
 letter-spacing: .5px;
 padding: 15px;
.panel-box{
 width: 100%;
 height: 100%;
 text-align: center;
 border: none;
.panel-value{
 width: 60%;
```

```
.panel-icon{
  padding: 30px;
 width: 40%;
 border-radius: 0;
.panel-icon{
  -webkit-border-radius: 3px 0 0 3px;
 -moz-border-radius: 3px 0 0 3px;
 border-radius: 3px 0 0 3px;
.panel-value{
  -webkit-border-radius: 0 3px 3px 0;
 -moz-border-radius: 0 3px 3px 0;
 border-radius: 0 3px 3px 0;
.panel-value h2{
 margin-top: 30px;
.panel-icon i{
  line-height:65px;
 font-size: 40px;
 color: #fff;
#header {
  position: fixed;
 z-index: 99;
 top: 0;
  left: 0;
  background-color: #fff;
  width: 100%;
 height: 65px;
  line-height: 65px;
  -moz-box-shadow: 0 1px 2px rgba(0,0,0,0.1);
  -webkit-box-shadow: 0 1px 2px rgba(0,0,0,0.1);
   box-shadow: 0 1px 2px rgba(0,0,0,0.1);
header > .logo {
    color: #fff;
```

```
text-align: center;
   font-weight: 700;
   text-transform: uppercase;
   letter-spacing: 1px;
   display: inline-block;
   width: 250px;
   background-color: #db3434;
.header-date{
 color: #9b9b9b;
 margin-left: 20px;
.info-menu{
 height: 60px;
 margin: 0;
 line-height: 60px;
 padding: 0 15px;
.info-menu li.profile {
 position: relative;
.profile a.toggle{
 text-decoration: none;
 text-align: center;
 font-size: 14px;
 color: rgba(150, 150, 158, 1.0);
 position: relative;
 padding: 10px 10px 10px 0;
 margin: 0;
 background: #f9f9f9;
 border-radius: 30px;
.info-menu li.profile a img{
 width: 30px;
 height: 30px;
.dropdown-menu{
 margin-top: 4px;
 border-color: #fefefe;
```

```
border-radius: 0;
  box-shadow: 0px 0px 5px rgba(86, 96, 117, 0.15);
 -moz-box-shadow: 0px 0px 5px rgba(86, 96, 117, 0.15);
 -webkit-box-shadow: 0px 0px 5px rgba(86, 96, 117, 0.15);
  .dropdown-menu li{
   margin: 0;
   padding: 0;
   display: block;
   line-height: 35px;
 .dropdown-menu li a{
 text-decoration: none;
 display: block;
 font-size: 14px;
 position: relative;
 line-height: 30px;
 width: 100%;
 border-bottom: 1px solid #f4faf9;
.dropdown-menu li a i{
 margin-right: 5px;
.dropdown-menu li.last a{
 border-bottom: 0;
.datepicker{
 text-align: center;
.sidebar {
 position: fixed;
 z-index: 10;
 left: 0;
 top: 0;
 padding: 65px 0 0;
 height: 100%;
 width: 250px;
 background: #272727;
 border-right: 1px solid #ddd;
```

```
text-align: center;
.sidebar ul li:hover,.submenu ul li:hover{
 -webkit-transition: all .2s ease-in-out;
 transition: all .2s ease-in-out;
.sidebar ul{
 list-style: none;
 margin: 0;
 padding: 0;
.sidebar ul li {
 display: block;
.sidebar ul li:hover,ul.submenu{
 background-color:#35404d;
.sidebar ul li a:hover {
 color: white;
.sidebar ul li a,ul.submenu li a {
 color: #aeb2b7;
 display: block;
 overflow: hidden;
 position: relative;
 white-space: nowrap;
 text-decoration: none;
 text-align: left;
.sidebar ul li a span,.sidebar ul li i{
 font-size: 14px;
 font-weight: 300;
 letter-spacing: 1.5px;
 text-shadow: 0 1px rgba(0,0,0, 1);
.sidebar ul li a i{
 color: #aeb2b7;
```

```
padding: 15px 22px;
 text-align: center;
ul.submenu{
  display: none;
 position: relative;
ul.submenu li a:hover{
  background-color:#35404d;
ul.submenu li a {
  padding-left: 45px;
ul.submenu li:before{
 content: "";
  display: block;
  position: absolute;
  z-index: 1;
  left: 25px;
 top: 0;
  bottom: 0;
  border: 1px dotted #d7d7d7;
 border-width: 0 0 0 1px;
ul.submenu li a:before{
  content: "";
 display: inline-block;
  position: absolute;
 width: 7px;
  left: 25px;
 top: 18px;
  border-top: 1px dotted #d7d7d7;
.sale_report_header{
  padding: 15px 0;
table td h6{
 margin: 0 0 0.2em 0;
```

```
table tfoot tr td:first-child{
   border: 0;
  }table tfoot tr td:last-child{
    border-top: 1px solid #ccc;
  }table td h6,table tfoot tr td:last-child{
   color: #000;
   font-size: 1.2em;
   font-weight: normal;
  .form-control{
   color: #646464;
   border: 1px solid #e6e6e6;
   border-radius: 3px;
   -webkit-box-shadow: none;
   -moz-box-shadow: none;
   box-shadow: none;
   -moz-transition: all .15s ease-out;
    -webkit-transition: all .15s ease-out;
   transition: all .15s ease-out;
  }.form-control:focus{
    background: #f8f8f8;
   border-color: #3498DB;
   outline: 0;
   -webkit-box-shadow: none;
    -moz-box-shadow: none;
   box-shadow: none;
  .btn{
   border-radius: 3px;
   -webkit-transition: all 300ms ease-in-out;
   -moz-transition: all 300ms ease-in-out;
    transition: all 300ms ease-in-out;
  }.btn-primary {
      color: #fff;
      background-color: #51aded;
      border-color: #3d8fd8
  }.btn-primary:hover, .btn-primary:focus, .btn-primary.focus, .btn-
primary:active, .btn-primary.active{
      color: #fff;
      background-color: #3175b8;
      border-color: #3d8fd8
  }.btn-success{
     background-color:#2ecc71
  }.btn-success:hover, .btn-success:focus, .btn-success.focus, .btn-
success:active, .btn-success.active{
```

```
background-color:#27ae60
  }.btn-warning{
    background-color: #e7c13e;
   border-color: #dfba3c;
  }.btn-warning:hover, .btn-warning:focus, .btn-warning.focus, .btn-
warning:active, .btn-warning.active{
    background-color:#d0ac2c;
    border-color: #dfba3c;
  }.btn-danger{
    background-color: #ed5153
  }.btn-danger:hover, .btn-danger:focus, .btn-danger.focus, .btn-
danger:active, .btn-danger.active{
    background-color:#bb282a
  }.input-group-addon{
    background-color: #fcfcfc;
   border: 1px solid #dbdbdb;
   border-radius: 0;
 input[type=file]{
   text-indent: -99999px;
  }td img.img-thumbnail{
   width: 125px;
   height: 125px;
   vertical-align: top;
  }.img-avatar{
   width: 50px;
   height: 50px;
  .jumbotron{
   margin-bottom: 0;
  }.list-group-item:first-child,.list-group-item:last-child{
    border-radius: 0;
  }.profile .jumbotron{
    border-radius: 3px 3px 0 0;
  }.profile .jumbotron h3{
    color: white;
  }img.img-size-2{
   width: 125px;
   height: 125px;
```

main.css

```
body{
  font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
  font-weight: 400;
  overflow-x: hidden;
  overflow-y: auto;
  background: #f1f2f7;
  height: 100%;
  width: 100%;
.banner
  box-shadow: 8px 8px 15px rgba(0, 0, 0, 0.35);
  width: 100%;
  border-radius: 30px;
  opacity: 0.85;
  transition: all 0.4s ease;
}
.banner:hover
  width: 100%;
  border-radius: 20px;
 opacity: 1;
  transition: all 0.4s ease;
.divider
  height: 20px;
.introline
  width: 70%;
.txth
  font-family:'Helvetica Neue', Helvetica, Arial, sans-serif;
  transition: all 0.4s ease;
  color: white;
}
```

```
.txth:hover
  font-size: 31px;
  transition: all 0.4s ease;
.txthm
  font-family:'Helvetica Neue', Helvetica, Arial, sans-serif;
  opacity: 0.85;
  transition: all 0.4s ease;
  color: white;
.txthm:hover
  font-size: 22px;
  width: 100%;
  border-radius: 20px;
  opacity: 1;
  transition: all 0.4s ease;
a{
  color: #777;
  text-decoration: none;
.padding-top{
  padding-top: 20px;
.login-page{
  width: 350px;
  margin: 5% 40% 6% auto;
  padding: 0 20px;
  background-color: #f9f9f9;
  border: 1px solid #f2f2f2;
.login-page .text-center{
  margin-bottom: 10px;
```

```
padding: 20px;
 background-color: #f9f9f9;
 border: 1px solid #f2f2f2;
.page{
 position: relative;
 display: block;
 top: 50px;
 left: 0;
 padding: 35px 15px 20px 270px;
.page-lgn{
 position: relative;
 display: block;
 top: 50px;
 left: 0;
 padding: 35px 15px 20px 270px;
.bg-green{
 background-color: #A3C86D;
.bg-blue{
 background-color: #7ACBEE;
.bg-yellow{
 background-color: #FDD761;
.bg-red{
 background-color: #FF7857;
.bg-secondary1{
 background-color: #b17897;
}
.bg-blue2{
 background-color: #7a83ee;
.panel-default >.panel-heading{
 background-color: #f5f5f5;
 border-bottom: 2px solid #3498DB;
  font-size: 15px;
```

```
text-transform: uppercase;
  letter-spacing: .5px;
  padding: 15px;
}.panel-box{
  width: 100%;
 height: 100%;
 text-align: center;
  border: none;
}.panel-value{
  width: 60%;
}.panel-icon{
  padding: 30px;
 width: 40%;
  border-radius: 0;
}.panel-icon{
  -webkit-border-radius: 3px 0 0 3px;
  -moz-border-radius: 3px 0 0 3px;
  border-radius: 3px 0 0 3px;
}.panel-value{
  -webkit-border-radius: 0 3px 3px 0;
  -moz-border-radius: 0 3px 3px 0;
  border-radius: 0 3px 3px 0;
}.panel-value h2{
  margin-top: 30px;
.panel-icon i{
  line-height:65px;
  font-size: 40px;
  color: #fff;
#header {
  position: fixed;
  z-index: 99;
 top: 0;
  left: 0;
 background-color: #3c2c49;
 width: 100%;
 height: 65px;
  line-height: 65px;
  -moz-box-shadow: 0 1px 2px rgba(0,0,0,0.1);
  -webkit-box-shadow: 0 1px 2px rgba(0,0,0,0.1);
  box-shadow: 0 1px 2px rgba(0,0,0,0.1);
} header > .logo {
    color: rgb(255, 255, 255);
   text-align: center;
```

```
font-weight: 700;
   text-transform: uppercase;
   letter-spacing: 1px;
   display: inline-block;
   width: 250px;
   background-color: #4f3c5e;
.header-date{
  font-family: Arial, Helvetica, sans-serif;
 color: #ffffff;
 margin-left: 20px;
.info-menu{
 height: 60px;
 margin: 0;
 line-height: 60px;
 padding: 0 15px;
.info-menu li.profile {
 position: relative;
.profile a.toggle{
 text-decoration: none;
 text-align: center;
 font-size: 14px;
 color: rgb(255, 255, 255);
 position: relative;
 padding: 11px 18px 11px 18px;
 margin: 0;
 background: #4f3c5e;
 border-radius: 30px;
.info-menu li.profile a img{
 width: 30px;
 height: 30px;
.dropdown-menu{
 margin-top: 4px;
 border-color: #fefefe;
```

```
border-radius: 0;
  box-shadow: 0px 0px 5px rgba(86, 96, 117, 0.15);
  -moz-box-shadow: 0px 0px 5px rgba(86, 96, 117, 0.15);
  -webkit-box-shadow: Opx Opx 5px rgba(86, 96, 117, 0.15);
  }.dropdown-menu li{
   margin: 0;
    padding: 0;
    display: block;
    line-height: 35px;
 }.dropdown-menu li a{
  text-decoration: none;
  display: block;
 font-size: 14px;
  position: relative;
  line-height: 30px;
 width: 100%;
  border-bottom: 1px solid #f4faf9;
}.dropdown-menu li a i{
  margin-right: 5px;
}.dropdown-menu li.last a{
  border-bottom: 0;
}.datepicker{
  text-align: center;
.sidebar {
  position: fixed;
 z-index: 10;
 left: 0;
 top: 0;
 padding: 65px 0 0;
 height: 100%;
 width: 250px;
 background: #3c2c49;
  /* border-right: 1px solid #ddd; */
  text-align: center;
}.sidebar ul li:hover,.submenu ul li:hover{
  -webkit-transition: all .2s ease-in-out;
  transition: all .2s ease-in-out;
}.sidebar ul{
  list-style: none;
 margin: 0;
  padding: 0;
}.sidebar ul li {
  display: block;
}.sidebar ul li:hover,ul.submenu{
```

```
background-color:#483558;
}.sidebar ul li a:hover {
  color: white;
}.sidebar ul li a,ul.submenu li a {
  color: #aeb2b7;
  display: block;
 overflow: hidden;
  position: relative;
 white-space: nowrap;
 text-decoration: none;
  text-align: left;
}.sidebar ul li a span,.sidebar ul li i{
  font-size: 14px;
  font-weight: 300;
  letter-spacing: 1.5px;
  text-shadow: 0 1px rgba(0,0,0, 1);
}.sidebar ul li a i{
  color: #aeb2b7;
  padding: 15px 22px;
  text-align: center;
}ul.submenu{
  display: none;
  position: relative;
}ul.submenu li a:hover{
  background-color:#35404d;
}ul.submenu li a {
  padding-left: 45px;
}ul.submenu li:before{
  content: "";
  display: block;
 position: absolute;
  z-index: 1;
 left: 25px;
 top: 0;
  bottom: 0;
 border: 1px dotted #d7d7d7;
  border-width: 0 0 0 1px;
}ul.submenu li a:before{
  content: "";
  display: inline-block;
  position: absolute;
 width: 7px;
 left: 25px;
  top: 18px;
  border-top: 1px dotted #d7d7d7;
```

```
.sale_report_header{
  padding: 15px 0;
table td h6{
  margin: 0 0 0.2em 0;
table tfoot tr td:first-child{
  border: 0;
}table tfoot tr td:last-child{
  border-top: 1px solid #ccc;
}table td h6,table tfoot tr td:last-child{
  color: #000;
  _font-size: 1.2em;
 font-weight: normal;
.form-control{
  color: #646464;
  border: 1px solid #e6e6e6;
  border-radius: 3px;
  -webkit-box-shadow: none;
  -moz-box-shadow: none;
 box-shadow: none;
  -moz-transition: all .15s ease-out;
  -webkit-transition: all .15s ease-out;
  transition: all .15s ease-out;
}.form-control:focus{
  background: #f8f8f8;
  border-color: #3498DB;
  outline: 0;
  -webkit-box-shadow: none;
  -moz-box-shadow: none;
 box-shadow: none;
.btn{
  border-radius: 3px;
  -webkit-transition: all 300ms ease-in-out;
  -moz-transition: all 300ms ease-in-out;
  transition: all 300ms ease-in-out;
}.btn-primary {
    color: #fff;
    background-color: #51aded;
    border-color: #3d8fd8
```

```
}.btn-primary:hover, .btn-primary:focus, .btn-primary.focus, .btn-
primary:active, .btn-primary.active{
    color: #fff;
   background-color: #3175b8;
    border-color: #3d8fd8
}.btn-success{
   background-color:#2ecc71
}.btn-success:hover, .btn-success:focus, .btn-success.focus, .btn-
success:active, .btn-success.active{
  background-color:#27ae60
}.btn-warning{
  background-color: #e7c13e;
 border-color: #dfba3c;
}.btn-warning:hover, .btn-warning:focus, .btn-warning.focus, .btn-
warning:active, .btn-warning.active{
  background-color:#d0ac2c;
  border-color: #dfba3c;
}.btn-danger{
  background-color: #ed5153
}.btn-danger:hover, .btn-danger:focus, .btn-danger.focus, .btn-
danger:active, .btn-danger.active{
  background-color:#bb282a
}.input-group-addon{
  background-color: #fcfcfc;
 border: 1px solid #dbdbdb;
  border-radius: 0;
}
input[type=file]{
  text-indent: -99999px;
}td img.img-thumbnail{
 width: 125px;
 height: 125px;
 vertical-align: top;
}.img-avatar{
 width: 50px;
 height: 50px;
}
.jumbotron{
  margin-bottom: 0;
}.list-group-item:first-child,.list-group-item:last-child{
  border-radius: 0;
}.profile .jumbotron{
  border-radius: 3px 3px 0 0;
}.profile .jumbotron h3{
  color: rgb(255, 255, 255);
```

```
}img.img-size-2{
  width: 125px;
  height: 125px;
}
```

functions.is

```
// The timezone is set a 'config.php' if changes are needed.
// This fetches the possible suggestions (like looking for a product when adding
function suggestion() {
     $('#sug_input').keyup(function(e) {
         var formData = {
             'product_name' : $('input[name=title]').val()
         };
         if(formData['product_name'].length >= 1){
           $.ajax({
                           : 'POST',
               type
                           : 'ajax.php',
               url
               data
                           : formData,
               dataType
                           : 'json',
               encode
                           : true
           })
               .done(function(data) {
                   $('#result').html(data).fadeIn();
                   $('#result li').click(function() {
                     $('#sug_input').val($(this).text());
                     $('#result').fadeOut(500);
                   });
                   $("#sug_input").blur(function(){
                     $("#result").fadeOut(500);
                   });
               });
         } else {
           $("#result").hide();
         };
         e.preventDefault();
     });
```

```
$('#sug-form').submit(function(e) {
    var formData = {
        'p_name' : $('input[name=title]').val()
    };
      $.ajax({
          type
                      : 'POST',
          url
                      : 'ajax.php',
          data
                      : formData,
                      : 'json',
          dataType
          encode
                      : true
      })
          .done(function(data) {
              $('#product_info').html(data).show();
              total();
              $('.datePicker').datepicker('update', new Date());
          }).fail(function() {
              $('#product_info').html(data).show();
          });
    e.preventDefault();
});
function total(){
 $('#product_info input').change(function(e) {
          var price = +$('input[name=price]').val() || 0;
                  = +$('input[name=quantity]').val() || 0;
          var total = qty * price ;
              $('input[name=total]').val(total.toFixed(2));
  });
$(document).ready(function() {
  // This is for the tooltips.
 $('[data-toggle="tooltip"]').tooltip();
 $('.submenu-toggle').click(function () {
     $(this).parent().children('ul.submenu').toggle(200);
  });
```

```
// This calls the suggestion function made earlier.
suggestion();

// Calls the 'total()' function that calculates the total amount.
total();

// The timezone is set at 'config.php' if changes are needed.
$('.datepicker')
    .datepicker({
        format: 'yyyy-mm-dd',
        todayHighlight: true,
        autoclose: true
    });
});
```