
QAQC ANALYSIS REPORT

QAQC Analysis | Analysis Project

Commodity: Gold
Analysis Date: January 10, 2026
Report Generated: 2026-01-10 19:24

EXECUTIVE SUMMARY

OVERALL QAQC STATUS

PASS

Analysis Component	Status	Key Metric	Value
Standards (CRMs)	PASS	Pass Rate	4.2%
Blanks	PASS	Contamination Rate	2.0%
Duplicates	PASS	Mean RPD	8.5%

RECOMMENDATIONS

- All QAQC parameters are within acceptable limits. Continue current protocols.

STANDARDS ANALYSIS

Certified Reference Materials (CRMs) are used to assess analytical accuracy and detect bias. The following results show the performance of standards against certified values.

PASS

Bias Detected	No
Max Z-Score	1.50
Mean Recovery	98.5%
Precision (RSD)	4.20%

BLANKS ANALYSIS

Blank samples are analyzed to detect contamination and assess background levels. Contamination is flagged when blank values exceed the detection limit multiplied by a threshold factor.

PASS

Contamination Rate	2.0%
Method Detection Limit	0.0050
Carry-over Detected	No
Background Mean	0.0010

DUPLICATES ANALYSIS

Duplicate samples assess analytical and sampling precision. Results are evaluated using Relative Percent Difference (RPD) and Half Absolute Relative Difference (HARD) metrics.

PASS

Mean RPD	8.5%
Max RPD	15.2%
Within Target	True
Systematic Error	No
Nugget Ratio	0.250

JORC TABLE 1 HELPER

The following text is provided to assist the Competent Person in completing JORC Table 1, Section 1 (Sampling Techniques and Data). Please review and modify as appropriate.

Criteria: Quality of assay data and laboratory tests

"Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established."

SUGGESTED TEXT:

A comprehensive QAQC program was implemented including certified reference materials (standards), blank samples, and field duplicates. **Standards:** Analysis of CRMs indicates that analytical accuracy is acceptable with no significant bias detected. Mean recovery is 98.5%. **Blanks:** Blank sample analysis indicates that contamination is minimal and within acceptable limits. Contamination rate is 2.0%. **Duplicates:** Duplicate analysis indicates that sampling and analytical precision is acceptable. Mean RPD is 8.5%. Overall, acceptable levels of accuracy and precision have been established.