

---

# QAQC ANALYSIS REPORT

Untitled Project

---

**Commodity:** N/A  
**Analysis Date:** February 08, 2026  
**Report Generated:** 2026-02-08 19:43

# EXECUTIVE SUMMARY

## OVERALL QAQC STATUS

FAIL

| Analysis Component | Status | Key Metric         | Value  |
|--------------------|--------|--------------------|--------|
| Standards (CRMs)   | PASS   | Pass Rate          | 0.0%   |
| Blanks             | FAIL   | Contamination Rate | 100.0% |
| Duplicates         | PASS   | Mean RPD           | 0.0%   |

## RECOMMENDATIONS

- Investigate contamination sources in blank samples

---

## STANDARDS ANALYSIS

---

Certified Reference Materials (CRMs) are used to assess analytical accuracy and detect bias. The following results show the performance of standards against certified values.

**PASS**

|                 |        |
|-----------------|--------|
| Bias Detected   | No     |
| Max Z-Score     | 0.00   |
| Mean Recovery   | 100.0% |
| Precision (RSD) | 0.00%  |

---

## BLANKS ANALYSIS

---

Blank samples are analyzed to detect contamination and assess background levels. Contamination is flagged when blank values exceed the detection limit multiplied by a threshold factor.

FAIL

|                        |        |
|------------------------|--------|
| Contamination Rate     | 100.0% |
| Method Detection Limit | 0.0000 |
| Carry-over Detected    | No     |
| Background Mean        | 0.0100 |

# DUPLICATES ANALYSIS

Duplicate samples assess analytical and sampling precision. Results are evaluated using Relative Percent Difference (RPD) and Half Absolute Relative Difference (HARD) metrics.

PASS

|                  |       |
|------------------|-------|
| Mean RPD         | 0.0%  |
| Max RPD          | 0.0%  |
| Within Target    | True  |
| Systematic Error | No    |
| Nugget Ratio     | 0.000 |

---

## JORC TABLE 1 HELPER

---

*The following text is provided to assist the Competent Person in completing JORC Table 1, Section 1 (Sampling Techniques and Data). Please review and modify as appropriate.*

### Criteria: Quality of assay data and laboratory tests

"Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established."

#### SUGGESTED TEXT:

A comprehensive QAQC program was implemented including certified reference materials (standards), blank samples, and field duplicates. **Standards:** Analysis of CRMs indicates that analytical accuracy is acceptable with no significant bias detected. Mean recovery is 100.0%. **Blanks:** Blank sample analysis indicates that contamination is present and requires investigation. Contamination rate is 100.0%. **Duplicates:** Duplicate analysis indicates that sampling and analytical precision is acceptable. Mean RPD is 0.0%. Further investigation is recommended to address identified issues.