
QAQC ANALYSIS REPORT

Untitled Project

Commodity: N/A
Analysis Date: February 08, 2026
Report Generated: 2026-02-08 19:42

EXECUTIVE SUMMARY

OVERALL QAQC STATUS

FAIL

Analysis Component	Status	Key Metric	Value
Standards (CRMs)	FAIL	Pass Rate	4.3%
Blanks	PASS	Contamination Rate	0.0%
Duplicates	FAIL	Mean RPD	49.2%

RECOMMENDATIONS

- Investigate and correct systematic bias in standards analysis
- Improve duplicate precision through better homogenization

STANDARDS ANALYSIS

Certified Reference Materials (CRMs) are used to assess analytical accuracy and detect bias. The following results show the performance of standards against certified values.

FAIL

Bias Detected	Yes
Max Z-Score	2.68
Mean Recovery	102.9%
Precision (RSD)	4.30%

BLANKS ANALYSIS

Blank samples are analyzed to detect contamination and assess background levels. Contamination is flagged when blank values exceed the detection limit multiplied by a threshold factor.

PASS

Contamination Rate	0.0%
Method Detection Limit	0.0000
Carry-over Detected	No
Background Mean	0.0000

DUPLICATES ANALYSIS

Duplicate samples assess analytical and sampling precision. Results are evaluated using Relative Percent Difference (RPD) and Half Absolute Relative Difference (HARD) metrics.

FAIL

Mean RPD	49.2%
Max RPD	133.3%
Within Target	False
Systematic Error	Yes
Nugget Ratio	0.140

JORC TABLE 1 HELPER

The following text is provided to assist the Competent Person in completing JORC Table 1, Section 1 (Sampling Techniques and Data). Please review and modify as appropriate.

Criteria: Quality of assay data and laboratory tests

"Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established."

SUGGESTED TEXT:

A comprehensive QAQC program was implemented including certified reference materials (standards), blank samples, and field duplicates. **Standards:** Analysis of CRMs indicates that analytical accuracy is outside acceptable limits, with bias detected. Mean recovery is 102.9%. **Blanks:** Blank sample analysis indicates that contamination is minimal and within acceptable limits. Contamination rate is 0.0%. **Duplicates:** Duplicate analysis indicates that sampling and analytical precision is outside acceptable limits. Mean RPD is 49.2%. Further investigation is recommended to address identified issues.