

Index

- Algebraic equations
 - solution by Kaczmarz method, 278
- Algebraic reconstruction techniques, 283–84
 - sequential, 289, 293
 - simultaneous, 285–92
- Algebraic techniques
 - reconstruction algorithms, 275–96
- Algorithms
 - cone beams, 104
 - filtered backprojection, 60–63, 72, 104
 - filtered backpropagation, 234–47
 - Gerchberg–Papoulis, 313–14
 - reconstruction, 49–112, 252–61, 275–96, 313–20
 - re-sorting, 92–93
 - SIRT, 295
 - see also* Reconstruction algorithms
- Aliasing
 - artifacts, 177–201
 - bibliography, 200
 - in 2-D images, 46
 - properties, 177–86
- Approximations
 - Born, 212–14, 248–53
 - comparison, 248–52
 - Rytov, 214–18, 249–53
 - to wave equation, 211–18
- ART *see* Algebraic reconstruction techniques
- Artifacts
 - aliasing, 177–201
 - beam hardening, 124
 - bibliography, 200
 - polychromaticity, 120–25
- Attenuation compensation
 - for positron tomography, 145–47
 - for single photon emission CT, 137–42
- Authors
 - affiliations, 329
 - Kak, Avinash C., 329
 - Slaney, Malcolm, 329
- Backprojection, 179
 - filtered, 60–63, 65–72, 82, 84–85, 88, 104–7
 - star-shaped pattern, 184
 - weighted, 92, 106
 - 3-D, 104–7
- Backpropagation algorithm, 242–47, 262
 - filtered, 234–47
- Bandlimited filter
 - DFT, 74
- Beam hardening, 118
 - artifacts, 120, 124
- Bibliographic notes
 - algebraic reconstruction algorithms, 292–95
 - algorithms for reconstructions with non-diffracting sources, 107–10
 - aliasing artifacts and noise in CT images, 200
 - measurement of projection data, nondiffracting case, 168–69
 - reflection tomography, 321
 - tomographic imaging with diffracting sources, 268–70
- Bones, 122
- Born approximation, 215–18, 249–53, 258
 - evaluation, 248–49
 - first, 212–14
- Breasts
 - mammograms, 159
 - sonograms, 302
- B-scan imaging, 297–303, 315
 - commercial, 302
- Cancer
 - in breast, 159–60
- Carcinoma
 - sonogram, 302
- Coincidence testing
 - circuits, 143
 - of positron emission, 143
- Collinear detectors
 - equally spaced, 86–92
- Compton effect, 114–15, 119
- Computed tomography *see* Computerized tomography
- Computerized tomography
 - applications, 132–33
 - emission, 134–47, 275
 - graduate courses, ix
 - images, 177–201
 - noise, 177–201
 - scanners, 130
 - ultrasonic, 147–58
 - x-rays, 120–24

- Cone beams
 - algorithms, 104, 108–9
 - projection, 101
 - reconstruction, 102, 108–9
- Continuous signals
 - Fourier analysis, 11
- Convolution, 8–9, 31–32, 83
 - aperiodic, 18
 - calculation, 15
 - circular, 18, 66
 - Fourier transforms, 39
- CT *see* Computerized tomography
- Data collection process, 228–34
- Data definition
 - negative time, 25–26
 - positive time, 26
- Data sequences, 26
 - padding, 23–25
 - resolution, 23
- Data truncation
 - effects, 27–28
- Delta functions, 28–30
 - see also* Dirac delta
- Detectors, 75, 101, 127, 192
 - arrays, 188
 - collinear, 86–92
 - equal spacing, 86–92
 - ray paths, 190
 - spacing, 78, 188
 - xenon gas, 128
- DFT *see* Fourier transforms—discrete
- Diffracting sources
 - filtered backpropagation algorithm, 234–47
 - interpolation, 234–47
 - tomographic imaging, 203–73
- Diffraction tomography reconstructions
 - limitations, 247–51
- Dirac delta, 5–7, 12, 30, 32, 222
 - see also* Delta functions
- Display resolution
 - in frequency domain, 22–27
- Distortions
 - aliasing, 177–201
- Dogs
 - heart, 154, 156–57
- Education
 - graduate, ix
- Emission computer tomography, 134–47
- Equiangular rays, 77–86
- Equispaced detectors
 - collinear, 86–92
 - reconstruction algorithms, 87
- Evanescence waves, 261
 - ignoring, 266
- Fan beam reconstruction
 - from limited number of views, 93–99
- Fan beams, 78, 85
 - projections, 97
 - reconstruction, 93–99
 - re-sorting, 92
 - rotation, 126
 - scanners, 188
 - tilted, 105
- Fan projections
 - reconstruction, 75–93
- FFT (Fast Fourier Transforms)
 - inverse, 42, 240
 - 1-D, 45
 - 2-D, 45–47
- FFT output
 - interpretation, 20–22
- Filters and filtering, 7
 - backprojection, 60–63, 65, 68, 72, 82, 84–85, 88, 104–7
 - backpropagation, 234–47
 - bandlimited, 74
 - ideal, 72
 - low pass, 40–41, 266
 - shift invariant, 8
 - Wiener, 306
- Finite receiver length
 - effects, 263–66
 - experiments, 266
 - reconstruction, 266
- Forward projection process
 - modeling, 286–88
- Fourier analysis
 - of function, 9–13, 33–35
- Fourier diffraction theorem, 218–34, 253–54, 259
 - short wavelength limit, 227–28
- Fourier series, 10–13
 - triangle wave, 12
- Fourier slice theorem, 228, 260, 307
 - tomographic imaging, 49, 56–61
- Fourier transforms
 - diffraction, 219, 223–27
 - discrete, 10, 13–15
 - fast, 16, 18, 20–26
 - finite, 10, 16–18, 42–45
 - generalized, 13
 - inverse, 13, 17, 34–35, 42, 226
 - line integrals, 318
 - Parseval's theorem, 39, 44
 - properties, 35–41
 - seismic profiling, 233
 - 1-D, 44–45, 56
 - 2-D, 34–35, 42–45, 222, 226–27, 229, 308
- Frequency-shift method, 156–58
- Functions
 - continuous, 5–7
 - discrete, 5–7
 - Fourier representation, 9–13
 - Green's, 220–23
 - Hankel, 220

- linear operations, 7-9
- point spread, 29, 32
- 1-D, 5-7
- Gibbs phenomenon, 178
- Green's function
 - decomposition, 220-23
- Grids
 - representation, 277
 - square, 276
 - superimposition, 276
- Haunsfield, G. N., 1-2, 107
- Head phantom
 - of Shepp and Logan, 51-53, 69, 103, 198, 255, 259, 285
- Helmholtz equation, 224
- Hilbert transforms, 68
- Homogeneous wave equation, 204-8
 - acoustic pressure field, 204
 - electromagnetic field, 204
- Human body
 - x-ray propagation, 116, 195
- Hyperplanes, 279
- Ideal filter, 72
 - DFT, 74
- Image processing, 28-47
 - Fourier analysis, 33-35
 - graduate courses, ix
- Images and imaging, 276-83
 - B-scan, 297-303, 315
 - CT, 177-201
 - magnetic resonance, 158-68
 - noise, 177-201
 - radar, 298-99
 - reconstructed, 190-94, 281
 - sagittal, 137
 - SPECT, 136
- Impulse response
 - convolution, 9
 - of ideal filter, 73
 - of shift invariant filter, 8-9
- Inhomogeneous wave equation, 208-11
 - acoustics, 209
 - electromagnetic case, 208
- Interpolation
 - diffracting sources, 234-47
 - frequency domain, 236-42
- Kaczmarz method
 - for solving algebraic equations, 278
- Kak, Avinash C. (Author)
 - affiliations, 329
- Limitations
 - diffraction tomography reconstruction, 247-52
 - experimental, 261-68
 - mathematical, 247-48
- receivers, 268-70
- reflection tomography, 309-13
- Line integrals, 49-56
 - Fourier transforms, 318
- Magnetic moments, 163
- Magnetic resonance imaging, 158-68
- Mammograms
 - of female breasts, 159
- Medical industry
 - use of x-ray tomography, 132, 168
- Modeling
 - forward projection process, 286-88
- Moiré effect, 46, 178
- MRI *see* Magnetic resonance imaging
- Negative time
 - of data, 25-26
- Noise
 - in CT images, 177-201
 - in reconstructed images, 190-99
- Nondestructive testing
 - use of CT, 133
- Nondiffracting sources
 - measurement of projection data, 113-74
 - reconstruction, 49-112
- Nyquist rate, 19-20, 180
- Objects
 - blurring, 192
 - broadband illumination, 235
 - Fourier transforms, 166, 235, 239
 - illumination, 300, 304
 - projections, 50, 59, 165, 182, 239
 - reflectivity, 300
- Operators and operations
 - linear, 7-9, 30-32
 - shift invariant, 8, 30-32
- Parallel projections
 - reconstruction algorithms, 60-75
- Parseval's theorem
 - Fourier transforms, 39, 44
- Pencil beam
 - of energy, 299
- Phantoms, 122
 - reconstruction, 198, 262
 - x-rays, 127
- Photoelectric effect, 114, 119
- Photons
 - emission, 146
 - emission tomography, 135-37
 - gamma-rays, 135, 138
- Plane waves
 - propagation, 207
- Point sources, 28-30
- Polychromaticity artifacts
 - in x-ray CT, 120-25
- Polychromatic sources
 - for measuring projection data, 117-20

- Positron emission tomography, 142-45
- Positron tomography
 - attenuation compensation, 145-47
- Projection data
 - measurement, 113-74
 - sound waves, 113
 - ultrasound, 113
 - x-rays, 113
- Projections, 49-56
 - backpropagation, 245
 - cone beam, 101
 - curved lines, 95
 - diffracted, 204-11
 - fan beams, 75-93, 97, 192
 - forward, 286-88
 - of cylinders, 2
 - of ellipse, 54, 62
 - of objects, 50, 59, 165, 182, 239
 - parallel, 51, 60-75, 77, 100, 185
 - representation, 276-83
 - uniform sampling, 238
 - x-ray, 114-16
 - 3-D, 100-104, 165
- Radar
 - imaging, 298-99
- Radioactive isotopes
 - use in emission CT, 134-35
- Radon transforms, 50, 52, 93-97
- Received waves
 - sampling, 261-62
- Receivers
 - effect of finite length, 263-66
 - limited views, 268-70
- Reconstructed images
 - continuous case, 190-94
 - discrete case, 194-99
 - noise, 190-99
- Reconstruction
 - algebraic, 280, 283-92
 - algorithms, 49-112
 - bones, 122
 - circular, 287
 - cone beams, 102
 - cylinders, 256, 310
 - diffraction tomography, 247
 - dog's heart, 154, 156-57
 - errors, 177-201
 - fan beams, 93-99
 - from fan projections, 75-93
 - iterative, 284, 289-90
 - large-sized, 282
 - limitations, 261-68
 - of ellipse, 178, 181
 - of images, 83, 122, 198, 281
 - of Shepp and Logan phantom, 70
 - phantom, 198
 - plane wave reflection, 310
 - refractive index, 154
 - simultaneous, 284-92
 - tumors, 290, 294
 - with nondiffracting sources, 49-112
 - 2-D, 100
 - 3-D, 99-107
- Reconstruction algorithms, 313-20
 - algebraic, 275-96
 - cone beams, 103, 108-9
 - evaluation, 252-61
 - for equispaced detectors, 87
 - for parallel projections, 60-75
 - implementation, 288-92
- Rectangle function
 - limit, 29
 - 2-D Fourier transform, 34
- Reflection tomography, 297-322
 - experimental results, 320-21
 - limits, 309-13
 - of needles, 320
 - transducers, 307
 - vs. diffraction tomography, 307-9
 - with basic aim, 297
 - with point transmitter/receivers, 313-21
- Refractive index tomography
 - ultrasonic, 151-53
- Re-sorting
 - algorithm, 92-93
 - of fan beams, 92
- Rocket motors
 - nondestructive testing, 133-34
- Rytov approximation, 249-53, 258
 - evaluation, 249
 - first, 214-18
- Sampling
 - in real system, 186-89
 - of data, 19-20
 - of projection, 238
 - received waves, 261-62
- SART *see* Simultaneous algebraic reconstruction technique
- Scanning and scanners
 - B-scan imaging, 297-303
 - CT, 130
 - different methods, 126-32
 - fan beams, 188
 - fourth generation, 129
- Scattering
 - x-rays, 125-26
- Seismic profiling
 - experiment, 232
 - Fourier transforms, 233
- Shift invariant operations
 - linear, 30-32
- Short wavelength limit
 - of Fourier diffraction theorem, 227-28
- Signal processing
 - fundamentals, 5
 - graduate courses, ix
 - one-dimensional, 5
- Simultaneous algebraic reconstruction tech-

- nique, 285-92
 - implementation, 288
- Simultaneous iterative reconstructive technique, 284
 - algorithm, 295
- Single photon emission tomography, 135-37
 - attenuation compensation, 137-42
- Sinograms, 94
- SIRT *see* Simultaneous iterative reconstructive technique
- Skull
 - simulated, 121
- Slaney, Malcolm (Author)
 - affiliations, 329
- Sonograms
 - of breast, 302
 - of carcinoma, 302
- Sound waves
 - projection data, 113
- SPECT images, 136
- Synthetic aperture
 - tomography, 230-31
- Tomography
 - applications, 1
 - definition, 1
 - diffraction, 203, 221, 247, 307-9
 - emission computed, 134-47, 275
 - Fourier slice theorem, 49, 56-61
 - imaging with diffracting sources, 203-73
 - positron, 145-47
 - positron emission, 142-45
 - reflection, 297-322
 - simulations, 55
 - synthetic aperture, 230-31
 - ultrasonic, 147-58, 205
 - x-ray, 1-3, 114-33
 - x-ray scanner, 1, 107
 - 3-D simulations, 102
 - see also* Computerized tomography, Reflection tomography, Single photon emission tomography, Ultrasonic computed tomography
- Transducers
 - plane wave, 303-7
 - pulse illumination, 312
 - reflection, 303-7
 - rotation, 316
 - ultrasonic, 149
- Transforms *see* Fourier transforms, Hilbert transforms, Radon transforms
- Transmitter/receivers
 - point, 313-21
 - reflection tomography, 313-21
- Tumors
 - reconstruction, 290-94
- Ultrasonic beams
 - propagation, 149, 153
- Ultrasonic computed tomography, 147-58
 - applications, 157-58
 - attenuation, 153-57
 - fundamentals, 148-51
 - refractive index, 151-53
- Ultrasonic signals, 152-53
- Wave equation
 - approximations, 211-18
 - homogeneous, 204-8
 - inhomogeneous, 208-11
- Weighting functions, 99
 - backprojection, 92
- Windows
 - Hamming, 291, 293-94
 - smooth, 98
- X-rays
 - CT, 120-25
 - in human body, 195
 - monochromatic, 114-16
 - parallel beams, 116
 - phantoms, 127
 - photons, 128
 - projection data, 113
 - scatter, 125-26
 - sources, 129
 - tomography, 114-33
 - tubes, 115