



Pelagic

Maritime Intelligence Engineered.

Global Brand Identity System for Oceanographic Data, Autonomous
Systems, and Offshore Precision Engineering.

Strategic Brand Territory

Pelagic operates at the convergence of heavy oceanographic engineering and advanced computational intelligence. The brand territory bridges technical rigor with ocean data ecosystem mastery.



Maritime Intelligence

Advanced predictive analytics, real-time vessel telemetry, oceanographic forecasting, and risk intelligence models.




Maritime Engineering

Subsea infrastructure, autonomous vessel design, offshore structural engineering, and marine sensor deployment.



Maritime Operations

Port operations optimization, autonomous navigation logistics, offshore fleet management, and vessel efficiency.




Maritime Technology

Edge IoT sensors, deep ocean telemetry platforms, AI decision-support systems, and marine robotics integration.

Market Positioning

Engineering clarity in the world's most complex oceanic environments.



Primary logo Architecture



The Engineered 'P' Monogram

The primary mark combines a stylized fluid dynamic wave profile with a rigid architectural curve, symbolizing the intersection of ocean currents and engineered control systems.


Exclusion Zone & Sizing

Maintain minimum clear space equal to 'X' (height of the letter 'P' in wordmark) around all sides. Minimum physical print height: 18mm. Minimum digital height: 45px.

"Marine Intelligence, Engineered."

The tagline is set in tracked-out light serif sans typography in Copper (#B56D47), reinforcing precision and craftsmanship.

Color System



Deep Marine Charcoal

HEX: #172A2E
RGB: 23, 42, 46
CMYK: 82, 58, 56, 60


Used for dominant backgrounds, structural UI, and primary body text.



Pelagic Copper

HEX: #B56A4A
RGB: 181, 106, 74
CMYK: 22, 65, 75, 12

Used for telemetry callouts, technical accents, focal vectors, and highlights.



Architectural off-White

HEX: #F5F4F1
RGB: 245, 244, 241
CMYK: 2, 2, 4, 0

Primary slide, print, and editorial paper surface background.



Signal White

HEX: #FFFFFF
RGB: 255, 255, 255
CMYK: 0, 0, 0, 0

Used for high contrast technical cards, data containers, and isolated graphics.

Typography System

Primary Display

SORA

Heading and display/bold/semibold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
YZ
abcdefghijklmnopqrstuvwxyz
1234567890


Primary Display

Space Grotesk

Body texts / Regular and Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

Brand Assets



Thank You