

# **Introduction to Loops in Python**

**Estimated time needed:** 10 minutes

## **Objectives**


- 1. Understand Python loops.
- 2. How the loop Works
- 3. Learn about the needs for loop
- 4. Utilize Python's Range function.
- 5. Familiarize with Python's enumerate function.
- 6. Apply while loops for conditional tasks.
- 7. Distinguish appropriate loop selection.

# What is a Loop?

In programming, a loop is like a magic trick that allows a computer to do something over and over again. Imagine you are a magician's assistant, and your magician friend asks you to pull a rabbit out of a hat, but not just once - they want you to keep doing it until they tell you to stop. That is what loops do for computers - they repeat a set of instructions as many times as needed.

# **How Loop works?**

Here's how it works in Python:



- **Start:** The for loop begins with the keyword for, followed by a variable that will take on each value in a sequence.
- **Condition:** After the variable, you specify the keyword in and a sequence, such as a list or a range, that the loop will iterate through.

#### • If Condition True:

- 1. The loop takes the first value from the sequence and assigns it to the variable.
- 2. The indented block of code following the loop header is executed using this value.
- 3. The loop then moves to the next value in the sequence and repeats the process until all values have been used.
- **Statement:** Inside the indented block of the loop, you write the statements that you want to repeat for each value in the sequence.
- **Repeat:** The loop continues to repeat the block of code for each value in the sequence until there are no more values left.

#### • If Condition False:

- 1. Once all values in the sequence have been processed, the loop terminates automatically.
- 2. The loop completes its execution, and the program continues to the next statement after the loop.

Think about when you need to count from 1 to 10. Doing it manually is easy, but what if you had to count to a **million**? Typing all those numbers one by one would be a nightmare! This is where loops come in handy. They help computers repeat tasks quickly and accurately without getting tired.

## **Main Types of Loops**

### For Loops

For loops are like a superhero's checklist. A for loop in programming is a control structure that allows the repeated execution of a set of statements for each item in a sequence, such as elements in a list or numbers in a range, enabling efficient iteration and automation of tasks

#### Syntax of for loop

```
for val in sequence:
    # statement(s) to be executed in sequence as a part of the loop.
```

Here is an example of For loop.

Imagine you're a painter, and you want to paint a beautiful rainbow with seven colors. Instead of picking up each color one by one and painting the rainbow, you could tell a magical painter's assistant to do it for you. This is what a basic for loop does in programming.

We have a list of colours.

```
colors = ["red", "orange", "yellow", "green", "blue", "indigo", "violet"]
```

Let's print the colour name in the new line using for loop.

```
for color in colors:
    print(color)
```

In this example, the for loop picks each color from the colors list and prints it on the screen. You don't have to write the same code for each color - the loop does it automatically!

Sometimes you do not want to paint a rainbow, but *you want to count the number of steps to reach your goal*. A range-based for loop is like having a friendly step counter that helps you reach your target. Here is how you might use a for loop to count from 1 to 10:

```
for number in range(1, 11):
    print(number)
```

Here, the **range(1, 11)** generates a sequence from 1 to 10, and the for loop goes through each number in that sequence, printing it out. It's like taking 10 steps, and you're guided by the loop!

#### **Range Function**

The range function in Python generates an ordered sequence that can be used in loops. It takes one or two arguments:

• If given one argument (e.g., range(11)), it generates a sequence starting from 0 up to (but not including) the given number.

```
for number in range(11):
    print(number)
```

• If given two arguments (e.g., range(1, 11)), it generates a sequence starting from the first argument up to (but not including) the second argument.

```
for number in range(1, 11):
    print(number)
```

#### The Enumerated For Loop

Have you ever needed to keep track of both the item and its position in a list? An enumerated for loop comes to your rescue. It's like having a personal assistant who not only hands you the item but also tells you where to find it.

Consider this example:

```
fruits = ["apple", "banana", "orange"]
for index, fruit in enumerate(fruits):
    print(f"At position {index}, I found a {fruit}")
```

With this loop, you not only get the fruit but also its position in the list. It's as if you have a magical guide pointing out each fruit's location!

### While Loops

While loops are like a sleepless night at a friend's sleepover. Imagine you and your friends keep telling ghost stories until someone decides it's time to sleep. As long as no one says, "Let's sleep" you keep telling stories. A while loop works similarly - it repeats a task as long as a certain condition is true. It's like saying, "Hey computer, keep doing this until I say stop!"

Basic syntax of While Loop.

```
while condition:
    # Code to be executed while the condition is true
    # Indentation is crucial to indicate the scope of the loop
```

For example, here's how you might use a while loop to count from 1 to 10:

```
count = 1
while count <= 10:
    print(count)
    count += 1</pre>
```

here's a breakdown of the above code.

- 1. There is a variable named **count** initialized with the value 1.
- 2. The while loop is used to repeatedly execute a block of code as long as a given condition is True. In this case, the condition is **count** <= **10**, meaning the loop will continue as long as count is less than or equal to 10.
- 3. Inside the loop:
  - The **print(count)** statement outputs the current value of the count variable.

- The **count** += **1** statement increments the value of count by 1. This step ensures that the loop will eventually terminate when count becomes greater than 10.
- 4. The loop will continue executing as long as the condition count <= 10 is satisfied.
- 5. The loop will print the numbers 1 to 10 in consecutive order since the print statement is inside the loop block and executed during each iteration.
- 6. Once count reaches 11, the condition count <= 10 will evaluate to False, and the loop will terminate.
- 7. The output of the code will be the numbers 1 to 10, each printed on a separate line.

### The Loop Flow

Both for and while loops have their special moves, but they follow a pattern:

- **Initialization:** You set up things like a starting point or conditions.
- **Condition:** You decide when the loop should keep going and when it should stop.
- **Execution:** You do the task inside the loop.
- **Update:** You make changes to your starting point or conditions to move forward.
- **Repeat:** The loop goes back to step 2 until the condition is no longer true.

#### When to Use Each

**For Loops:** Use for loops when you know the number of iterations in advance and want to process each element in a sequence. They are best suited for iterating over collections and sequences where the length is known.

**While Loops:** Use while loops when you need to perform a task repeatedly as long as a certain condition holds true. While loops are particularly useful for situations where the number of iterations is uncertain or where you're waiting for a specific condition to be met.

## **Summary**

In this adventure into coding, we explored loops in Python - special tools that help us do things over and over again without getting tired. We met two types of loops: "**for loops**" and "**while loops**."

**For Loops** were like helpers that made us repeat tasks in order. We painted colors, counted numbers, and even got a helper to tell us where things were in a list. For loops made our job easier and made our code look cleaner.

**While Loops** were like detectives that kept doing something as long as a rule was true. They helped us take steps, guess numbers, and work until we were tired. While loops were like smart assistants that didn't stop until we said so.

## Author(s)

Akansha Yadav

## **Changelog**

Date	Version	Changed by	Change Description
2023-21-08	1.0	Akansha Yadav	Created a reading file