

EJEMPLO (POSTMAN): Cargar archivo csv a la tabla hired_employee

POSThttps://uj0k9ljqh.execute-api.us-east-2.amazonaws.com/dev/upload/hired_employee

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQL

hired_employees.csv

hired_employees.csv90.79 KB, Using this file from a local system

Status: 200 OKTime: 1785 msSize: 387 B

Save as example

PrettyRawPreviewVisualizeJSON

1 "Data was inserted sucessfully to hired_employee DB!"

EJEMPLO (POSTMAN): Leer la tabla job

GEThttps://uj0k9ljqh.execute-api.us-east-2.amazonaws.com/dev/jobs

ParamsAuthorizationHeaders (5)BodyPre-request ScriptTestsSettings

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Status: 200 OKTime: 3.59 sSize: 5.54 KB

Save as example

PrettyRawPreviewVisualizeJSON

1 [2 [3 1,4 "Marketing Assistant"5],6 [7 2,8 "VP Sales"9],10 [11 3,12 "Biostatistician IV"13]]