A muscle-reflex model that encodes principles of legged mechanics, produces human walking dynamics and muscle activities

Conference: IEEE Transactions on Neural Systems and Rehabilitation Engineering, June 2010
Authors: H. Geyer and H. Herr

Jhon Charaja[1]

[1]Universidade de São Paulo, Brasil

September 15, 2021

Table of Contents

Motivation

The bipedal spring-mass model could describes the legged locomotion dynamics[1]

Figure: Spring-loaded inverted pendulum (SLIP)

- SLIP model describes the dynamics during walking and running[1]

- SLIP model is based on self-stability and compliant leg behavior principles[2]

- SLIP model does not present a clear relation with human motor control[2]

- Spinal reflexes can relate sensory information of leg with muscle activation[2]

---

[1]H. Geyer (2006).
[2]H. Geyer (2010).

Motivation

The bipedal spring-mass model could describes the legged locomotion dynamics[1]

Figure: Spring-loaded inverted pendulum (SLIP)

- SLIP model describes the dynamics during walking and running[1]

- SLIP model is based on self-stability and compliant leg behavior principles[2]

- SLIP model does not present a clear relation with human motor control[2]

- Spinal reflexes can relate sensory information of leg with muscle activation[2]

---

[1]H. Geyer (2006).

[2]H. Geyer (2010).

Motivation

The bipedal spring-mass model could describes the legged locomotion dynamics[1]

Figure: Spring-loaded inverted pendulum (SLIP)

- SLIP model describes the dynamics during walking and running[1]

- SLIP model is based on self-stability and compliant leg behavior principles[2]

- SLIP model does not present a clear relation with human motor control[2]

- Spinal reflexes can relate sensory information of leg with muscle activation[2]

[1]H. Geyer (2006).
[2]H. Geyer (2010).

Motivation

The bipedal spring-mass model could describes the legged locomotion dynamics[1]

Figure: Spring-loaded inverted pendulum (SLIP)

- SLIP model describes the dynamics during walking and running[1]

- SLIP model is based on self-stability and compliant leg behavior principles[2]

- SLIP model does not present a clear relation with human motor control[2]

- Spinal reflexes can relate sensory information of leg with muscle activation[2]

---

[1] H. Geyer (2006).
[2] H. Geyer (2010).

Table of Contents

To develop a neuromuscular human model that encodes the principles of legged locomotion with muscular reflexes

Table of Contents

Table of Contents

New model of human lower limb

- Replacing the spring leg with a segmented leg

Figure: Spring-loaded inverted pendulum (SLIP)

Figure: New model with three segment leg

New model of human lower limb

- Replacing the point of mass with a trunk

Figure: Spring-loaded inverted pendulum (SLIP)

Figure: New model with three segment leg and a trunk

New model of human lower limb

- Vastus group muscle (VAS) generates knee extension motion
- Soleus muscle (SOL) generates ankle plantarflexion motion

Figure: New bipedal locomotion model with muscles

(a) Knee extension

(b) Ankle dorsiflexion

New model of human lower limb

- Vastus group muscle (VAS) generates knee extension motion
- Soleus muscle (SOL) generates ankle plantarflexion motion

Figure: New bipedal locomotion model with muscles

Figure: overextension case

New model of human lower limb

- Gastrocnemius muscle (GAS) generates knee flexion and ankle plantarflexion motion
- Soleus muscle (TA) generates ankle dorsiflexion motion

Figure: New bipedal locomotion model with muscles

- GAS prevents knee overextension
- GAS contributes to generate compliant behavior
- TA prevents ankle overextension

- Gluteus muscle group (GLU) generates negative orientation
- Hip flexor muscle group (HFL) generate positive orientation

Figure: New bipedal locomotion model with muscles

- GLU and HFL maintain the balance of the trunk

- Hamstring muscle group (HAM) prevents knee hyperextension

Table of Contents

General equation of muscle stimuli

- Spinal reflexes activate muscles during locomotion

Figure: New bipedal locomotion model with muscles

The stimulation of a muscle is given by

$$S_m(t) = S_{0,m} + G_m F_m \delta t_m,$$
$$\delta t_m = (t - \Delta t_m),$$

where,

- S_m: stimulation
- S_0: prestimulation
- F_m: force
- G_m: gain
- Δt_m: muscle time delay
- ΔL_m: muscle stretch

Table of Contents

Muscle stimuli during the stance phase

- Vastus group muscle (VAS) generates knee extension motion
- Soleus muscle (SOL) generates ankle plantarflexion motion

Figure: New bipedal locomotion model with muscles

The stimulation of **VAS** is given by

$$S_{VAS}(t) = S_{0,VAS} + G_{VAS}F_{VAS}(t - \Delta t_{VAS})$$

The stimulation of **SOL** is given by

$$S_{SOL}(t) = S_{0,SOL} + G_{SOL}F_{SOL}(t - \Delta t_{SOL})$$

Muscle stimuli during the stance phase

The stimulation of **GAS** is given by

$$S_{GAS}(t) = S_{0,GAS} + G_{GAS}F_{GAS}(t - \Delta t_{GAS})$$

The stimulation of **TA** is given by

$$S_{TA}(t) = S_{0,TA} + G_{TA}(\Delta L_{TA})(t - \Delta t_{TA}) - G_{SOL,TA}F_{SOL}(t - \Delta t_{SOL})$$

- GAS prevents knee overextension
- GAS contributes to generate compliant behavior
- TA prevents ankle overextension

Muscle stimuli during the stance phase

The stimulation of **GLU** and **HFL** is given by

$$S_{GLU}(t) \sim \pm k_p(\theta - \theta_{ref}) + k_d\dot{\theta}$$

The stimulation of **HAM** is given by

$$S_{HAM} \sim S_{GLU}$$

- GLU generates negative orientation
- HAM prevents knee hyperextension
- HFL generate positive orientation

Table of Contents

Table of Contents

Introduction

Hi guys, the title of the article is " " was presented in the conference " " in 2010 by the authors " " .

Motivation

The bipedal spring-mass model is a well-know model that can describe the locomotion dynamics of legged mechanisms.

A

dd support files of spinal reflexes